

California Local Health Jurisdiction STD Data Summaries 2010 Provisional Data

Data Sources 2

Data Limitations 3

State Summary 4

Local Health Jurisdictions

Alameda 8
Alpine 10
Amador 12
Berkeley 14
Butte 16
Calaveras 18
Colusa 20
Contra Costa 22
Del Norte 24
El Dorado 26
Fresno 28
Glenn 30
Humboldt 32
Imperial 34
Inyo 36
Kern 38
Kings 40
Lake 42
Lassen 44
Long Beach 46
Los Angeles 48

Madera 50
Marin 52
Mariposa 54
Mendocino 56
Merced 58
Modoc 60
Mono 62
Monterey 64
Napa 66
Nevada 68
Orange 70
Pasadena 72
Placer 74
Plumas 76
Riverside 78
Sacramento 80
San Benito 82
San Bernardino 84
San Diego 86
San Francisco 88

San Joaquin 90
San Luis Obispo 92
San Mateo 94
Santa Barbara 96
Santa Clara 98
Santa Cruz 100
Shasta 102
Sierra 104
Siskiyou 106
Solano 108
Sonoma 110
Stanislaus 112
Sutter 114
Tehama 116
Trinity 118
Tulare 120
Tuolumne 122
Ventura 124
Yolo 126
Yuba 128



Prepared by: California Department of Public Health
Sexually Transmitted Diseases Control Branch
<http://www.cdph.ca.gov/programs/std/Pages/default.aspx>



July 2011

DATA SOURCES

The STD surveillance systems operated by state and local STD control programs are the sources of California data in this publication. Case reports are submitted to local health jurisdictions in the form of laboratory reports and Confidential Morbidity Reports (CMRs). The local health jurisdictions then submit the data to the California Department of Public Health (CDPH). Most health jurisdictions either use the California Reportable Disease Information Exchange (CalREDIE) system, the Automated Vital Statistics System (AVSS) communicable disease module, the Visual Confidential Morbidity Report (VCMR) system, or enter case data into a non-AVSS database using regional office computers or STD surveillance unit staff support in Sacramento. A small number of health jurisdictions report case data through paper-based transactions (CMRs) or through a county-generated database.

Rates by county and selected city health jurisdictions were calculated using State of California, Department of Finance, *California County Population Estimates and Components of Change by Year, July 1, 2000–2010*, Sacramento, California, December 2010. Rates by age, race/ethnicity, and gender were calculated using State of California, Department of Finance, *Race/Ethnic Population with Age and Sex Detail, 2000–2050*, Sacramento, California, July 2007. In this report, data are presented by county and for the separate city health jurisdictions of Berkeley, Long Beach and Pasadena. The numbers for these cities are displayed separately from their respective county totals and are included in the county totals.

The race and ethnicity information listed and the corresponding census categories are Black (Black or African-American, non-Hispanic); Latino/Hispanic (Hispanic ethnicity, regardless of race designation); White (white, non-Hispanic); Asian/Pacific Islander (Asian or Native Hawaiian/Pacific Islander, non-Hispanic); American Indian/Alaska Native (American Indian/Alaska Native, non-Hispanic); Other (Other, non-Hispanic), Multi (2 or more races, non-Hispanic), and Not Specified (no race or ethnicity information was available).



DATA LIMITATIONS

The observed increasing trend in chlamydia cases is influenced by factors other than true increases in cases. Chlamydia is often asymptomatic, and many cases are identified through screening programs offered primarily to women. Based on local, state, and national efforts, these screening activities have been increasing in recent years. Women may be screened for chlamydia through routine Pap smear screening, family planning services, and other services related to reproductive health care. Although the majority of chlamydia infections in males are asymptomatic, there are no guidelines for screening asymptomatic males. Another factor influencing the apparent increase in cases is the increasing use of urine-based, nucleic acid amplification tests (NAAT) for chlamydia screening. This test type is likely contributing to the rise in the number of reported chlamydia cases because these tests are more sensitive and more acceptable to some women and men.


The substantial amount of missing race/ethnicity data from the laboratory reports and CMRs limits the interpretation of race/ethnicity data from surveillance data. The majority of case reports originate from laboratories, a group which does not routinely collect data on race/ethnicity. Further, some managed care organizations and other health care service providers do not routinely record race/ethnicity of patients. The observed racial/ethnic disparities may reflect true differences in the infection rates, differential access to health care, and/or reporting practices of different types of providers that serve different populations.

Caution should also be observed when interpreting rates based on few events and/or small populations. For more information, refer to *Guidelines for statistical analysis of public health data with attention to small numbers, Revised, July, 2003*. This publication can be found at <http://fhop.ucsf.edu/fhop/docs/pdf/prods/smallnumbers2003.pdf>.


To protect confidentiality, non-zero data cells in the Local Health Jurisdiction (LHJ) Data Summaries are suppressed if the population denominator minus the number of cases is less than 100. If a cell is suppressed, one or more complementary cells are suppressed to avoid recalculation of the suppressed cell.

California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by County, 2010


Chlamydia












P&S Syphilis



Gonorrhea



California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

California State – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	155,300	100.0%	400.0	26,840	100.0%	69.1	2,059	100.0%	5.3	1,805	100.0%	4.6	39,135,676	100.0%
Female Total	106,339	68.5%	542.3	10,757	40.1%	54.9	75	3.6%	0.4	126	7.0%	0.6	19,608,793	50.1%
Ages														
0 – 9	52	0.0%	1.9	12	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	2,701,285	13.8%
10 – 14	908	0.9%	69.1	148	1.4%	11.3	1	1.3%	0.1	0	0.0%	0.0	1,313,498	6.7%
15 – 19	33,440	31.5%	2,247.0	3,349	31.2%	225.0	10	13.3%	0.7	21	16.7%	1.4	1,488,238	7.6%
20 – 24	41,406	39.1%	2,950.5	3,637	33.9%	259.2	12	16.0%	0.9	28	22.2%	2.0	1,403,352	7.2%
25 – 29	16,646	15.7%	1,296.8	1,732	16.1%	134.9	14	18.7%	1.1	21	16.7%	1.6	1,283,661	6.5%
30 – 34	6,961	6.6%	574.2	887	8.3%	73.2	4	5.3%	0.3	14	11.1%	1.2	1,212,291	6.2%
35 – 44	4,998	4.7%	184.8	691	6.4%	25.6	18	24.0%	0.7	22	17.5%	0.8	2,703,970	13.8%
45 +	1,618	1.5%	21.6	274	2.6%	3.7	16	21.3%	0.2	20	15.9%	0.3	7,502,498	38.3%
Not Specified	310	0.3%	-	27	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	48,358	31.1%	247.6	15,961	59.5%	81.7	1,983	96.3%	10.2	1,676	92.9%	8.6	19,526,883	49.9%
Ages														
0 – 9	26	0.1%	0.9	4	0.0%	0.1	0	0.0%	0.0	1	0.1%	0.0	2,812,744	14.4%
10 – 14	174	0.4%	12.7	32	0.2%	2.3	2	0.1%	0.1	0	0.0%	0.0	1,371,611	7.0%
15 – 19	8,762	18.2%	559.4	1,894	11.9%	120.9	65	3.3%	4.2	39	2.3%	2.5	1,566,183	8.0%
20 – 24	16,432	34.1%	1,086.6	4,011	25.2%	265.2	270	13.6%	17.9	171	10.2%	11.3	1,512,182	7.7%
25 – 29	10,072	20.9%	726.5	3,237	20.3%	233.5	311	15.7%	22.4	222	13.3%	16.0	1,386,408	7.1%
30 – 34	5,045	10.5%	395.9	2,080	13.1%	163.2	297	15.0%	23.3	212	12.7%	16.6	1,274,379	6.5%
35 – 44	5,007	10.4%	179.7	2,813	17.7%	101.0	559	28.2%	20.1	570	34.0%	20.5	2,786,242	14.3%
45 +	2,683	5.6%	39.4	1,841	11.6%	27.0	477	24.1%	7.0	460	27.5%	6.7	6,817,134	34.9%
Not Specified	157	0.3%	-	49	0.3%	-	2	0.1%	-	1	0.1%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	155,300	100.0%	400.0	26,840	100.0%	69.1	2,059	100.0%	5.3	1,805	100.0%	4.6	39,135,676	100.0%
Female Total	106,339	68.5%	542.3	10,757	40.1%	54.9	75	3.6%	0.4	126	7.0%	0.6	19,608,793	50.1%
American Indian/Alaska Native	305	0.5%	249.2	27	0.4%	22.1	0	0.0%	0.0	0	0.0%	0.0	122,373	0.6%
Asian/Pacific Islander	4,108	6.1%	163.5	274	3.8%	10.9	1	1.4%	0.0	5	4.0%	0.2	2,512,224	12.8%
Black/African-American	15,902	23.7%	1,359.3	3,511	48.8%	300.1	32	45.7%	2.7	44	35.5%	3.8	1,169,844	6.0%
Latina/Hispanic	33,189	49.5%	466.8	1,968	27.3%	27.7	14	20.0%	0.2	56	45.2%	0.8	7,110,156	36.3%
White	13,591	20.3%	164.2	1,421	19.7%	17.2	23	32.9%	0.3	19	15.3%	0.2	8,278,622	42.2%
Other/Multi/Not Specified	39,244	36.9%	-	3,556	33.1%	-	5	6.7%	-	2	1.6%	-	415,574	2.1%
Male Total	48,358	31.1%	247.6	15,961	59.5%	81.7	1,983	96.3%	10.2	1,676	92.9%	8.6	19,526,883	49.9%
American Indian/Alaska Native	112	0.4%	94.6	34	0.3%	28.7	7	0.4%	5.9	3	0.2%	2.5	118,348	0.6%
Asian/Pacific Islander	1,570	5.0%	67.6	506	4.4%	21.8	92	4.8%	4.0	67	4.2%	2.9	2,321,659	11.9%
Black/African-American	8,651	27.7%	774.2	3,877	33.7%	347.0	276	14.4%	24.7	230	14.3%	20.6	1,117,346	5.7%
Latina/Hispanic	13,372	42.9%	180.6	3,422	29.7%	46.2	663	34.6%	9.0	695	43.4%	9.4	7,402,661	37.9%
White	7,501	24.0%	91.9	3,680	31.9%	45.1	878	45.8%	10.8	608	37.9%	7.5	8,160,162	41.8%
Other/Multi/Not Specified	17,152	35.5%	-	4,442	27.8%	-	67	3.4%	-	73	4.4%	-	406,707	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall state rates were calculated using the July 1 county population estimates from the Department of Finance.
(For California, the July 1, 2010 estimate is 38,826,898).

Note: Rates are per 100,000 population.


Source: California Department of Public Health, STD Control Branch



California – Chlamydia, Gonorrhea, and P&S Syphilis

Ranking of County Rates for 2010

(with 95% Confidence Intervals*)












* Confidence intervals were calculated using Poisson exact method; not shown for counties with zero cases.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Alameda County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population. Alameda County includes Berkeley City Health Jurisdiction.

Source: California Department of Public Health, STD Control Branch

Alameda County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,027	100.0%	444.1	1,923	100.0%	121.5	111	100.0%	7.0	58	100.0%	3.7	1,550,133	100.0%
Female Total	4,779	68.0%	603.0	933	48.5%	117.7	8	7.2%	1.0	10	17.2%	1.3	792,483	51.1%
Ages														
0 – 9	3	0.1%	3.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	100,767	12.7%
10 – 14	76	1.6%	164.3	27	2.9%	58.4	0	0.0%	0.0	0	0.0%	0.0	46,245	5.8%
15 – 19	1,782	37.3%	3,575.6	418	44.8%	838.7	4	50.0%	8.0	3	30.0%	6.0	49,838	6.3%
20 – 24	1,646	34.5%	3,360.0	241	25.9%	492.0	2	25.0%	4.1	3	30.0%	6.1	48,988	6.2%
25 – 29	646	13.5%	1,311.5	124	13.3%	251.7	1	12.5%	2.0	3	30.0%	6.1	49,256	6.2%
30 – 34	315	6.6%	555.0	69	7.4%	121.6	0	0.0%	0.0	0	0.0%	0.0	56,757	7.2%
35 – 44	223	4.7%	178.0	39	4.2%	31.1	0	0.0%	0.0	1	10.0%	0.8	125,289	15.8%
45 +	86	1.8%	27.3	14	1.5%	4.4	1	12.5%	0.3	0	0.0%	0.0	315,343	39.8%
Not Specified	2	0.0%	-	1	0.1%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,246	32.0%	296.4	989	51.4%	130.5	103	92.8%	13.6	48	82.8%	6.3	757,650	48.9%
Ages														
0 – 9	1	0.0%	1.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	104,566	13.8%
10 – 14	33	1.5%	68.5	7	0.7%	14.5	0	0.0%	0.0	0	0.0%	0.0	48,190	6.4%
15 – 19	590	26.3%	1,128.6	196	19.9%	374.9	4	3.9%	7.7	3	6.3%	5.7	52,279	6.9%
20 – 24	671	29.9%	1,325.7	249	25.2%	492.0	19	18.4%	37.5	3	6.3%	5.9	50,614	6.7%
25 – 29	393	17.5%	794.4	194	19.7%	392.2	8	7.8%	16.2	9	18.8%	18.2	49,470	6.5%
30 – 34	219	9.8%	409.6	127	12.9%	237.5	21	20.4%	39.3	5	10.4%	9.4	53,468	7.1%
35 – 44	216	9.6%	182.0	134	13.6%	112.9	23	22.3%	19.4	18	37.5%	15.2	118,703	15.7%
45 +	123	5.5%	43.9	80	8.1%	28.5	28	27.2%	10.0	10	20.8%	3.6	280,360	37.0%
Not Specified	0	0.0%	-	2	0.2%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,027	100.0%	444.1	1,923	100.0%	121.5	111	100.0%	7.0	58	100.0%	3.7	1,550,133	100.0%
Female Total	4,779	68.0%	603.0	933	48.5%	117.7	8	7.2%	1.0	10	17.2%	1.3	792,483	51.1%
American Indian/Alaska Native	9	0.4%	213.8	2	0.4%	47.5	0	0.0%	0.0	0	0.0%	0.0	4,210	0.5%
Asian/Pacific Islander	225	9.9%	112.9	27	5.5%	13.5	1	12.5%	0.5	0	0.0%	0.0	199,265	25.1%
Black/African-American	1,292	56.8%	1,251.6	378	77.6%	366.2	6	75.0%	5.8	8	80.0%	7.8	103,224	13.0%
Latina/Hispanic	507	22.3%	282.9	34	7.0%	19.0	0	0.0%	0.0	1	10.0%	0.6	179,241	22.6%
White	242	10.6%	86.0	46	9.4%	16.4	1	12.5%	0.4	1	10.0%	0.4	281,307	35.5%
Other/Multi/Not Specified	2,504	52.4%	-	446	47.8%	-	0	0.0%	-	0	0.0%	-	25,236	3.2%
Male Total	2,246	32.0%	296.4	989	51.4%	130.5	103	92.8%	13.6	48	82.8%	6.3	757,650	48.9%
American Indian/Alaska Native	4	0.4%	107.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,725	0.5%
Asian/Pacific Islander	73	6.5%	38.6	32	5.9%	16.9	5	5.2%	2.6	2	4.5%	1.1	189,148	25.0%
Black/African-American	721	64.0%	876.5	346	64.0%	420.6	37	38.1%	45.0	19	43.2%	23.1	82,260	10.9%
Latina/Hispanic	182	16.1%	98.3	77	14.2%	41.6	20	20.6%	10.8	13	29.5%	7.0	185,229	24.4%
White	147	13.0%	53.9	86	15.9%	31.5	35	36.1%	12.8	10	22.7%	3.7	272,848	36.0%
Other/Multi/Not Specified	1,119	49.8%	-	448	45.3%	-	6	5.8%	-	4	8.3%	-	24,440	3.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Alameda County, the July 1, 2010 estimate is 1,582,420).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Alpine County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female □ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Alpine County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	1,369	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	658	48.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	65	9.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	37	5.6%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28	4.3%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	48	7.3%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	8.8%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	35	5.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57	8.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	330	50.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	711	51.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57	8.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33	4.6%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33	4.6%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41	5.8%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49	6.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	8.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	60	8.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	380	53.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	1,369	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	658	48.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	128	19.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.3%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57	8.7%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	445	67.6%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	24	3.6%
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	711	51.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	108	15.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5	0.7%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	65	9.1%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	499	70.2%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	31	4.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.









² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Alpine County, the July 1, 2010 estimate is 1,186).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Amador County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Amador County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	71	100.0%	186.3	4	100.0%	10.5	1	100.0%	2.6	0	100.0%	0.0	40,337	100.0%
Female Total	35	49.3%	191.1	1	25.0%	5.5	0	0.0%	0.0	0	0.0%	0.0	18,319	45.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,542	8.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	855	4.7%
15 – 19	13	37.1%	1,218.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,067	5.8%
20 – 24	17	48.6%	1,482.1	1	100.0%	87.2	0	0.0%	0.0	0	0.0%	0.0	1,147	6.3%
25 – 29	2	5.7%	231.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	865	4.7%
30 – 34	2	5.7%	345.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	579	3.2%
35 – 44	1	2.9%	55.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,793	9.8%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,471	57.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	36	50.7%	163.5	3	75.0%	13.6	1	100.0%	4.5	0	0.0%	0.0	22,018	54.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,540	7.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	876	4.0%
15 – 19	9	25.0%	457.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,967	8.9%
20 – 24	20	55.6%	1,153.4	1	33.3%	57.7	0	0.0%	0.0	0	0.0%	0.0	1,734	7.9%
25 – 29	6	16.7%	418.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,433	6.5%
30 – 34	1	2.8%	87.3	1	33.3%	87.3	0	0.0%	0.0	0	0.0%	0.0	1,146	5.2%
35 – 44	0	0.0%	0.0	1	33.3%	35.7	0	0.0%	0.0	0	0.0%	0.0	2,800	12.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	9.5	0	0.0%	0.0	10,522	47.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	71	100.0%	186.3	4	100.0%	10.5	1	100.0%	2.6	0	100.0%	0.0	40,337	100.0%
Female Total	35	49.3%	191.1	1	25.0%	5.5	0	0.0%	0.0	0	0.0%	0.0	18,319	45.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	267	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	179	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.3%
Latina/Hispanic	3	8.6%	174.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,724	9.4%
White	32	91.4%	203.8	1	100.0%	6.4	0	0.0%	0.0	0	0.0%	0.0	15,699	85.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	395	2.2%
Male Total	36	50.7%	163.5	3	75.0%	13.6	1	100.0%	4.5	0	0.0%	0.0	22,018	54.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	352	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	226	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,412	6.4%
Latina/Hispanic	4	11.1%	135.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,952	13.4%
White	32	88.9%	191.5	3	100.0%	18.0	1	100.0%	6.0	0	0.0%	0.0	16,711	75.9%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	365	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Amador County, the July 1, 2010 estimate is 38,118).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Berkeley City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Berkeley City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	411	100.0%	348.1	172	100.0%	145.7	14	100.0%	11.9	2	100.0%	1.7	118,082	100.0%
Female Total	257	62.5%	427.7	70	40.7%	116.5	0	0.0%	0.0	0	0.0%	0.0	60,093	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,548	7.6%
10 – 14	3	1.2%	132.4	2	2.9%	88.3	0	0.0%	0.0	0	0.0%	0.0	2,266	3.8%
15 – 19	109	42.6%	2,318.2	36	51.4%	765.6	0	0.0%	0.0	0	0.0%	0.0	4,702	7.8%
20 – 24	94	36.7%	1,030.6	18	25.7%	197.3	0	0.0%	0.0	0	0.0%	0.0	9,121	15.2%
25 – 29	25	9.8%	453.1	5	7.1%	90.6	0	0.0%	0.0	0	0.0%	0.0	5,517	9.2%
30 – 34	16	6.3%	351.9	7	10.0%	153.9	0	0.0%	0.0	0	0.0%	0.0	4,547	7.6%
35 – 44	5	2.0%	59.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,416	14.0%
45 +	4	1.6%	19.1	2	2.9%	9.5	0	0.0%	0.0	0	0.0%	0.0	20,977	34.9%
Not Specified	1	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	153	37.2%	263.8	101	58.7%	174.2	14	100.0%	24.1	2	100.0%	3.4	57,989	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,809	8.3%
10 – 14	2	1.3%	86.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,301	4.0%
15 – 19	27	17.6%	604.4	9	9.1%	201.5	0	0.0%	0.0	0	0.0%	0.0	4,467	7.7%
20 – 24	51	33.3%	513.4	25	25.3%	251.7	2	14.3%	20.1	0	0.0%	0.0	9,933	17.1%
25 – 29	32	20.9%	522.7	25	25.3%	408.4	3	21.4%	49.0	0	0.0%	0.0	6,122	10.6%
30 – 34	20	13.1%	406.8	13	13.1%	264.4	3	21.4%	61.0	0	0.0%	0.0	4,916	8.5%
35 – 44	14	9.2%	174.3	17	17.2%	211.7	5	35.7%	62.3	1	50.0%	12.5	8,030	13.8%
45 +	7	4.6%	40.2	10	10.1%	57.4	1	7.1%	5.7	1	50.0%	5.7	17,411	30.0%
Not Specified	0	0.0%	-	2	2.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	411	100.0%	348.1	172	100.0%	145.7	14	100.0%	11.9	2	100.0%	1.7	118,082	100.0%
Female Total	257	62.5%	427.7	70	40.7%	116.5	0	0.0%	0.0	0	0.0%	0.0	60,093	50.9%
American Indian/Alaska Native	1	0.7%	588.2	1	2.1%	588.2	0	0.0%	0.0	0	0.0%	0.0	170	0.3%
Asian/Pacific Islander	4	2.7%	39.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,163	16.9%
Black/African-American	108	73.5%	1,240.4	38	79.2%	436.4	0	0.0%	0.0	0	0.0%	0.0	8,707	14.5%
Latina/Hispanic	20	13.6%	365.6	3	6.3%	54.8	0	0.0%	0.0	0	0.0%	0.0	5,471	9.1%
White	14	9.5%	43.0	6	12.5%	18.4	0	0.0%	0.0	0	0.0%	0.0	32,554	54.2%
Other/Multi/Not Specified	110	42.8%	-	22	31.4%	-	0	0.0%	-	0	0.0%	-	3,028	5.0%
Male Total	153	37.2%	263.8	101	58.7%	174.2	14	100.0%	24.1	2	100.0%	3.4	57,989	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	167	0.3%
Asian/Pacific Islander	7	8.9%	76.0	5	9.3%	54.3	0	0.0%	0.0	0	0.0%	0.0	9,215	15.9%
Black/African-American	38	48.1%	539.3	17	31.5%	241.3	4	30.8%	56.8	0	0.0%	0.0	7,046	12.2%
Latina/Hispanic	17	21.5%	282.3	9	16.7%	149.4	4	30.8%	66.4	0	0.0%	0.0	6,023	10.4%
White	17	21.5%	52.1	23	42.6%	70.5	5	38.5%	15.3	1	100.0%	3.1	32,601	56.2%
Other/Multi/Not Specified	74	48.4%	-	47	46.5%	-	1	7.1%	-	1	50.0%	-	2,936	5.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Butte County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Butte County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	802	100.0%	359.9	61	100.0%	27.4	0	100.0%	0.0	1	100.0%	0.4	230,116	100.0%
Female Total	547	68.2%	468.6	31	50.8%	26.6	0	0.0%	0.0	0	0.0%	0.0	116,741	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,346	10.6%
10 – 14	5	0.9%	74.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,751	5.8%
15 – 19	188	34.4%	2,076.7	14	45.2%	154.6	0	0.0%	0.0	0	0.0%	0.0	9,053	7.8%
20 – 24	267	48.9%	2,364.7	8	25.8%	70.9	0	0.0%	0.0	0	0.0%	0.0	11,291	9.7%
25 – 29	56	10.3%	729.2	4	12.9%	52.1	0	0.0%	0.0	0	0.0%	0.0	7,680	6.6%
30 – 34	18	3.3%	262.0	4	12.9%	58.2	0	0.0%	0.0	0	0.0%	0.0	6,871	5.9%
35 – 44	7	1.3%	53.0	1	3.2%	7.6	0	0.0%	0.0	0	0.0%	0.0	13,205	11.3%
45 +	5	0.9%	10.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49,544	42.4%
Not Specified	1	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	251	31.3%	221.4	30	49.2%	26.5	0	0.0%	0.0	1	100.0%	0.9	113,375	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,807	11.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,174	6.3%
15 – 19	38	15.3%	402.6	5	16.7%	53.0	0	0.0%	0.0	0	0.0%	0.0	9,438	8.3%
20 – 24	135	54.2%	1,123.9	9	30.0%	74.9	0	0.0%	0.0	0	0.0%	0.0	12,012	10.6%
25 – 29	41	16.5%	515.4	8	26.7%	100.6	0	0.0%	0.0	0	0.0%	0.0	7,955	7.0%
30 – 34	16	6.4%	228.9	4	13.3%	57.2	0	0.0%	0.0	0	0.0%	0.0	6,989	6.2%
35 – 44	14	5.6%	102.1	4	13.3%	29.2	0	0.0%	0.0	1	100.0%	7.3	13,713	12.1%
45 +	5	2.0%	11.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,287	38.2%
Not Specified	2	0.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	802	100.0%	359.9	61	100.0%	27.4	0	100.0%	0.0	1	100.0%	0.4	230,116	100.0%
Female Total	547	68.2%	468.6	31	50.8%	26.6	0	0.0%	0.0	0	0.0%	0.0	116,741	50.7%
American Indian/Alaska Native	5	1.1%	234.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,134	1.8%
Asian/Pacific Islander	24	5.2%	657.4	1	4.5%	27.4	0	0.0%	0.0	0	0.0%	0.0	3,651	3.1%
Black/African-American	22	4.7%	1,600.0	1	4.5%	72.7	0	0.0%	0.0	0	0.0%	0.0	1,375	1.2%
Latina/Hispanic	90	19.4%	568.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,838	13.6%
White	324	69.7%	356.0	20	90.9%	22.0	0	0.0%	0.0	0	0.0%	0.0	91,005	78.0%
Other/Multi/Not Specified	82	15.0%	-	9	29.0%	-	0	0.0%	-	0	0.0%	-	2,738	2.3%
Male Total	251	31.3%	221.4	30	49.2%	26.5	0	0.0%	0.0	1	100.0%	0.9	113,375	49.3%
American Indian/Alaska Native	4	1.9%	180.9	2	7.4%	90.5	0	0.0%	0.0	0	0.0%	0.0	2,211	2.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,715	3.3%
Black/African-American	37	17.8%	2,199.8	5	18.5%	297.3	0	0.0%	0.0	0	0.0%	0.0	1,682	1.5%
Latina/Hispanic	27	13.0%	173.0	2	7.4%	12.8	0	0.0%	0.0	0	0.0%	0.0	15,610	13.8%
White	140	67.3%	160.1	18	66.7%	20.6	0	0.0%	0.0	1	100.0%	1.1	87,447	77.1%
Other/Multi/Not Specified	43	17.1%	-	3	10.0%	-	0	0.0%	-	0	0.0%	-	2,710	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Butte County, the July 1, 2010 estimate is 222,829).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Calaveras County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female — Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Calaveras County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	48	100.0%	104.1	6	100.0%	13.0	0	100.0%	0.0	0	100.0%	0.0	47,750	100.0%
Female Total	40	83.3%	165.5	4	66.7%	16.5	0	0.0%	0.0	0	0.0%	0.0	24,175	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,913	7.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,080	4.5%
15 – 19	23	57.5%	1,485.8	3	75.0%	193.8	0	0.0%	0.0	0	0.0%	0.0	1,548	6.4%
20 – 24	9	22.5%	553.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,627	6.7%
25 – 29	3	7.5%	272.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,103	4.6%
30 – 34	4	10.0%	543.5	1	25.0%	135.9	0	0.0%	0.0	0	0.0%	0.0	736	3.0%
35 – 44	1	2.5%	42.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,347	9.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,821	57.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	8	16.7%	33.9	2	33.3%	8.5	0	0.0%	0.0	0	0.0%	0.0	23,575	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,982	8.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,178	5.0%
15 – 19	3	37.5%	182.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,647	7.0%
20 – 24	3	37.5%	167.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,792	7.6%
25 – 29	1	12.5%	71.8	1	50.0%	71.8	0	0.0%	0.0	0	0.0%	0.0	1,392	5.9%
30 – 34	1	12.5%	149.9	1	50.0%	149.9	0	0.0%	0.0	0	0.0%	0.0	667	2.8%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,140	9.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,777	54.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	48	100.0%	104.1	6	100.0%	13.0	0	100.0%	0.0	0	100.0%	0.0	47,750	100.0%
Female Total	40	83.3%	165.5	4	66.7%	16.5	0	0.0%	0.0	0	0.0%	0.0	24,175	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	362	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	244	1.0%
Black/African-American	2	13.3%	1,639.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	122	0.5%
Latina/Hispanic	1	6.7%	36.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,743	11.3%
White	12	80.0%	60.1	2	100.0%	10.0	0	0.0%	0.0	0	0.0%	0.0	19,982	82.7%
Other/Multi/Not Specified	25	62.5%	-	2	50.0%	-	0	0.0%	-	0	0.0%	-	722	3.0%
Male Total	8	16.7%	33.9	2	33.3%	8.5	0	0.0%	0.0	0	0.0%	0.0	23,575	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	319	1.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	172	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	219	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,541	10.8%
White	3	100.0%	15.2	2	100.0%	10.2	0	0.0%	0.0	0	0.0%	0.0	19,702	83.6%
Other/Multi/Not Specified	5	62.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	622	2.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Calaveras County, the July 1, 2010 estimate is 46,117).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Colusa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Colusa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	31	100.0%	138.8	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	23,787	100.0%
Female Total	26	83.9%	223.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,624	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,750	15.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	880	7.6%
15 – 19	10	38.5%	1,023.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	977	8.4%
20 – 24	10	38.5%	1,036.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	965	8.3%
25 – 29	5	19.2%	547.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	914	7.9%
30 – 34	1	3.8%	157.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	634	5.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,346	11.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,158	35.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	5	16.1%	41.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,163	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,873	15.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	860	7.1%
15 – 19	3	60.0%	304.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	984	8.1%
20 – 24	1	20.0%	92.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,081	8.9%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,150	9.5%
30 – 34	1	20.0%	123.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	807	6.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,434	11.8%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,974	32.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	31	100.0%	138.8	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	23,787	100.0%
Female Total	26	83.9%	223.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,624	48.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	191	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	201	1.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	47	0.4%
Latina/Hispanic	1	3.8%	17.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,726	49.3%
White	25	96.2%	472.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,290	45.5%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	169	1.5%
Male Total	5	16.1%	41.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,163	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	191	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	227	1.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	61	0.5%
Latina/Hispanic	1	33.3%	15.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,445	53.0%
White	2	66.7%	39.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,092	41.9%
Other/Multi/Not Specified	2	40.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	147	1.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Colusa County, the July 1, 2010 estimate is 22,337).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Contra Costa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Contra Costa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,872	100.0%	358.8	821	100.0%	76.1	33	100.0%	3.1	13	100.0%	1.2	1,075,931	100.0%
Female Total	2,812	72.6%	514.3	471	57.4%	86.1	6	18.2%	1.1	1	7.7%	0.2	546,789	50.8%
Ages														
0 – 9	5	0.2%	7.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	66,502	12.2%
10 – 14	33	1.2%	94.0	11	2.4%	31.3	0	0.0%	0.0	0	0.0%	0.0	35,111	6.4%
15 – 19	1,012	36.3%	2,649.2	164	35.3%	429.3	1	16.7%	2.6	0	0.0%	0.0	38,200	7.0%
20 – 24	1,015	36.4%	2,649.8	139	29.9%	362.9	1	16.7%	2.6	0	0.0%	0.0	38,305	7.0%
25 – 29	407	14.6%	1,156.6	80	17.2%	227.4	0	0.0%	0.0	1	100.0%	2.8	35,188	6.4%
30 – 34	165	5.9%	553.4	30	6.5%	100.6	0	0.0%	0.0	0	0.0%	0.0	29,816	5.5%
35 – 44	105	3.8%	153.0	26	5.6%	37.9	4	66.7%	5.8	0	0.0%	0.0	68,644	12.6%
45 +	44	1.6%	18.7	15	3.2%	6.4	0	0.0%	0.0	0	0.0%	0.0	235,023	43.0%
Not Specified	26	0.9%	-	6	1.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,025	26.5%	193.7	338	41.2%	63.9	27	81.8%	5.1	12	92.3%	2.3	529,142	49.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	69,022	13.0%
10 – 14	11	1.1%	30.3	1	0.3%	2.8	0	0.0%	0.0	0	0.0%	0.0	36,312	6.9%
15 – 19	242	23.8%	601.5	56	16.7%	139.2	0	0.0%	0.0	1	8.3%	2.5	40,236	7.6%
20 – 24	327	32.2%	807.1	101	30.1%	249.3	1	3.7%	2.5	1	8.3%	2.5	40,514	7.7%
25 – 29	175	17.2%	461.8	59	17.6%	155.7	6	22.2%	15.8	3	25.0%	7.9	37,897	7.2%
30 – 34	101	9.9%	320.1	34	10.1%	107.8	4	14.8%	12.7	0	0.0%	0.0	31,551	6.0%
35 – 44	92	9.1%	136.6	41	12.2%	60.9	4	14.8%	5.9	6	50.0%	8.9	67,350	12.7%
45 +	68	6.7%	33.0	44	13.1%	21.3	12	44.4%	5.8	1	8.3%	0.5	206,260	39.0%
Not Specified	9	0.9%	-	2	0.6%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,872	100.0%	358.8	821	100.0%	76.1	33	100.0%	3.1	13	100.0%	1.2	1,075,931	100.0%
Female Total	2,812	72.6%	514.3	471	57.4%	86.1	6	18.2%	1.1	1	7.7%	0.2	546,789	50.8%
American Indian/Alaska Native	14	1.0%	548.8	1	0.5%	39.2	0	0.0%	0.0	0	0.0%	0.0	2,551	0.5%
Asian/Pacific Islander	115	8.4%	153.8	5	2.7%	6.7	0	0.0%	0.0	0	0.0%	0.0	74,764	13.7%
Black/African-American	569	41.7%	1,226.9	107	58.2%	230.7	3	60.0%	6.5	0	0.0%	0.0	46,377	8.5%
Latina/Hispanic	356	26.1%	286.0	26	14.1%	20.9	0	0.0%	0.0	1	100.0%	0.8	124,461	22.8%
White	310	22.7%	108.0	45	24.5%	15.7	2	40.0%	0.7	0	0.0%	0.0	287,126	52.5%
Other/Multi/Not Specified	1,448	51.5%	-	287	60.9%	-	1	16.7%	-	0	0.0%	-	11,510	2.1%
Male Total	1,025	26.5%	193.7	338	41.2%	63.9	27	81.8%	5.1	12	92.3%	2.3	529,142	49.2%
American Indian/Alaska Native	2	0.4%	80.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,494	0.5%
Asian/Pacific Islander	27	5.4%	39.8	3	2.1%	4.4	2	7.7%	2.9	0	0.0%	0.0	67,821	12.8%
Black/African-American	255	50.6%	616.7	84	57.9%	203.1	7	26.9%	16.9	4	36.4%	9.7	41,350	7.8%
Latina/Hispanic	117	23.2%	89.8	23	15.9%	17.6	6	23.1%	4.6	4	36.4%	3.1	130,357	24.6%
White	103	20.4%	37.3	35	24.1%	12.7	11	42.3%	4.0	3	27.3%	1.1	275,934	52.1%
Other/Multi/Not Specified	521	50.8%	-	193	57.1%	-	1	3.7%	-	1	8.3%	-	11,186	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Contra Costa County, the July 1, 2010 estimate is 1,079,160).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Del Norte County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Del Norte County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46	100.0%	154.7	1	100.0%	3.4	0	100.0%	0.0	0	100.0%	0.0	30,983	100.0%
Female Total	34	73.9%	242.6	1	100.0%	7.1	0	0.0%	0.0	0	0.0%	0.0	14,017	45.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,763	12.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	802	5.7%
15 – 19	10	29.4%	990.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,010	7.2%
20 – 24	10	29.4%	881.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,134	8.1%
25 – 29	9	26.5%	835.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,077	7.7%
30 – 34	5	14.7%	758.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	659	4.7%
35 – 44	0	0.0%	0.0	1	100.0%	70.8	0	0.0%	0.0	0	0.0%	0.0	1,412	10.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,160	43.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	12	26.1%	70.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,966	54.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,831	10.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	808	4.8%
15 – 19	4	33.3%	351.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,138	6.7%
20 – 24	4	33.3%	244.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,639	9.7%
25 – 29	2	16.7%	102.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,953	11.5%
30 – 34	1	8.3%	77.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,287	7.6%
35 – 44	1	8.3%	43.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,291	13.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,019	35.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46	100.0%	154.7	1	100.0%	3.4	0	100.0%	0.0	0	100.0%	0.0	30,983	100.0%
Female Total	34	73.9%	242.6	1	100.0%	7.1	0	0.0%	0.0	0	0.0%	0.0	14,017	45.2%
American Indian/Alaska Native	2	20.0%	195.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,021	7.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	400	2.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67	0.5%
Latina/Hispanic	1	10.0%	56.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,757	12.5%
White	7	70.0%	68.1	1	100.0%	9.7	0	0.0%	0.0	0	0.0%	0.0	10,275	73.3%
Other/Multi/Not Specified	24	70.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	497	3.5%
Male Total	12	26.1%	70.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,966	54.8%
American Indian/Alaska Native	1	25.0%	97.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,022	6.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	369	2.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,182	7.0%
Latina/Hispanic	1	25.0%	29.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,342	19.7%
White	2	50.0%	19.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,534	62.1%
Other/Multi/Not Specified	8	66.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	517	3.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Del Norte County, the July 1, 2010 estimate is 29,738).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



El Dorado County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

El Dorado County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	243	100.0%	132.9	16	100.0%	8.8	1	100.0%	0.5	0	100.0%	0.0	189,308	100.0%
Female Total	173	71.2%	182.4	7	43.8%	7.4	0	0.0%	0.0	0	0.0%	0.0	94,863	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,485	10.0%
10 – 14	1	0.6%	18.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,500	5.8%
15 – 19	51	29.5%	727.9	1	14.3%	14.3	0	0.0%	0.0	0	0.0%	0.0	7,006	7.4%
20 – 24	85	49.1%	1,310.9	1	14.3%	15.4	0	0.0%	0.0	0	0.0%	0.0	6,484	6.8%
25 – 29	19	11.0%	437.6	1	14.3%	23.0	0	0.0%	0.0	0	0.0%	0.0	4,342	4.6%
30 – 34	8	4.6%	270.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,960	3.1%
35 – 44	6	3.5%	49.8	3	42.9%	24.9	0	0.0%	0.0	0	0.0%	0.0	12,058	12.7%
45 +	3	1.7%	6.4	1	14.3%	2.1	0	0.0%	0.0	0	0.0%	0.0	47,028	49.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	70	28.8%	74.1	9	56.3%	9.5	1	100.0%	1.1	0	0.0%	0.0	94,445	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,973	10.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,122	6.5%
15 – 19	12	17.1%	157.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,617	8.1%
20 – 24	35	50.0%	501.7	3	33.3%	43.0	0	0.0%	0.0	0	0.0%	0.0	6,976	7.4%
25 – 29	11	15.7%	223.9	1	11.1%	20.4	0	0.0%	0.0	0	0.0%	0.0	4,912	5.2%
30 – 34	8	11.4%	241.6	3	33.3%	90.6	0	0.0%	0.0	0	0.0%	0.0	3,311	3.5%
35 – 44	3	4.3%	26.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,383	12.1%
45 +	1	1.4%	2.3	2	22.2%	4.5	1	100.0%	2.3	0	0.0%	0.0	44,151	46.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	243	100.0%	132.9	16	100.0%	8.8	1	100.0%	0.5	0	100.0%	0.0	189,308	100.0%
Female Total	173	71.2%	182.4	7	43.8%	7.4	0	0.0%	0.0	0	0.0%	0.0	94,863	50.1%
American Indian/Alaska Native	2	2.2%	297.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	672	0.7%
Asian/Pacific Islander	2	2.2%	96.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,075	2.2%
Black/African-American	2	2.2%	595.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	336	0.4%
Latina/Hispanic	20	21.5%	188.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,617	11.2%
White	67	72.0%	84.2	4	100.0%	5.0	0	0.0%	0.0	0	0.0%	0.0	79,529	83.8%
Other/Multi/Not Specified	80	46.2%	-	3	42.9%	-	0	0.0%	-	0	0.0%	-	1,634	1.7%
Male Total	70	28.8%	74.1	9	56.3%	9.5	1	100.0%	1.1	0	0.0%	0.0	94,445	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	683	0.7%
Asian/Pacific Islander	2	3.8%	108.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,849	2.0%
Black/African-American	1	1.9%	200.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	500	0.5%
Latina/Hispanic	13	25.0%	123.8	1	25.0%	9.5	0	0.0%	0.0	0	0.0%	0.0	10,499	11.1%
White	36	69.2%	45.3	3	75.0%	3.8	0	0.0%	0.0	0	0.0%	0.0	79,389	84.1%
Other/Multi/Not Specified	18	25.7%	-	5	55.6%	-	1	100.0%	-	0	0.0%	-	1,525	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For El Dorado County, the July 1, 2010 estimate is 182,827).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Fresno County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Fresno County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,953	100.0%	620.5	798	100.0%	83.2	14	100.0%	1.5	5	100.0%	0.5	983,478	100.0%
Female Total	4,657	78.2%	954.6	434	54.4%	89.0	2	14.3%	0.4	1	20.0%	0.2	487,851	49.6%
Ages														
0 – 9	2	0.0%	2.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	79,162	16.2%
10 – 14	46	1.0%	132.3	4	0.9%	11.5	0	0.0%	0.0	0	0.0%	0.0	34,761	7.1%
15 – 19	1,597	34.6%	3,942.2	127	29.5%	313.5	1	50.0%	2.5	0	0.0%	0.0	40,510	8.3%
20 – 24	1,738	37.6%	4,312.0	152	35.3%	377.1	0	0.0%	0.0	1	100.0%	2.5	40,306	8.3%
25 – 29	690	14.9%	1,791.4	75	17.4%	194.7	0	0.0%	0.0	0	0.0%	0.0	38,518	7.9%
30 – 34	296	6.4%	854.3	46	10.7%	132.8	0	0.0%	0.0	0	0.0%	0.0	34,647	7.1%
35 – 44	181	3.9%	296.4	21	4.9%	34.4	0	0.0%	0.0	0	0.0%	0.0	61,074	12.5%
45 +	70	1.5%	44.1	6	1.4%	3.8	1	50.0%	0.6	0	0.0%	0.0	158,873	32.6%
Not Specified	37	0.8%	-	3	0.7%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,276	21.4%	257.5	359	45.0%	72.4	11	78.6%	2.2	4	80.0%	0.8	495,627	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	82,397	16.6%
10 – 14	6	0.5%	16.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	36,546	7.4%
15 – 19	280	22.2%	651.5	68	18.9%	158.2	0	0.0%	0.0	0	0.0%	0.0	42,978	8.7%
20 – 24	484	38.3%	1,107.6	116	32.3%	265.5	2	18.2%	4.6	0	0.0%	0.0	43,697	8.8%
25 – 29	250	19.8%	578.0	74	20.6%	171.1	2	18.2%	4.6	0	0.0%	0.0	43,249	8.7%
30 – 34	110	8.7%	286.0	33	9.2%	85.8	3	27.3%	7.8	1	25.0%	2.6	38,460	7.8%
35 – 44	98	7.8%	153.1	45	12.5%	70.3	2	18.2%	3.1	1	25.0%	1.6	63,994	12.9%
45 +	36	2.8%	24.9	23	6.4%	15.9	2	18.2%	1.4	2	50.0%	1.4	144,306	29.1%
Not Specified	12	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,953	100.0%	620.5	798	100.0%	83.2	14	100.0%	1.5	5	100.0%	0.5	983,478	100.0%
Female Total	4,657	78.2%	954.6	434	54.4%	89.0	2	14.3%	0.4	1	20.0%	0.2	487,851	49.6%
American Indian/Alaska Native	12	0.4%	272.1	3	1.1%	68.0	0	0.0%	0.0	0	0.0%	0.0	4,410	0.9%
Asian/Pacific Islander	205	6.4%	434.2	7	2.5%	14.8	0	0.0%	0.0	0	0.0%	0.0	47,218	9.7%
Black/African-American	512	15.9%	2,206.3	98	34.9%	422.3	0	0.0%	0.0	0	0.0%	0.0	23,206	4.8%
Latina/Hispanic	2,059	63.9%	869.2	136	48.4%	57.4	0	0.0%	0.0	1	100.0%	0.4	236,877	48.6%
White	433	13.4%	254.7	37	13.2%	21.8	2	100.0%	1.2	0	0.0%	0.0	170,024	34.9%
Other/Multi/Not Specified	1,436	30.8%	-	153	35.3%	-	0	0.0%	-	0	0.0%	-	6,116	1.3%
Male Total	1,276	21.4%	257.5	359	45.0%	72.4	11	78.6%	2.2	4	80.0%	0.8	495,627	50.4%
American Indian/Alaska Native	7	0.8%	174.9	1	0.4%	25.0	0	0.0%	0.0	0	0.0%	0.0	4,002	0.8%
Asian/Pacific Islander	38	4.3%	83.2	4	1.6%	8.8	0	0.0%	0.0	0	0.0%	0.0	45,683	9.2%
Black/African-American	191	21.4%	809.6	110	43.3%	466.3	2	22.2%	8.5	0	0.0%	0.0	23,591	4.8%
Latina/Hispanic	547	61.2%	214.0	105	41.3%	41.1	4	44.4%	1.6	4	100.0%	1.6	255,572	51.6%
White	111	12.4%	68.9	34	13.4%	21.1	3	33.3%	1.9	0	0.0%	0.0	161,120	32.5%
Other/Multi/Not Specified	382	29.9%	-	105	29.2%	-	2	18.2%	-	0	0.0%	-	5,659	1.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Fresno County, the July 1, 2010 estimate is 959,318).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Glenn County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Glenn County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46	100.0%	155.9	7	100.0%	23.7	0	100.0%	0.0	0	100.0%	0.0	30,880	100.0%
Female Total	34	73.9%	222.9	5	71.4%	32.8	0	0.0%	0.0	0	0.0%	0.0	15,255	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,249	14.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,053	6.9%
15 – 19	16	47.1%	1,340.0	1	20.0%	83.8	0	0.0%	0.0	0	0.0%	0.0	1,194	7.8%
20 – 24	9	26.5%	715.4	1	20.0%	79.5	0	0.0%	0.0	0	0.0%	0.0	1,258	8.2%
25 – 29	6	17.6%	552.5	1	20.0%	92.1	0	0.0%	0.0	0	0.0%	0.0	1,086	7.1%
30 – 34	2	5.9%	255.4	1	20.0%	127.7	0	0.0%	0.0	0	0.0%	0.0	783	5.1%
35 – 44	1	2.9%	58.2	1	20.0%	58.2	0	0.0%	0.0	0	0.0%	0.0	1,719	11.3%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,913	38.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	11	23.9%	70.4	2	28.6%	12.8	0	0.0%	0.0	0	0.0%	0.0	15,625	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,251	14.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,133	7.3%
15 – 19	2	18.2%	158.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,265	8.1%
20 – 24	4	36.4%	294.3	1	50.0%	73.6	0	0.0%	0.0	0	0.0%	0.0	1,359	8.7%
25 – 29	3	27.3%	229.5	1	50.0%	76.5	0	0.0%	0.0	0	0.0%	0.0	1,307	8.4%
30 – 34	2	18.2%	226.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	882	5.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,798	11.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,630	36.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46	100.0%	155.9	7	100.0%	23.7	0	100.0%	0.0	0	100.0%	0.0	30,880	100.0%
Female Total	34	73.9%	222.9	5	71.4%	32.8	0	0.0%	0.0	0	0.0%	0.0	15,255	49.4%
American Indian/Alaska Native	2	7.1%	701.8	s	s	s	0	0.0%	0.0	0	0.0%	0.0	285	1.9%
Asian/Pacific Islander	1	3.6%	182.1	s	s	s	0	0.0%	0.0	0	0.0%	0.0	549	3.6%
Black/African-American	0	0.0%	0.0	s	s	s	0	0.0%	0.0	0	0.0%	0.0	57	0.4%
Latina/Hispanic	20	71.4%	414.9	2	66.7%	41.5	0	0.0%	0.0	0	0.0%	0.0	4,821	31.6%
White	5	17.9%	54.1	s	s	s	0	0.0%	0.0	0	0.0%	0.0	9,246	60.6%
Other/Multi/Not Specified	6	17.6%	-	s	s	-	0	0.0%	-	0	0.0%	-	297	1.9%
Male Total	11	23.9%	70.4	2	28.6%	12.8	0	0.0%	0.0	0	0.0%	0.0	15,625	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	227	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	531	3.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	95	0.6%
Latina/Hispanic	5	55.6%	90.9	2	100.0%	36.4	0	0.0%	0.0	0	0.0%	0.0	5,501	35.2%
White	4	44.4%	44.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,989	57.5%
Other/Multi/Not Specified	2	18.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	282	1.8%

s Numbers suppressed for confidentiality.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Glenn County, the July 1, 2010 estimate is 29,505).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Humboldt County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Humboldt County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	349	100.0%	260.7	31	100.0%	23.2	0	100.0%	0.0	1	100.0%	0.7	134,785	100.0%
Female Total	241	69.1%	355.0	16	51.6%	23.6	0	0.0%	0.0	0	0.0%	0.0	67,884	50.4%
Ages														
0 – 9	2	0.8%	27.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,222	10.6%
10 – 14	2	0.8%	53.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,760	5.5%
15 – 19	83	34.4%	1,815.0	5	31.3%	109.3	0	0.0%	0.0	0	0.0%	0.0	4,573	6.7%
20 – 24	85	35.3%	1,381.9	5	31.3%	81.3	0	0.0%	0.0	0	0.0%	0.0	6,151	9.1%
25 – 29	40	16.6%	796.0	4	25.0%	79.6	0	0.0%	0.0	0	0.0%	0.0	5,025	7.4%
30 – 34	19	7.9%	434.6	1	6.3%	22.9	0	0.0%	0.0	0	0.0%	0.0	4,372	6.4%
35 – 44	8	3.3%	97.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,234	12.1%
45 +	2	0.8%	7.0	1	6.3%	3.5	0	0.0%	0.0	0	0.0%	0.0	28,547	42.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	105	30.1%	156.9	15	48.4%	22.4	0	0.0%	0.0	1	100.0%	1.5	66,901	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,512	11.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,937	5.9%
15 – 19	19	18.4%	392.6	2	13.3%	41.3	0	0.0%	0.0	0	0.0%	0.0	4,840	7.2%
20 – 24	50	48.5%	789.4	3	20.0%	47.4	0	0.0%	0.0	0	0.0%	0.0	6,334	9.5%
25 – 29	22	21.4%	425.2	1	6.7%	19.3	0	0.0%	0.0	1	100.0%	19.3	5,174	7.7%
30 – 34	3	2.9%	69.2	3	20.0%	69.2	0	0.0%	0.0	0	0.0%	0.0	4,335	6.5%
35 – 44	5	4.9%	57.0	5	33.3%	57.0	0	0.0%	0.0	0	0.0%	0.0	8,767	13.1%
45 +	4	3.9%	15.4	1	6.7%	3.8	0	0.0%	0.0	0	0.0%	0.0	26,002	38.9%
Not Specified	2	1.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	349	100.0%	260.7	31	100.0%	23.2	0	100.0%	0.0	1	100.0%	0.7	134,785	100.0%
Female Total	241	69.1%	355.0	16	51.6%	23.6	0	0.0%	0.0	0	0.0%	0.0	67,884	50.4%
American Indian/Alaska Native	18	8.7%	435.3	3	21.4%	72.6	0	0.0%	0.0	0	0.0%	0.0	4,135	6.1%
Asian/Pacific Islander	3	1.4%	211.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,416	2.1%
Black/African-American	9	4.3%	1,927.2	1	7.1%	214.1	0	0.0%	0.0	0	0.0%	0.0	467	0.7%
Latina/Hispanic	32	15.4%	630.4	4	28.6%	78.8	0	0.0%	0.0	0	0.0%	0.0	5,076	7.5%
White	146	70.2%	267.9	6	42.9%	11.0	0	0.0%	0.0	0	0.0%	0.0	54,499	80.3%
Other/Multi/Not Specified	33	13.7%	-	2	12.5%	-	0	0.0%	-	0	0.0%	-	2,291	3.4%
Male Total	105	30.1%	156.9	15	48.4%	22.4	0	0.0%	0.0	1	100.0%	1.5	66,901	49.6%
American Indian/Alaska Native	6	6.5%	149.5	1	7.7%	24.9	0	0.0%	0.0	0	0.0%	0.0	4,013	6.0%
Asian/Pacific Islander	3	3.3%	246.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,218	1.8%
Black/African-American	10	10.9%	1,434.7	1	7.7%	143.5	0	0.0%	0.0	0	0.0%	0.0	697	1.0%
Latina/Hispanic	15	16.3%	280.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,350	8.0%
White	58	63.0%	108.7	11	84.6%	20.6	0	0.0%	0.0	1	100.0%	1.9	53,368	79.8%
Other/Multi/Not Specified	13	12.4%	-	2	13.3%	-	0	0.0%	-	0	0.0%	-	2,255	3.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Humboldt County, the July 1, 2010 estimate is 133,867).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Imperial County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Imperial County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	656	100.0%	356.4	25	100.0%	13.6	0	100.0%	0.0	0	100.0%	0.0	189,675	100.0%
Female Total	506	77.1%	568.7	10	40.0%	11.2	0	0.0%	0.0	0	0.0%	0.0	88,975	46.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,930	15.7%
10 – 14	2	0.4%	38.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,244	5.9%
15 – 19	159	31.4%	2,017.5	6	60.0%	76.1	0	0.0%	0.0	0	0.0%	0.0	7,881	8.9%
20 – 24	204	40.3%	2,589.2	1	10.0%	12.7	0	0.0%	0.0	0	0.0%	0.0	7,879	8.9%
25 – 29	74	14.6%	1,340.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,519	6.2%
30 – 34	40	7.9%	977.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,094	4.6%
35 – 44	20	4.0%	163.8	2	20.0%	16.4	0	0.0%	0.0	0	0.0%	0.0	12,208	13.7%
45 +	7	1.4%	21.7	1	10.0%	3.1	0	0.0%	0.0	0	0.0%	0.0	32,220	36.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	149	22.7%	148.0	15	60.0%	14.9	0	0.0%	0.0	0	0.0%	0.0	100,700	53.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,473	14.4%
10 – 14	1	0.7%	17.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,649	5.6%
15 – 19	25	16.8%	299.3	1	6.7%	12.0	0	0.0%	0.0	0	0.0%	0.0	8,354	8.3%
20 – 24	66	44.3%	722.3	6	40.0%	65.7	0	0.0%	0.0	0	0.0%	0.0	9,138	9.1%
25 – 29	34	22.8%	430.9	1	6.7%	12.7	0	0.0%	0.0	0	0.0%	0.0	7,890	7.8%
30 – 34	12	8.1%	172.0	3	20.0%	43.0	0	0.0%	0.0	0	0.0%	0.0	6,978	6.9%
35 – 44	6	4.0%	36.4	3	20.0%	18.2	0	0.0%	0.0	0	0.0%	0.0	16,499	16.4%
45 +	5	3.4%	15.8	1	6.7%	3.2	0	0.0%	0.0	0	0.0%	0.0	31,719	31.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	656	100.0%	356.4	25	100.0%	13.6	0	100.0%	0.0	0	100.0%	0.0	189,675	100.0%
Female Total	506	77.1%	568.7	10	40.0%	11.2	0	0.0%	0.0	0	0.0%	0.0	88,975	46.9%
American Indian/Alaska Native	7	3.7%	592.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,181	1.3%
Asian/Pacific Islander	2	1.1%	96.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,078	2.3%
Black/African-American	7	3.7%	400.7	3	33.3%	171.7	0	0.0%	0.0	0	0.0%	0.0	1,747	2.0%
Latina/Hispanic	165	86.8%	234.3	6	66.7%	8.5	0	0.0%	0.0	0	0.0%	0.0	70,414	79.1%
White	9	4.7%	68.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,086	14.7%
Other/Multi/Not Specified	316	62.5%	-	1	10.0%	-	0	0.0%	-	0	0.0%	-	469	0.5%
Male Total	149	22.7%	148.0	15	60.0%	14.9	0	0.0%	0.0	0	0.0%	0.0	100,700	53.1%
American Indian/Alaska Native	1	1.8%	81.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,231	1.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,762	2.7%
Black/African-American	3	5.3%	63.0	3	23.1%	63.0	0	0.0%	0.0	0	0.0%	0.0	4,764	4.7%
Latina/Hispanic	49	86.0%	64.3	8	61.5%	10.5	0	0.0%	0.0	0	0.0%	0.0	76,186	75.7%
White	4	7.0%	26.3	2	15.4%	13.1	0	0.0%	0.0	0	0.0%	0.0	15,236	15.1%
Other/Multi/Not Specified	92	61.7%	-	2	13.3%	-	0	0.0%	-	0	0.0%	-	521	0.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Imperial County, the July 1, 2010 estimate is 184,060).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Inyo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Inyo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	33	100.0%	181.3	3	100.0%	16.5	0	100.0%	0.0	0	100.0%	0.0	19,183	100.0%
Female Total	22	66.7%	227.4	1	33.3%	10.3	0	0.0%	0.0	0	0.0%	0.0	9,676	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	946	9.8%
10 – 14	1	4.5%	192.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	519	5.4%
15 – 19	10	45.5%	1,510.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	662	6.8%
20 – 24	8	36.4%	1,146.1	1	100.0%	143.3	0	0.0%	0.0	0	0.0%	0.0	698	7.2%
25 – 29	3	13.6%	492.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	609	6.3%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	316	3.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	783	8.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,143	53.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	10	30.3%	105.2	2	66.7%	21.0	0	0.0%	0.0	0	0.0%	0.0	9,507	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,062	11.2%
10 – 14	1	10.0%	181.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	551	5.8%
15 – 19	4	40.0%	605.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	661	7.0%
20 – 24	4	40.0%	539.1	1	50.0%	134.8	0	0.0%	0.0	0	0.0%	0.0	742	7.8%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	639	6.7%
30 – 34	1	10.0%	305.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	327	3.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	851	9.0%
45 +	0	0.0%	0.0	1	50.0%	21.4	0	0.0%	0.0	0	0.0%	0.0	4,674	49.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	33	100.0%	181.3	3	100.0%	16.5	0	100.0%	0.0	0	100.0%	0.0	19,183	100.0%
Female Total	22	66.7%	227.4	1	33.3%	10.3	0	0.0%	0.0	0	0.0%	0.0	9,676	50.4%
American Indian/Alaska Native	5	27.8%	509.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	981	10.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	123	1.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7	0.1%
Latina/Hispanic	3	16.7%	248.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,207	12.5%
White	10	55.6%	142.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,039	72.7%
Other/Multi/Not Specified	4	18.2%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	319	3.3%
Male Total	10	30.3%	105.2	2	66.7%	21.0	0	0.0%	0.0	0	0.0%	0.0	9,507	49.6%
American Indian/Alaska Native	4	57.1%	431.5	1	50.0%	107.9	0	0.0%	0.0	0	0.0%	0.0	927	9.8%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	103	1.1%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.6%
Latina/Hispanic	2	28.6%	155.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,288	13.5%
White	s	s	s	1	50.0%	14.7	0	0.0%	0.0	0	0.0%	0.0	6,820	71.7%
Other/Multi/Not Specified	s	s	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	314	3.3%

s Numbers suppressed for confidentiality.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Inyo County, the July 1, 2010 estimate is 18,201).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Kern County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Kern County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,264	100.0%	623.2	970	100.0%	114.8	25	100.0%	3.0	17	100.0%	2.0	871,728	100.0%
Female Total	3,021	57.4%	710.0	530	54.6%	124.6	2	8.0%	0.5	0	0.0%	0.0	425,499	48.8%
Ages														
0 – 9	1	0.0%	1.4	2	0.4%	2.7	0	0.0%	0.0	0	0.0%	0.0	73,467	17.3%
10 – 14	34	1.1%	103.7	6	1.1%	18.3	0	0.0%	0.0	0	0.0%	0.0	32,800	7.7%
15 – 19	1,173	39.1%	3,267.3	147	27.9%	409.5	0	0.0%	0.0	0	0.0%	0.0	35,901	8.4%
20 – 24	1,074	35.8%	3,064.1	172	32.7%	490.7	1	50.0%	2.9	0	0.0%	0.0	35,051	8.2%
25 – 29	418	13.9%	1,244.2	85	16.2%	253.0	0	0.0%	0.0	0	0.0%	0.0	33,595	7.9%
30 – 34	158	5.3%	570.7	49	9.3%	177.0	0	0.0%	0.0	0	0.0%	0.0	27,685	6.5%
35 – 44	115	3.8%	221.3	47	8.9%	90.4	0	0.0%	0.0	0	0.0%	0.0	51,971	12.2%
45 +	30	1.0%	22.2	18	3.4%	13.3	1	50.0%	0.7	0	0.0%	0.0	135,029	31.7%
Not Specified	18	0.6%	-	4	0.8%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,238	42.5%	501.5	440	45.4%	98.6	23	92.0%	5.2	17	100.0%	3.8	446,229	51.2%
Ages														
0 – 9	5	0.2%	6.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	76,121	17.1%
10 – 14	2	0.1%	5.8	1	0.2%	2.9	0	0.0%	0.0	0	0.0%	0.0	34,342	7.7%
15 – 19	434	19.5%	1,128.8	74	17.0%	192.5	3	13.0%	7.8	1	5.9%	2.6	38,447	8.6%
20 – 24	957	42.9%	2,265.5	168	38.5%	397.7	4	17.4%	9.5	3	17.6%	7.1	42,243	9.5%
25 – 29	558	25.0%	1,361.4	80	18.3%	195.2	4	17.4%	9.8	2	11.8%	4.9	40,987	9.2%
30 – 34	160	7.2%	490.6	46	10.6%	141.0	6	26.1%	18.4	1	5.9%	3.1	32,613	7.3%
35 – 44	86	3.9%	162.2	33	7.6%	62.2	2	8.7%	3.8	8	47.1%	15.1	53,035	11.9%
45 +	27	1.2%	21.0	34	7.8%	26.5	4	17.4%	3.1	2	11.8%	1.6	128,441	28.8%
Not Specified	9	0.4%	-	4	0.9%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,264	100.0%	623.2	970	100.0%	114.8	25	100.0%	3.0	17	100.0%	2.0	871,728	100.0%
Female Total	3,021	57.4%	710.0	530	54.6%	124.6	2	8.0%	0.5	0	0.0%	0.0	425,499	48.8%
American Indian/Alaska Native	4	0.2%	109.8	1	0.2%	27.5	0	0.0%	0.0	0	0.0%	0.0	3,642	0.9%
Asian/Pacific Islander	26	1.1%	154.4	4	1.0%	23.8	0	0.0%	0.0	0	0.0%	0.0	16,839	4.0%
Black/African-American	394	17.4%	1,855.4	122	29.5%	574.5	1	50.0%	4.7	0	0.0%	0.0	21,235	5.0%
Latina/Hispanic	1,407	62.0%	752.8	196	47.5%	104.9	0	0.0%	0.0	0	0.0%	0.0	186,890	43.9%
White	437	19.3%	228.6	90	21.8%	47.1	1	50.0%	0.5	0	0.0%	0.0	191,205	44.9%
Other/Multi/Not Specified	753	24.9%	-	117	22.1%	-	0	0.0%	-	0	0.0%	-	5,688	1.3%
Male Total	2,238	42.5%	501.5	440	45.4%	98.6	23	92.0%	5.2	17	100.0%	3.8	446,229	51.2%
American Indian/Alaska Native	3	0.2%	85.2	1	0.3%	28.4	0	0.0%	0.0	0	0.0%	0.0	3,520	0.8%
Asian/Pacific Islander	8	0.5%	48.0	2	0.6%	12.0	0	0.0%	0.0	0	0.0%	0.0	16,651	3.7%
Black/African-American	413	24.8%	1,503.6	142	39.2%	517.0	6	26.1%	21.8	4	23.5%	14.6	27,468	6.2%
Latina/Hispanic	1,036	62.2%	501.2	146	40.3%	70.6	10	43.5%	4.8	7	41.2%	3.4	206,722	46.3%
White	205	12.3%	110.2	71	19.6%	38.2	7	30.4%	3.8	6	35.3%	3.2	186,075	41.7%
Other/Multi/Not Specified	573	25.6%	-	78	17.7%	-	0	0.0%	-	0	0.0%	-	5,793	1.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Kern County, the July 1, 2010 estimate is 844,642).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Kings County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Kings County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	495	100.0%	317.0	22	100.0%	14.1	4	100.0%	2.6	1	100.0%	0.6	164,535	100.0%
Female Total	349	70.5%	481.8	13	59.1%	17.9	1	25.0%	1.4	0	0.0%	0.0	72,438	44.0%
Ages														
0 – 9	1	0.3%	7.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,066	18.0%
10 – 14	4	1.1%	68.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,863	8.1%
15 – 19	94	26.9%	1,521.5	4	30.8%	64.7	0	0.0%	0.0	0	0.0%	0.0	6,178	8.5%
20 – 24	157	45.0%	2,749.1	7	53.8%	122.6	1	100.0%	17.5	0	0.0%	0.0	5,711	7.9%
25 – 29	55	15.8%	1,017.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,406	7.5%
30 – 34	18	5.2%	385.4	1	7.7%	21.4	0	0.0%	0.0	0	0.0%	0.0	4,671	6.4%
35 – 44	15	4.3%	157.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,518	13.1%
45 +	5	1.4%	22.7	1	7.7%	4.5	0	0.0%	0.0	0	0.0%	0.0	22,025	30.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	146	29.5%	158.5	9	40.9%	9.8	3	75.0%	3.3	1	100.0%	1.1	92,097	56.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,541	14.7%
10 – 14	1	0.7%	16.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,218	6.8%
15 – 19	26	17.8%	360.8	1	11.1%	13.9	0	0.0%	0.0	0	0.0%	0.0	7,206	7.8%
20 – 24	59	40.4%	625.0	2	22.2%	21.2	0	0.0%	0.0	0	0.0%	0.0	9,440	10.3%
25 – 29	33	22.6%	356.1	5	55.6%	54.0	2	66.7%	21.6	0	0.0%	0.0	9,266	10.1%
30 – 34	16	11.0%	189.8	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	11.9	8,432	9.2%
35 – 44	10	6.8%	65.2	1	11.1%	6.5	1	33.3%	6.5	0	0.0%	0.0	15,343	16.7%
45 +	1	0.7%	4.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,651	24.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	495	100.0%	317.0	22	100.0%	14.1	4	100.0%	2.6	1	100.0%	0.6	164,535	100.0%
Female Total	349	70.5%	481.8	13	59.1%	17.9	1	25.0%	1.4	0	0.0%	0.0	72,438	44.0%
American Indian/Alaska Native	1	0.3%	150.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	666	0.9%
Asian/Pacific Islander	15	4.9%	591.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,538	3.5%
Black/African-American	28	9.1%	709.4	5	41.7%	126.7	0	0.0%	0.0	0	0.0%	0.0	3,947	5.4%
Latina/Hispanic	202	65.4%	587.4	6	50.0%	17.4	0	0.0%	0.0	0	0.0%	0.0	34,387	47.5%
White	63	20.4%	211.4	1	8.3%	3.4	0	0.0%	0.0	0	0.0%	0.0	29,806	41.1%
Other/Multi/Not Specified	40	11.5%	-	1	7.7%	-	1	100.0%	-	0	0.0%	-	1,094	1.5%
Male Total	146	29.5%	158.5	9	40.9%	9.8	3	75.0%	3.3	1	100.0%	1.1	92,097	56.0%
American Indian/Alaska Native	5	4.1%	621.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	804	0.9%
Asian/Pacific Islander	2	1.6%	92.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,175	2.4%
Black/African-American	21	17.1%	226.6	1	12.5%	10.8	0	0.0%	0.0	0	0.0%	0.0	9,266	10.1%
Latina/Hispanic	78	63.4%	178.3	4	50.0%	9.1	2	66.7%	4.6	1	100.0%	2.3	43,752	47.5%
White	17	13.8%	48.5	3	37.5%	8.6	1	33.3%	2.9	0	0.0%	0.0	35,027	38.0%
Other/Multi/Not Specified	23	15.8%	-	1	11.1%	-	0	0.0%	-	0	0.0%	-	1,073	1.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Kings County, the July 1, 2010 estimate is 156,172).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Lake County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Lake County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	173	100.0%	268.2	28	100.0%	43.4	3	100.0%	4.7	0	100.0%	0.0	67,530	100.0%
Female Total	130	75.1%	382.6	17	60.7%	50.0	0	0.0%	0.0	0	0.0%	0.0	33,981	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,596	10.6%
10 – 14	2	1.5%	132.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,508	4.4%
15 – 19	53	40.8%	2,668.7	3	17.6%	151.1	0	0.0%	0.0	0	0.0%	0.0	1,986	5.8%
20 – 24	55	42.3%	2,444.4	7	41.2%	311.1	0	0.0%	0.0	0	0.0%	0.0	2,250	6.6%
25 – 29	14	10.8%	885.5	5	29.4%	316.3	0	0.0%	0.0	0	0.0%	0.0	1,581	4.7%
30 – 34	4	3.1%	354.3	2	11.8%	177.1	0	0.0%	0.0	0	0.0%	0.0	1,129	3.3%
35 – 44	1	0.8%	26.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,830	11.3%
45 +	1	0.8%	5.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,101	53.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	43	24.9%	128.2	11	39.3%	32.8	3	100.0%	8.9	0	0.0%	0.0	33,549	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,802	11.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,664	5.0%
15 – 19	9	20.9%	391.5	2	18.2%	87.0	0	0.0%	0.0	0	0.0%	0.0	2,299	6.9%
20 – 24	20	46.5%	838.9	3	27.3%	125.8	0	0.0%	0.0	0	0.0%	0.0	2,384	7.1%
25 – 29	6	14.0%	340.7	6	54.5%	340.7	0	0.0%	0.0	0	0.0%	0.0	1,761	5.2%
30 – 34	5	11.6%	435.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,148	3.4%
35 – 44	3	7.0%	87.1	0	0.0%	0.0	1	33.3%	29.0	0	0.0%	0.0	3,446	10.3%
45 +	0	0.0%	0.0	0	0.0%	0.0	2	66.7%	11.7	0	0.0%	0.0	17,045	50.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	173	100.0%	268.2	28	100.0%	43.4	3	100.0%	4.7	0	100.0%	0.0	67,530	100.0%
Female Total	130	75.1%	382.6	17	60.7%	50.0	0	0.0%	0.0	0	0.0%	0.0	33,981	50.3%
American Indian/Alaska Native	3	3.6%	336.7	1	6.7%	112.2	0	0.0%	0.0	0	0.0%	0.0	891	2.6%
Asian/Pacific Islander	2	2.4%	537.6	1	6.7%	268.8	0	0.0%	0.0	0	0.0%	0.0	372	1.1%
Black/African-American	7	8.3%	1,147.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	610	1.8%
Latina/Hispanic	24	28.6%	460.6	6	40.0%	115.1	0	0.0%	0.0	0	0.0%	0.0	5,211	15.3%
White	48	57.1%	184.8	7	46.7%	26.9	0	0.0%	0.0	0	0.0%	0.0	25,980	76.5%
Other/Multi/Not Specified	46	35.4%	-	2	11.8%	-	0	0.0%	-	0	0.0%	-	917	2.7%
Male Total	43	24.9%	128.2	11	39.3%	32.8	3	100.0%	8.9	0	0.0%	0.0	33,549	49.7%
American Indian/Alaska Native	1	3.7%	118.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	846	2.5%
Asian/Pacific Islander	0	0.0%	0.0	1	11.1%	354.6	0	0.0%	0.0	0	0.0%	0.0	282	0.8%
Black/African-American	6	22.2%	953.9	4	44.4%	635.9	0	0.0%	0.0	0	0.0%	0.0	629	1.9%
Latina/Hispanic	4	14.8%	70.6	0	0.0%	0.0	1	33.3%	17.6	0	0.0%	0.0	5,667	16.9%
White	16	59.3%	63.3	4	44.4%	15.8	2	66.7%	7.9	0	0.0%	0.0	25,275	75.3%
Other/Multi/Not Specified	16	37.2%	-	2	18.2%	-	0	0.0%	-	0	0.0%	-	850	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Lake County, the July 1, 2010 estimate is 64,508).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Lassen County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Lassen County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	71	100.0%	198.4	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	37,918	100.0%
Female Total	28	39.4%	192.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,526	38.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,557	10.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	965	6.6%
15 – 19	15	53.6%	1,357.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,105	7.6%
20 – 24	5	17.9%	421.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,187	8.2%
25 – 29	5	17.9%	481.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,039	7.2%
30 – 34	3	10.7%	497.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	603	4.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,608	11.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,462	44.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	43	60.6%	183.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,392	61.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,821	7.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,049	4.5%
15 – 19	2	4.7%	131.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,526	6.5%
20 – 24	21	48.8%	735.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,857	12.2%
25 – 29	9	20.9%	339.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,652	11.3%
30 – 34	5	11.6%	223.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,240	9.6%
35 – 44	4	9.3%	101.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,950	16.9%
45 +	2	4.7%	27.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,297	31.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	71	100.0%	198.4	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	37,918	100.0%
Female Total	28	39.4%	192.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,526	38.3%
American Indian/Alaska Native	2	8.7%	422.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	473	3.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	226	1.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	178	1.2%
Latina/Hispanic	3	13.0%	216.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,389	9.6%
White	18	78.3%	151.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,880	81.8%
Other/Multi/Not Specified	5	17.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	380	2.6%
Male Total	43	60.6%	183.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,392	61.7%
American Indian/Alaska Native	1	3.8%	172.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	580	2.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	275	1.2%
Black/African-American	4	15.4%	132.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,021	12.9%
Latina/Hispanic	2	7.7%	51.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,870	16.5%
White	19	73.1%	124.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,224	65.1%
Other/Multi/Not Specified	17	39.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	422	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Lassen County, the July 1, 2010 estimate is 35,794).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Long Beach City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Long Beach City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	2,644	100.0%	536.0	444	100.0%	90.0	47	100.0%	9.5	37	100.0%	7.5	493,257	100.0%
Female Total	1,915	72.4%	763.1	175	39.4%	69.7	0	0.0%	0.0	2	5.4%	0.8	250,949	50.9%
Ages														
0 – 9	1	0.1%	2.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,893	16.7%
10 – 14	18	0.9%	97.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,511	7.4%
15 – 19	631	33.1%	3,498.4	43	24.7%	238.4	0	0.0%	0.0	0	0.0%	0.0	18,037	7.2%
20 – 24	690	36.2%	3,481.2	67	38.5%	338.0	0	0.0%	0.0	0	0.0%	0.0	19,821	7.9%
25 – 29	320	16.8%	1,493.2	32	18.4%	149.3	0	0.0%	0.0	0	0.0%	0.0	21,430	8.5%
30 – 34	132	6.9%	615.7	14	8.0%	65.3	0	0.0%	0.0	0	0.0%	0.0	21,440	8.5%
35 – 44	80	4.2%	208.7	13	7.5%	33.9	0	0.0%	0.0	1	50.0%	2.6	38,330	15.3%
45 +	35	1.8%	49.0	5	2.9%	7.0	0	0.0%	0.0	1	50.0%	1.4	71,486	28.5%
Not Specified	8	0.4%	-	1	0.6%	-	0	0.0%	-	0	0.0%	-		
Male Total	720	27.2%	297.1	268	60.4%	110.6	47	100.0%	19.4	35	94.6%	14.4	242,307	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,539	18.0%
10 – 14	4	0.6%	20.4	2	0.7%	10.2	0	0.0%	0.0	0	0.0%	0.0	19,581	8.1%
15 – 19	129	18.1%	724.3	32	11.9%	179.7	2	4.3%	11.2	0	0.0%	0.0	17,811	7.4%
20 – 24	227	31.8%	1,239.8	56	20.9%	305.8	5	10.6%	27.3	0	0.0%	0.0	18,310	7.6%
25 – 29	151	21.2%	741.9	51	19.0%	250.6	9	19.1%	44.2	2	5.7%	9.8	20,352	8.4%
30 – 34	77	10.8%	353.4	37	13.8%	169.8	6	12.8%	27.5	3	8.6%	13.8	21,789	9.0%
35 – 44	81	11.4%	207.8	51	19.0%	130.8	15	31.9%	38.5	15	42.9%	38.5	38,986	16.1%
45 +	44	6.2%	71.0	39	14.6%	63.0	10	21.3%	16.1	15	42.9%	24.2	61,939	25.6%
Not Specified	7	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	2,644	100.0%	536.0	444	100.0%	90.0	47	100.0%	9.5	37	100.0%	7.5	493,257	100.0%
Female Total	1,915	72.4%	763.1	175	39.4%	69.7	0	0.0%	0.0	2	5.4%	0.8	250,949	50.9%
American Indian/Alaska Native	1	0.1%	103.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	966	0.4%
Asian/Pacific Islander	91	6.9%	266.4	1	0.8%	2.9	0	0.0%	0.0	0	0.0%	0.0	34,161	13.6%
Black/African-American	508	38.5%	1,320.4	68	54.8%	176.7	0	0.0%	0.0	0	0.0%	0.0	38,473	15.3%
Latina/Hispanic	585	44.3%	675.6	36	29.0%	41.6	0	0.0%	0.0	1	50.0%	1.2	86,584	34.5%
White	136	10.3%	164.1	19	15.3%	22.9	0	0.0%	0.0	1	50.0%	1.2	82,856	33.0%
Other/Multi/Not Specified	594	31.0%	-	51	29.1%	-	0	0.0%	-	0	0.0%	-	7,910	3.2%
Male Total	720	27.2%	297.1	268	60.4%	110.6	47	100.0%	19.4	35	94.6%	14.4	242,307	49.1%
American Indian/Alaska Native	3	0.6%	323.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	928	0.4%
Asian/Pacific Islander	30	6.1%	99.0	11	5.8%	36.3	2	4.3%	6.6	1	2.9%	3.3	30,316	12.5%
Black/African-American	187	38.1%	567.4	83	43.7%	251.8	11	23.9%	33.4	7	20.0%	21.2	32,958	13.6%
Latina/Hispanic	203	41.3%	225.9	57	30.0%	63.4	12	26.1%	13.4	12	34.3%	13.4	89,860	37.1%
White	68	13.8%	84.4	39	20.5%	48.4	21	45.7%	26.1	15	42.9%	18.6	80,557	33.2%
Other/Multi/Not Specified	229	31.8%	-	78	29.1%	-	1	2.1%	-	0	0.0%	-	7,688	3.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.


Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Los Angeles County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female □ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population. Los Angeles County includes Long Beach & Pasadena City Health Jurisdiction

Source: California Department of Public Health, STD Control Branch

Los Angeles County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	47,694	100.0%	455.4	10,022	100.0%	95.7	690	100.0%	6.6	963	100.0%	9.2	10,514,663	100.0%
Female Total	31,596	66.2%	595.9	3,597	35.9%	67.8	13	1.9%	0.2	70	7.3%	1.3	5,301,941	50.4%
Ages														
0 – 9	3	0.0%	0.4	4	0.1%	0.6	0	0.0%	0.0	0	0.0%	0.0	713,292	13.5%
10 – 14	278	0.9%	76.6	50	1.4%	13.8	0	0.0%	0.0	0	0.0%	0.0	362,964	6.8%
15 – 19	9,634	30.5%	2,253.8	1,001	27.9%	234.2	0	0.0%	0.0	12	17.1%	2.8	427,460	8.1%
20 – 24	12,202	38.7%	3,268.4	1,255	35.0%	336.2	0	0.0%	0.0	11	15.7%	2.9	373,333	7.0%
25 – 29	5,035	16.0%	1,477.6	619	17.2%	181.7	3	23.1%	0.9	9	12.9%	2.6	340,765	6.4%
30 – 34	2,205	7.0%	668.2	312	8.7%	94.5	2	15.4%	0.6	8	11.4%	2.4	329,996	6.2%
35 – 44	1,630	5.2%	217.4	245	6.8%	32.7	4	30.8%	0.5	16	22.9%	2.1	749,680	14.1%
45 +	552	1.8%	27.5	103	2.9%	5.1	4	30.8%	0.2	14	20.0%	0.7	2,004,451	37.8%
Not Specified	57	0.2%	-	8	0.2%	-	0	0.0%	-	0	0.0%	-		
Male Total	15,941	33.4%	305.8	6,377	63.6%	122.3	677	98.1%	13.0	893	92.7%	17.1	5,212,722	49.6%
Ages														
0 – 9	3	0.0%	0.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	742,235	14.2%
10 – 14	60	0.4%	15.8	9	0.1%	2.4	1	0.1%	0.3	0	0.0%	0.0	379,964	7.3%
15 – 19	2,996	18.8%	669.3	719	11.3%	160.6	28	4.1%	6.3	14	1.6%	3.1	447,655	8.6%
20 – 24	5,012	31.5%	1,287.4	1,503	23.6%	386.1	91	13.5%	23.4	89	10.0%	22.9	389,315	7.5%
25 – 29	3,270	20.6%	944.6	1,372	21.6%	396.3	118	17.5%	34.1	128	14.3%	37.0	346,170	6.6%
30 – 34	1,742	10.9%	545.3	844	13.3%	264.2	107	15.9%	33.5	120	13.5%	37.6	319,473	6.1%
35 – 44	1,869	11.7%	239.6	1,186	18.6%	152.0	202	29.9%	25.9	308	34.5%	39.5	780,055	15.0%
45 +	957	6.0%	52.9	728	11.4%	40.3	128	19.0%	7.1	233	26.1%	12.9	1,807,855	34.7%
Not Specified	32	0.2%	-	16	0.3%	-	2	0.3%	-	1	0.1%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	47,694	100.0%	455.4	10,022	100.0%	95.7	690	100.0%	6.6	963	100.0%	9.2	10,514,663	100.0%
Female Total	31,596	66.2%	595.9	3,597	35.9%	67.8	13	1.9%	0.2	70	7.3%	1.3	5,301,941	50.4%
American Indian/Alaska Native	32	0.1%	200.4	5	0.2%	31.3	0	0.0%	0.0	0	0.0%	0.0	15,971	0.3%
Asian/Pacific Islander	1,156	4.6%	153.3	94	2.9%	12.5	0	0.0%	0.0	4	5.7%	0.5	753,911	14.2%
Black/African-American	7,828	31.3%	1,661.6	1,732	54.2%	367.6	4	33.3%	0.8	23	32.9%	4.9	471,126	8.9%
Latina/Hispanic	13,273	53.1%	530.0	864	27.0%	34.5	7	58.3%	0.3	38	54.3%	1.5	2,504,195	47.2%
White	2,711	10.8%	185.4	502	15.7%	34.3	1	8.3%	0.1	5	7.1%	0.3	1,462,547	27.6%
Other/Multi/Not Specified	6,596	20.9%	-	400	11.1%	-	1	7.7%	-	0	0.0%	-	94,191	1.8%
Male Total	15,941	33.4%	305.8	6,377	63.6%	122.3	677	98.1%	13.0	893	92.7%	17.1	5,212,722	49.6%
American Indian/Alaska Native	21	0.2%	138.9	10	0.2%	66.1	2	0.3%	13.2	1	0.1%	6.6	15,118	0.3%
Asian/Pacific Islander	513	4.1%	76.2	200	3.5%	29.7	29	4.4%	4.3	38	4.4%	5.6	673,578	12.9%
Black/African-American	4,100	32.8%	1,009.1	2,060	36.5%	507.0	118	17.7%	29.0	134	15.3%	33.0	406,297	7.8%
Latina/Hispanic	5,832	46.6%	226.4	1,824	32.3%	70.8	281	42.2%	10.9	450	51.5%	17.5	2,575,778	49.4%
White	2,037	16.3%	140.4	1,547	27.4%	106.6	236	35.4%	16.3	250	28.6%	17.2	1,451,148	27.8%
Other/Multi/Not Specified	3,438	21.6%	-	736	11.5%	-	11	1.6%	-	20	2.2%	-	90,803	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Los Angeles County, the July 1, 2010 estimate is 10,473,535).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Madera County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Madera County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	696	100.0%	451.1	82	100.0%	53.2	0	100.0%	0.0	1	100.0%	0.6	162,114	100.0%
Female Total	573	82.3%	686.6	64	78.0%	76.7	0	0.0%	0.0	0	0.0%	0.0	83,450	51.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,072	13.3%
10 – 14	5	0.9%	84.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,949	7.1%
15 – 19	134	23.4%	2,035.9	9	14.1%	136.7	0	0.0%	0.0	0	0.0%	0.0	6,582	7.9%
20 – 24	172	30.0%	3,372.5	16	25.0%	313.7	0	0.0%	0.0	0	0.0%	0.0	5,100	6.1%
25 – 29	121	21.1%	3,197.7	12	18.8%	317.1	0	0.0%	0.0	0	0.0%	0.0	3,784	4.5%
30 – 34	60	10.5%	1,318.4	12	18.8%	263.7	0	0.0%	0.0	0	0.0%	0.0	4,551	5.5%
35 – 44	66	11.5%	450.2	11	17.2%	75.0	0	0.0%	0.0	0	0.0%	0.0	14,660	17.6%
45 +	15	2.6%	47.2	4	6.3%	12.6	0	0.0%	0.0	0	0.0%	0.0	31,752	38.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	123	17.7%	156.4	18	22.0%	22.9	0	0.0%	0.0	1	100.0%	1.3	78,664	48.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,639	14.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,569	8.4%
15 – 19	30	24.4%	424.6	4	22.2%	56.6	0	0.0%	0.0	0	0.0%	0.0	7,065	9.0%
20 – 24	47	38.2%	908.0	8	44.4%	154.6	0	0.0%	0.0	1	100.0%	19.3	5,176	6.6%
25 – 29	18	14.6%	448.1	1	5.6%	24.9	0	0.0%	0.0	0	0.0%	0.0	4,017	5.1%
30 – 34	11	8.9%	288.7	2	11.1%	52.5	0	0.0%	0.0	0	0.0%	0.0	3,810	4.8%
35 – 44	10	8.1%	87.4	1	5.6%	8.7	0	0.0%	0.0	0	0.0%	0.0	11,437	14.5%
45 +	7	5.7%	24.2	2	11.1%	6.9	0	0.0%	0.0	0	0.0%	0.0	28,951	36.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	696	100.0%	451.1	82	100.0%	53.2	0	100.0%	0.0	1	100.0%	0.6	162,114	100.0%
Female Total	573	82.3%	686.6	64	78.0%	76.7	0	0.0%	0.0	0	0.0%	0.0	83,450	51.5%
American Indian/Alaska Native	1	0.8%	66.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,511	1.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,099	1.3%
Black/African-American	7	5.6%	211.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,307	4.0%
Latina/Hispanic	99	78.6%	258.0	8	100.0%	20.8	0	0.0%	0.0	0	0.0%	0.0	38,378	46.0%
White	19	15.1%	50.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	37,526	45.0%
Other/Multi/Not Specified	447	78.0%	-	56	87.5%	-	0	0.0%	-	0	0.0%	-	1,629	2.0%
Male Total	123	17.7%	156.4	18	22.0%	22.9	0	0.0%	0.0	1	100.0%	1.3	78,664	48.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	983	1.2%
Asian/Pacific Islander	1	2.4%	112.9	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	112.9	886	1.1%
Black/African-American	1	2.4%	91.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,095	1.4%
Latina/Hispanic	35	83.3%	87.7	7	87.5%	17.5	0	0.0%	0.0	0	0.0%	0.0	39,917	50.7%
White	5	11.9%	14.5	1	12.5%	2.9	0	0.0%	0.0	0	0.0%	0.0	34,554	43.9%
Other/Multi/Not Specified	81	65.9%	-	10	55.6%	-	0	0.0%	-	0	0.0%	-	1,229	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Madera County, the July 1, 2010 estimate is 154,278).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Marin County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Marin County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	603	100.0%	230.3	65	100.0%	24.8	2	100.0%	0.8	6	100.0%	2.3	253,682	100.0%
Female Total	253	42.0%	197.3	21	32.3%	16.4	0	0.0%	0.0	0	0.0%	0.0	128,263	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,454	11.3%
10 – 14	3	1.2%	38.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,780	6.1%
15 – 19	70	27.7%	957.6	8	38.1%	109.4	0	0.0%	0.0	0	0.0%	0.0	7,310	5.7%
20 – 24	90	35.6%	1,244.8	6	28.6%	83.0	0	0.0%	0.0	0	0.0%	0.0	7,230	5.6%
25 – 29	44	17.4%	728.7	3	14.3%	49.7	0	0.0%	0.0	0	0.0%	0.0	6,038	4.7%
30 – 34	30	11.9%	706.4	2	9.5%	47.1	0	0.0%	0.0	0	0.0%	0.0	4,247	3.3%
35 – 44	11	4.3%	77.9	2	9.5%	14.2	0	0.0%	0.0	0	0.0%	0.0	14,114	11.0%
45 +	5	2.0%	7.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67,090	52.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	346	57.4%	275.9	44	67.7%	35.1	2	100.0%	1.6	6	100.0%	4.8	125,419	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,997	12.0%
10 – 14	2	0.6%	26.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,572	6.0%
15 – 19	33	9.5%	417.4	1	2.3%	12.6	0	0.0%	0.0	0	0.0%	0.0	7,907	6.3%
20 – 24	135	39.0%	1,519.6	12	27.3%	135.1	1	50.0%	11.3	1	16.7%	11.3	8,884	7.1%
25 – 29	90	26.0%	1,159.8	11	25.0%	141.8	0	0.0%	0.0	1	16.7%	12.9	7,760	6.2%
30 – 34	40	11.6%	724.0	5	11.4%	90.5	0	0.0%	0.0	1	16.7%	18.1	5,525	4.4%
35 – 44	23	6.6%	156.7	6	13.6%	40.9	0	0.0%	0.0	1	16.7%	6.8	14,679	11.7%
45 +	23	6.6%	39.6	9	20.5%	15.5	1	50.0%	1.7	2	33.3%	3.4	58,095	46.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	603	100.0%	230.3	65	100.0%	24.8	2	100.0%	0.8	6	100.0%	2.3	253,682	100.0%
Female Total	253	42.0%	197.3	21	32.3%	16.4	0	0.0%	0.0	0	0.0%	0.0	128,263	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	297	0.2%
Asian/Pacific Islander	8	5.9%	127.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,293	4.9%
Black/African-American	25	18.4%	962.3	3	23.1%	115.5	0	0.0%	0.0	0	0.0%	0.0	2,598	2.0%
Latina/Hispanic	46	33.8%	202.9	3	23.1%	13.2	0	0.0%	0.0	0	0.0%	0.0	22,676	17.7%
White	57	41.9%	60.9	7	53.8%	7.5	0	0.0%	0.0	0	0.0%	0.0	93,569	73.0%
Other/Multi/Not Specified	117	46.2%	-	8	38.1%	-	0	0.0%	-	0	0.0%	-	2,830	2.2%
Male Total	346	57.4%	275.9	44	67.7%	35.1	2	100.0%	1.6	6	100.0%	4.8	125,419	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	386	0.3%
Asian/Pacific Islander	6	3.6%	116.6	2	6.9%	38.9	0	0.0%	0.0	0	0.0%	0.0	5,146	4.1%
Black/African-American	32	19.0%	622.3	3	10.3%	58.3	0	0.0%	0.0	2	33.3%	38.9	5,142	4.1%
Latina/Hispanic	60	35.7%	245.0	14	48.3%	57.2	1	100.0%	4.1	2	33.3%	8.2	24,494	19.5%
White	70	41.7%	79.9	10	34.5%	11.4	0	0.0%	0.0	2	33.3%	2.3	87,646	69.9%
Other/Multi/Not Specified	178	51.4%	-	15	34.1%	-	1	50.0%	-	0	0.0%	-	2,605	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Marin County, the July 1, 2010 estimate is 261,837).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mariposa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Mariposa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	20	100.0%	109.6	1	100.0%	5.5	0	100.0%	0.0	0	100.0%	0.0	19,108	100.0%
Female Total	14	70.0%	149.6	1	100.0%	10.7	0	0.0%	0.0	0	0.0%	0.0	9,358	49.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	802	8.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	441	4.7%
15 – 19	10	71.4%	1,848.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	541	5.8%
20 – 24	4	28.6%	684.9	1	100.0%	171.2	0	0.0%	0.0	0	0.0%	0.0	584	6.2%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	440	4.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	294	3.1%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	989	10.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,267	56.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	6	30.0%	61.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,750	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	720	7.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	396	4.1%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	600	6.2%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	592	6.1%
25 – 29	1	16.7%	177.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	565	5.8%
30 – 34	1	16.7%	208.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	479	4.9%
35 – 44	2	33.3%	185.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,080	11.1%
45 +	2	33.3%	37.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,318	54.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	20	100.0%	109.6	1	100.0%	5.5	0	100.0%	0.0	0	100.0%	0.0	19,108	100.0%
Female Total	14	70.0%	149.6	1	100.0%	10.7	0	0.0%	0.0	0	0.0%	0.0	9,358	49.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	307	3.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	96	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39	0.4%
Latina/Hispanic	2	25.0%	299.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	667	7.1%
White	6	75.0%	75.1	1	100.0%	12.5	0	0.0%	0.0	0	0.0%	0.0	7,991	85.4%
Other/Multi/Not Specified	6	42.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	258	2.8%
Male Total	6	30.0%	61.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,750	51.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	308	3.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	85	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	83	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	791	8.1%
White	4	100.0%	48.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,199	84.1%
Other/Multi/Not Specified	2	33.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	284	2.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mariposa County, the July 1, 2010 estimate is 18,243).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mendocino County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Mendocino County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	260	100.0%	287.0	15	100.0%	16.6	0	100.0%	0.0	0	100.0%	0.0	93,166	100.0%
Female Total	193	74.2%	414.0	9	60.0%	19.3	0	0.0%	0.0	0	0.0%	0.0	46,622	50.0%
Ages														
0 – 9	1	0.5%	17.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,675	12.2%
10 – 14	1	0.5%	38.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,631	5.6%
15 – 19	72	37.7%	2,384.9	3	33.3%	99.4	0	0.0%	0.0	0	0.0%	0.0	3,019	6.5%
20 – 24	68	35.6%	2,001.2	2	22.2%	58.9	0	0.0%	0.0	0	0.0%	0.0	3,398	7.3%
25 – 29	22	11.5%	663.7	1	11.1%	30.2	0	0.0%	0.0	0	0.0%	0.0	3,315	7.1%
30 – 34	16	8.4%	696.9	2	22.2%	87.1	0	0.0%	0.0	0	0.0%	0.0	2,296	4.9%
35 – 44	8	4.2%	166.7	1	11.1%	20.8	0	0.0%	0.0	0	0.0%	0.0	4,799	10.3%
45 +	3	1.6%	14.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,489	46.1%
Not Specified	2	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	67	25.8%	143.9	6	40.0%	12.9	0	0.0%	0.0	0	0.0%	0.0	46,544	50.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,930	12.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,725	5.9%
15 – 19	14	21.2%	436.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,211	6.9%
20 – 24	26	39.4%	709.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,663	7.9%
25 – 29	15	22.7%	408.4	1	16.7%	27.2	0	0.0%	0.0	0	0.0%	0.0	3,673	7.9%
30 – 34	8	12.1%	292.2	2	33.3%	73.0	0	0.0%	0.0	0	0.0%	0.0	2,738	5.9%
35 – 44	3	4.5%	57.7	1	16.7%	19.2	0	0.0%	0.0	0	0.0%	0.0	5,197	11.2%
45 +	0	0.0%	0.0	2	33.3%	10.3	0	0.0%	0.0	0	0.0%	0.0	19,407	41.7%
Not Specified	1	1.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	260	100.0%	287.0	15	100.0%	16.6	0	100.0%	0.0	0	100.0%	0.0	93,166	100.0%
Female Total	193	74.2%	414.0	9	60.0%	19.3	0	0.0%	0.0	0	0.0%	0.0	46,622	50.0%
American Indian/Alaska Native	1	0.5%	33.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,020	6.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	729	1.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	197	0.4%
Latina/Hispanic	10	5.2%	113.4	1	11.1%	11.3	0	0.0%	0.0	0	0.0%	0.0	8,819	18.9%
White	182	94.3%	556.4	8	88.9%	24.5	0	0.0%	0.0	0	0.0%	0.0	32,708	70.2%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	1,149	2.5%
Male Total	67	25.8%	143.9	6	40.0%	12.9	0	0.0%	0.0	0	0.0%	0.0	46,544	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,841	6.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	520	1.1%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	325	0.7%
Latina/Hispanic	5	7.5%	48.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,378	22.3%
White	62	92.5%	196.9	6	100.0%	19.1	0	0.0%	0.0	0	0.0%	0.0	31,495	67.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	985	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mendocino County, the July 1, 2010 estimate is 90,583).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Merced County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Merced County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	995	100.0%	382.7	76	100.0%	29.2	6	100.0%	2.3	2	100.0%	0.8	273,935	100.0%
Female Total	813	81.7%	598.5	35	46.1%	25.8	0	0.0%	0.0	1	50.0%	0.7	135,839	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,131	17.0%
10 – 14	3	0.4%	28.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,466	7.7%
15 – 19	256	31.5%	2,169.3	6	17.1%	50.8	0	0.0%	0.0	1	100.0%	8.5	11,801	8.7%
20 – 24	313	38.5%	2,732.2	15	42.9%	130.9	0	0.0%	0.0	0	0.0%	0.0	11,456	8.4%
25 – 29	133	16.4%	1,193.8	6	17.1%	53.9	0	0.0%	0.0	0	0.0%	0.0	11,141	8.2%
30 – 34	53	6.5%	582.7	5	14.3%	55.0	0	0.0%	0.0	0	0.0%	0.0	9,096	6.7%
35 – 44	45	5.5%	261.7	3	8.6%	17.4	0	0.0%	0.0	0	0.0%	0.0	17,195	12.7%
45 +	10	1.2%	24.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,553	30.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	182	18.3%	131.8	40	52.6%	29.0	6	100.0%	4.3	1	50.0%	0.7	138,096	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,978	17.4%
10 – 14	1	0.5%	9.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,741	7.8%
15 – 19	39	21.4%	315.0	7	17.5%	56.5	2	33.3%	16.2	0	0.0%	0.0	12,379	9.0%
20 – 24	60	33.0%	475.9	9	22.5%	71.4	2	33.3%	15.9	1	100.0%	7.9	12,609	9.1%
25 – 29	48	26.4%	382.2	10	25.0%	79.6	1	16.7%	8.0	0	0.0%	0.0	12,559	9.1%
30 – 34	14	7.7%	135.0	4	10.0%	38.6	0	0.0%	0.0	0	0.0%	0.0	10,370	7.5%
35 – 44	13	7.1%	72.9	7	17.5%	39.3	1	16.7%	5.6	0	0.0%	0.0	17,834	12.9%
45 +	7	3.8%	18.6	3	7.5%	8.0	0	0.0%	0.0	0	0.0%	0.0	37,626	27.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	995	100.0%	382.7	76	100.0%	29.2	6	100.0%	2.3	2	100.0%	0.8	273,935	100.0%
Female Total	813	81.7%	598.5	35	46.1%	25.8	0	0.0%	0.0	1	50.0%	0.7	135,839	49.6%
American Indian/Alaska Native	5	1.1%	821.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	609	0.4%
Asian/Pacific Islander	35	7.4%	423.9	1	5.6%	12.1	0	0.0%	0.0	0	0.0%	0.0	8,257	6.1%
Black/African-American	63	13.3%	1,874.4	4	22.2%	119.0	0	0.0%	0.0	1	100.0%	29.8	3,361	2.5%
Latina/Hispanic	238	50.4%	319.1	5	27.8%	6.7	0	0.0%	0.0	0	0.0%	0.0	74,576	54.9%
White	131	27.8%	279.2	8	44.4%	17.1	0	0.0%	0.0	0	0.0%	0.0	46,919	34.5%
Other/Multi/Not Specified	341	41.9%	-	17	48.6%	-	0	0.0%	-	0	0.0%	-	2,117	1.6%
Male Total	182	18.3%	131.8	40	52.6%	29.0	6	100.0%	4.3	1	50.0%	0.7	138,096	50.4%
American Indian/Alaska Native	2	1.6%	321.0	1	4.2%	160.5	1	16.7%	160.5	0	0.0%	0.0	623	0.5%
Asian/Pacific Islander	12	9.5%	149.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,042	5.8%
Black/African-American	24	19.0%	674.3	7	29.2%	196.7	1	16.7%	28.1	0	0.0%	0.0	3,559	2.6%
Latina/Hispanic	57	45.2%	72.0	9	37.5%	11.4	1	16.7%	1.3	1	100.0%	1.3	79,122	57.3%
White	31	24.6%	69.1	7	29.2%	15.6	3	50.0%	6.7	0	0.0%	0.0	44,880	32.5%
Other/Multi/Not Specified	56	30.8%	-	16	40.0%	-	0	0.0%	-	0	0.0%	-	1,870	1.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Merced County, the July 1, 2010 estimate is 260,000).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Modoc County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Modoc County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1	100.0%	10.2	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	10,809	100.0%
Female Total	1	100.0%	18.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,326	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	485	9.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	305	5.7%
15 – 19	1	100.0%	274.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	365	6.9%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	405	7.6%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	354	6.6%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	173	3.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	519	9.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,720	51.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,483	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	506	9.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	339	6.2%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	410	7.5%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	445	8.1%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	423	7.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	191	3.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	556	10.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,613	47.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1	100.0%	10.2	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	10,809	100.0%
Female Total	1	100.0%	18.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,326	49.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	186	3.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16	0.3%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	515	9.7%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,438	83.3%
Other/Multi/Not Specified	1	100.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	132	2.5%
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,483	50.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	198	3.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30	0.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	621	11.3%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,451	81.2%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	134	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Modoc County, the July 1, 2010 estimate is 9,789).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mono County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Mono County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	31	100.0%	226.3	2	100.0%	14.6	0	100.0%	0.0	0	100.0%	0.0	14,833	100.0%
Female Total	25	80.6%	361.2	1	50.0%	14.4	0	0.0%	0.0	0	0.0%	0.0	6,922	46.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	820	11.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	407	5.9%
15 – 19	7	28.0%	1,323.3	1	100.0%	189.0	0	0.0%	0.0	0	0.0%	0.0	529	7.6%
20 – 24	13	52.0%	2,777.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	468	6.8%
25 – 29	5	20.0%	1,079.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	463	6.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	438	6.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	860	12.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,937	42.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	6	19.4%	75.8	1	50.0%	12.6	0	0.0%	0.0	0	0.0%	0.0	7,911	53.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	853	10.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	404	5.1%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	444	5.6%
20 – 24	4	66.7%	633.9	1	100.0%	158.5	0	0.0%	0.0	0	0.0%	0.0	631	8.0%
25 – 29	2	33.3%	339.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	590	7.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	644	8.1%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,152	14.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,193	40.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	31	100.0%	226.3	2	100.0%	14.6	0	100.0%	0.0	0	100.0%	0.0	14,833	100.0%
Female Total	25	80.6%	361.2	1	50.0%	14.4	0	0.0%	0.0	0	0.0%	0.0	6,922	46.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	142	2.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	90	1.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17	0.2%
Latina/Hispanic	9	50.0%	442.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,035	29.4%
White	9	50.0%	198.9	1	100.0%	22.1	0	0.0%	0.0	0	0.0%	0.0	4,525	65.4%
Other/Multi/Not Specified	7	28.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	113	1.6%
Male Total	6	19.4%	75.8	1	50.0%	12.6	0	0.0%	0.0	0	0.0%	0.0	7,911	53.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	161	2.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	95	1.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	52	0.7%
Latina/Hispanic	2	50.0%	86.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,313	29.2%
White	2	50.0%	38.8	1	100.0%	19.4	0	0.0%	0.0	0	0.0%	0.0	5,157	65.2%
Other/Multi/Not Specified	2	33.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	133	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mono County, the July 1, 2010 estimate is 13,698).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Monterey County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Monterey County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,426	100.0%	325.2	81	100.0%	18.5	6	100.0%	1.4	5	100.0%	1.1	433,283	100.0%
Female Total	1,112	78.0%	524.3	40	49.4%	18.9	0	0.0%	0.0	0	0.0%	0.0	212,096	49.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	35,067	16.5%
10 – 14	6	0.5%	40.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,975	7.1%
15 – 19	331	29.8%	2,128.5	9	22.5%	57.9	0	0.0%	0.0	0	0.0%	0.0	15,551	7.3%
20 – 24	422	38.0%	2,857.1	11	27.5%	74.5	0	0.0%	0.0	0	0.0%	0.0	14,770	7.0%
25 – 29	190	17.1%	1,336.9	14	35.0%	98.5	0	0.0%	0.0	0	0.0%	0.0	14,212	6.7%
30 – 34	85	7.7%	629.8	2	5.0%	14.8	0	0.0%	0.0	0	0.0%	0.0	13,496	6.4%
35 – 44	64	5.8%	242.3	1	2.5%	3.8	0	0.0%	0.0	0	0.0%	0.0	26,418	12.5%
45 +	12	1.1%	15.5	3	7.5%	3.9	0	0.0%	0.0	0	0.0%	0.0	77,607	36.6%
Not Specified	2	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	313	21.9%	141.5	41	50.6%	18.5	6	100.0%	2.7	5	100.0%	2.3	221,187	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	36,418	16.5%
10 – 14	0	0.0%	0.0	1	2.4%	6.3	0	0.0%	0.0	0	0.0%	0.0	15,920	7.2%
15 – 19	56	18.0%	335.8	7	17.1%	42.0	1	16.7%	6.0	2	40.0%	12.0	16,675	7.5%
20 – 24	109	35.0%	586.2	14	34.1%	75.3	0	0.0%	0.0	2	40.0%	10.8	18,593	8.4%
25 – 29	76	24.4%	371.8	8	19.5%	39.1	1	16.7%	4.9	0	0.0%	0.0	20,442	9.2%
30 – 34	39	12.5%	233.8	4	9.8%	24.0	0	0.0%	0.0	1	20.0%	6.0	16,680	7.5%
35 – 44	24	7.7%	93.8	5	12.2%	19.5	2	33.3%	7.8	0	0.0%	0.0	25,577	11.6%
45 +	7	2.3%	9.9	2	4.9%	2.8	2	33.3%	2.8	0	0.0%	0.0	70,882	32.0%
Not Specified	2	0.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,426	100.0%	325.2	81	100.0%	18.5	6	100.0%	1.4	5	100.0%	1.1	433,283	100.0%
Female Total	1,112	78.0%	524.3	40	49.4%	18.9	0	0.0%	0.0	0	0.0%	0.0	212,096	49.0%
American Indian/Alaska Native	6	0.7%	642.4	1	3.2%	107.1	0	0.0%	0.0	0	0.0%	0.0	934	0.4%
Asian/Pacific Islander	26	3.1%	173.3	1	3.2%	6.7	0	0.0%	0.0	0	0.0%	0.0	15,004	7.1%
Black/African-American	44	5.2%	1,294.9	7	22.6%	206.0	0	0.0%	0.0	0	0.0%	0.0	3,398	1.6%
Latina/Hispanic	629	74.5%	536.9	17	54.8%	14.5	0	0.0%	0.0	0	0.0%	0.0	117,159	55.2%
White	139	16.5%	197.1	5	16.1%	7.1	0	0.0%	0.0	0	0.0%	0.0	70,524	33.3%
Other/Multi/Not Specified	268	24.1%	-	9	22.5%	-	0	0.0%	-	0	0.0%	-	5,077	2.4%
Male Total	313	21.9%	141.5	41	50.6%	18.5	6	100.0%	2.7	5	100.0%	2.3	221,187	51.0%
American Indian/Alaska Native	1	0.4%	95.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,044	0.5%
Asian/Pacific Islander	6	2.6%	44.1	0	0.0%	0.0	1	16.7%	7.3	0	0.0%	0.0	13,608	6.2%
Black/African-American	11	4.8%	145.6	4	12.9%	52.9	0	0.0%	0.0	0	0.0%	0.0	7,557	3.4%
Latina/Hispanic	168	74.0%	129.5	17	54.8%	13.1	3	50.0%	2.3	5	100.0%	3.9	129,690	58.6%
White	41	18.1%	63.6	10	32.3%	15.5	2	33.3%	3.1	0	0.0%	0.0	64,482	29.2%
Other/Multi/Not Specified	86	27.5%	-	10	24.4%	-	0	0.0%	-	0	0.0%	-	4,806	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Monterey County, the July 1, 2010 estimate is 438,459).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Napa County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Napa County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	267	100.0%	191.1	28	100.0%	20.0	3	100.0%	2.1	0	100.0%	0.0	142,767	100.0%
Female Total	193	72.3%	269.4	13	46.4%	18.1	0	0.0%	0.0	0	0.0%	0.0	71,628	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,694	13.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,899	6.8%
15 – 19	59	30.6%	1,169.9	8	61.5%	158.6	0	0.0%	0.0	0	0.0%	0.0	5,043	7.0%
20 – 24	83	43.0%	1,723.4	3	23.1%	62.3	0	0.0%	0.0	0	0.0%	0.0	4,816	6.7%
25 – 29	32	16.6%	695.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,604	6.4%
30 – 34	9	4.7%	242.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,709	5.2%
35 – 44	7	3.6%	87.5	2	15.4%	25.0	0	0.0%	0.0	0	0.0%	0.0	7,998	11.2%
45 +	3	1.6%	9.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,865	43.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	73	27.3%	102.6	15	53.6%	21.1	3	100.0%	4.2	0	0.0%	0.0	71,139	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,400	14.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,984	7.0%
15 – 19	11	15.1%	221.8	5	33.3%	100.8	0	0.0%	0.0	0	0.0%	0.0	4,960	7.0%
20 – 24	24	32.9%	477.8	3	20.0%	59.7	0	0.0%	0.0	0	0.0%	0.0	5,023	7.1%
25 – 29	20	27.4%	389.8	0	0.0%	0.0	1	33.3%	19.5	0	0.0%	0.0	5,131	7.2%
30 – 34	9	12.3%	211.9	3	20.0%	70.6	0	0.0%	0.0	0	0.0%	0.0	4,247	6.0%
35 – 44	6	8.2%	69.8	0	0.0%	0.0	1	33.3%	11.6	0	0.0%	0.0	8,593	12.1%
45 +	3	4.1%	10.8	4	26.7%	14.4	1	33.3%	3.6	0	0.0%	0.0	27,801	39.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	267	100.0%	191.1	28	100.0%	20.0	3	100.0%	2.1	0	100.0%	0.0	142,767	100.0%
Female Total	193	72.3%	269.4	13	46.4%	18.1	0	0.0%	0.0	0	0.0%	0.0	71,628	50.2%
American Indian/Alaska Native	2	1.3%	609.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	328	0.5%
Asian/Pacific Islander	11	7.1%	258.8	1	9.1%	23.5	0	0.0%	0.0	0	0.0%	0.0	4,250	5.9%
Black/African-American	6	3.8%	867.1	3	27.3%	433.5	0	0.0%	0.0	0	0.0%	0.0	692	1.0%
Latina/Hispanic	74	47.4%	331.7	3	27.3%	13.4	0	0.0%	0.0	0	0.0%	0.0	22,308	31.1%
White	63	40.4%	147.3	4	36.4%	9.4	0	0.0%	0.0	0	0.0%	0.0	42,756	59.7%
Other/Multi/Not Specified	37	19.2%	-	2	15.4%	-	0	0.0%	-	0	0.0%	-	1,294	1.8%
Male Total	73	27.3%	102.6	15	53.6%	21.1	3	100.0%	4.2	0	0.0%	0.0	71,139	49.8%
American Indian/Alaska Native	1	1.6%	271.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	369	0.5%
Asian/Pacific Islander	5	8.1%	128.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,907	5.5%
Black/African-American	3	4.8%	295.6	2	13.3%	197.0	0	0.0%	0.0	0	0.0%	0.0	1,015	1.4%
Latina/Hispanic	29	46.8%	119.4	5	33.3%	20.6	0	0.0%	0.0	0	0.0%	0.0	24,291	34.1%
White	24	38.7%	59.6	8	53.3%	19.9	3	100.0%	7.5	0	0.0%	0.0	40,253	56.6%
Other/Multi/Not Specified	11	15.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	1,304	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Napa County, the July 1, 2010 estimate is 139,748).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Nevada County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Nevada County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	144	100.0%	145.6	7	100.0%	7.1	1	100.0%	1.0	0	100.0%	0.0	102,649	100.0%
Female Total	100	69.4%	194.1	3	42.9%	5.8	0	0.0%	0.0	0	0.0%	0.0	51,519	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,976	7.7%
10 – 14	1	1.0%	39.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,516	4.9%
15 – 19	34	34.0%	984.4	1	33.3%	29.0	0	0.0%	0.0	0	0.0%	0.0	3,454	6.7%
20 – 24	46	46.0%	1,413.6	1	33.3%	30.7	0	0.0%	0.0	0	0.0%	0.0	3,254	6.3%
25 – 29	13	13.0%	593.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,190	4.3%
30 – 34	0	0.0%	0.0	1	33.3%	78.4	0	0.0%	0.0	0	0.0%	0.0	1,275	2.5%
35 – 44	5	5.0%	86.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,781	11.2%
45 +	1	1.0%	3.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,073	56.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	44	30.6%	86.1	4	57.1%	7.8	1	100.0%	2.0	0	0.0%	0.0	51,130	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,279	8.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,921	5.7%
15 – 19	12	27.3%	318.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,766	7.4%
20 – 24	11	25.0%	295.9	2	50.0%	53.8	0	0.0%	0.0	0	0.0%	0.0	3,718	7.3%
25 – 29	11	25.0%	405.5	1	25.0%	36.9	0	0.0%	0.0	0	0.0%	0.0	2,713	5.3%
30 – 34	7	15.9%	448.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,561	3.1%
35 – 44	2	4.5%	35.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,713	11.2%
45 +	1	2.3%	3.8	1	25.0%	3.8	1	100.0%	3.8	0	0.0%	0.0	26,459	51.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	144	100.0%	145.6	7	100.0%	7.1	1	100.0%	1.0	0	100.0%	0.0	102,649	100.0%
Female Total	100	69.4%	194.1	3	42.9%	5.8	0	0.0%	0.0	0	0.0%	0.0	51,519	50.2%
American Indian/Alaska Native	2	3.8%	549.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	364	0.7%
Asian/Pacific Islander	1	1.9%	202.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	493	1.0%
Black/African-American	1	1.9%	925.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	108	0.2%
Latina/Hispanic	9	17.0%	281.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,201	6.2%
White	40	75.5%	86.3	1	100.0%	2.2	0	0.0%	0.0	0	0.0%	0.0	46,357	90.0%
Other/Multi/Not Specified	47	47.0%	-	2	66.7%	-	0	0.0%	-	0	0.0%	-	996	1.9%
Male Total	44	30.6%	86.1	4	57.1%	7.8	1	100.0%	2.0	0	0.0%	0.0	51,130	49.8%
American Indian/Alaska Native	1	3.6%	274.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	365	0.7%
Asian/Pacific Islander	1	3.6%	259.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	385	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	159	0.3%
Latina/Hispanic	8	28.6%	233.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,430	6.7%
White	18	64.3%	39.3	1	100.0%	2.2	1	100.0%	2.2	0	0.0%	0.0	45,800	89.6%
Other/Multi/Not Specified	16	36.4%	-	3	75.0%	-	0	0.0%	-	0	0.0%	-	991	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Nevada County, the July 1, 2010 estimate is 98,915).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Orange County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Orange County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,063	100.0%	253.4	1,137	100.0%	35.7	75	100.0%	2.4	46	100.0%	1.4	3,227,836	100.0%
Female Total	5,678	70.4%	349.2	358	31.5%	22.0	4	5.3%	0.2	3	6.5%	0.2	1,625,960	50.4%
Ages														
0 – 9	1	0.0%	0.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	218,259	13.4%
10 – 14	22	0.4%	21.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	104,132	6.4%
15 – 19	1,448	25.6%	1,248.2	64	17.9%	55.2	0	0.0%	0.0	0	0.0%	0.0	116,004	7.1%
20 – 24	2,243	39.7%	2,034.2	124	34.7%	112.5	0	0.0%	0.0	1	33.3%	0.9	110,267	6.8%
25 – 29	1,024	18.1%	950.4	66	18.5%	61.3	2	50.0%	1.9	1	33.3%	0.9	107,739	6.6%
30 – 34	458	8.1%	428.3	34	9.5%	31.8	0	0.0%	0.0	1	33.3%	0.9	106,923	6.6%
35 – 44	362	6.4%	149.1	55	15.4%	22.7	1	25.0%	0.4	0	0.0%	0.0	242,797	14.9%
45 +	98	1.7%	15.8	14	3.9%	2.3	1	25.0%	0.2	0	0.0%	0.0	619,839	38.1%
Not Specified	22	0.4%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,340	29.0%	146.1	774	68.1%	48.3	71	94.7%	4.4	43	93.5%	2.7	1,601,876	49.6%
Ages														
0 – 9	3	0.1%	1.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	227,348	14.2%
10 – 14	2	0.1%	1.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	109,205	6.8%
15 – 19	316	13.5%	257.3	71	9.2%	57.8	5	7.0%	4.1	1	2.3%	0.8	122,826	7.7%
20 – 24	824	35.2%	704.2	203	26.3%	173.5	9	12.7%	7.7	6	14.0%	5.1	117,005	7.3%
25 – 29	541	23.1%	465.4	169	21.9%	145.4	14	19.7%	12.0	6	14.0%	5.2	116,243	7.3%
30 – 34	290	12.4%	262.0	115	14.9%	103.9	8	11.3%	7.2	9	20.9%	8.1	110,682	6.9%
35 – 44	253	10.8%	104.7	131	16.9%	54.2	13	18.3%	5.4	14	32.6%	5.8	241,605	15.1%
45 +	109	4.7%	19.6	84	10.9%	15.1	22	31.0%	4.0	7	16.3%	1.3	556,962	34.8%
Not Specified	2	0.1%	-	1	0.1%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,063	100.0%	253.4	1,137	100.0%	35.7	75	100.0%	2.4	46	100.0%	1.4	3,227,836	100.0%
Female Total	5,678	70.4%	349.2	358	31.5%	22.0	4	5.3%	0.2	3	6.5%	0.2	1,625,960	50.4%
American Indian/Alaska Native	6	0.2%	91.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,545	0.4%
Asian/Pacific Islander	226	8.3%	82.7	6	4.5%	2.2	0	0.0%	0.0	0	0.0%	0.0	273,338	16.8%
Black/African-American	86	3.1%	398.0	9	6.8%	41.6	0	0.0%	0.0	0	0.0%	0.0	21,610	1.3%
Latina/Hispanic	1,928	70.5%	337.6	81	60.9%	14.2	2	50.0%	0.4	1	33.3%	0.2	571,065	35.1%
White	488	17.8%	67.6	37	27.8%	5.1	2	50.0%	0.3	2	66.7%	0.3	722,244	44.4%
Other/Multi/Not Specified	2,944	51.8%	-	225	62.8%	-	0	0.0%	-	0	0.0%	-	31,158	1.9%
Male Total	2,340	29.0%	146.1	774	68.1%	48.3	71	94.7%	4.4	43	93.5%	2.7	1,601,876	49.6%
American Indian/Alaska Native	3	0.3%	47.4	1	0.4%	15.8	0	0.0%	0.0	0	0.0%	0.0	6,335	0.4%
Asian/Pacific Islander	53	5.2%	20.7	15	6.0%	5.9	7	10.1%	2.7	1	2.4%	0.4	256,332	16.0%
Black/African-American	61	5.9%	262.2	16	6.4%	68.8	5	7.2%	21.5	3	7.1%	12.9	23,263	1.5%
Latina/Hispanic	688	66.9%	117.2	128	51.0%	21.8	32	46.4%	5.4	23	54.8%	3.9	587,205	36.7%
White	223	21.7%	32.0	91	36.3%	13.0	25	36.2%	3.6	15	35.7%	2.2	697,643	43.6%
Other/Multi/Not Specified	1,312	56.1%	-	523	67.6%	-	2	2.8%	-	1	2.3%	-	31,098	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Orange County, the July 1, 2010 estimate is 3,182,171).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Pasadena City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Pasadena City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	366	100.0%	251.0	57	100.0%	39.1	0	100.0%	0.0	4	100.0%	2.7	145,840	100.0%
Female Total	244	66.7%	327.4	15	26.3%	20.1	0	0.0%	0.0	1	25.0%	1.3	74,524	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,940	13.3%
10 – 14	3	1.2%	69.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,291	5.8%
15 – 19	90	37.0%	2,398.1	6	42.9%	159.9	0	0.0%	0.0	0	0.0%	0.0	3,753	5.0%
20 – 24	79	32.5%	1,646.5	2	14.3%	41.7	0	0.0%	0.0	0	0.0%	0.0	4,798	6.4%
25 – 29	39	16.0%	593.4	1	7.1%	15.2	0	0.0%	0.0	1	100.0%	15.2	6,572	8.8%
30 – 34	14	5.8%	211.5	3	21.4%	45.3	0	0.0%	0.0	0	0.0%	0.0	6,619	8.9%
35 – 44	10	4.1%	83.8	1	7.1%	8.4	0	0.0%	0.0	0	0.0%	0.0	11,935	16.0%
45 +	8	3.3%	30.1	1	7.1%	3.8	0	0.0%	0.0	0	0.0%	0.0	26,614	35.7%
Not Specified	1	0.4%	-	1	6.7%	-	0	0.0%	-	0	0.0%	-		
Male Total	119	32.5%	166.9	42	73.7%	58.9	0	0.0%	0.0	3	75.0%	4.2	71,316	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,229	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,531	6.4%
15 – 19	26	22.0%	594.0	5	11.9%	114.2	0	0.0%	0.0	0	0.0%	0.0	4,377	6.1%
20 – 24	32	27.1%	596.3	13	31.0%	242.3	0	0.0%	0.0	1	33.3%	18.6	5,366	7.5%
25 – 29	24	20.3%	352.4	7	16.7%	102.8	0	0.0%	0.0	0	0.0%	0.0	6,810	9.5%
30 – 34	14	11.9%	201.7	7	16.7%	100.8	0	0.0%	0.0	1	33.3%	14.4	6,942	9.7%
35 – 44	13	11.0%	108.1	4	9.5%	33.3	0	0.0%	0.0	1	33.3%	8.3	12,024	16.9%
45 +	9	7.6%	42.8	6	14.3%	28.5	0	0.0%	0.0	0	0.0%	0.0	21,037	29.5%
Not Specified	1	0.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	366	100.0%	251.0	57	100.0%	39.1	0	100.0%	0.0	4	100.0%	2.7	145,840	100.0%
Female Total	244	66.7%	327.4	15	26.3%	20.1	0	0.0%	0.0	1	25.0%	1.3	74,524	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	185	0.2%
Asian/Pacific Islander	7	4.7%	89.6	1	9.1%	12.8	0	0.0%	0.0	0	0.0%	0.0	7,809	10.5%
Black/African-American	61	40.7%	550.2	4	36.4%	36.1	0	0.0%	0.0	0	0.0%	0.0	11,086	14.9%
Latina/Hispanic	68	45.3%	282.2	5	45.5%	20.7	0	0.0%	0.0	0	0.0%	0.0	24,098	32.3%
White	14	9.3%	48.4	1	9.1%	3.5	0	0.0%	0.0	1	100.0%	3.5	28,902	38.8%
Other/Multi/Not Specified	94	38.5%	-	4	26.7%	-	0	0.0%	-	0	0.0%	-	2,443	3.3%
Male Total	119	32.5%	166.9	42	73.7%	58.9	0	0.0%	0.0	3	75.0%	4.2	71,316	48.9%
American Indian/Alaska Native	1	1.3%	595.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	168	0.2%
Asian/Pacific Islander	7	9.0%	103.9	1	5.3%	14.8	0	0.0%	0.0	2	66.7%	29.7	6,735	9.4%
Black/African-American	30	38.5%	323.0	9	47.4%	96.9	0	0.0%	0.0	0	0.0%	0.0	9,288	13.0%
Latina/Hispanic	31	39.7%	126.0	6	31.6%	24.4	0	0.0%	0.0	1	33.3%	4.1	24,612	34.5%
White	9	11.5%	32.0	3	15.8%	10.7	0	0.0%	0.0	0	0.0%	0.0	28,134	39.4%
Other/Multi/Not Specified	41	34.5%	-	23	54.8%	-	0	0.0%	-	0	0.0%	-	2,379	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Placer County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Placer County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	604	100.0%	172.5	64	100.0%	18.3	4	100.0%	1.1	1	100.0%	0.3	347,543	100.0%
Female Total	452	74.8%	253.9	32	50.0%	18.0	0	0.0%	0.0	0	0.0%	0.0	178,024	51.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,482	12.1%
10 – 14	3	0.7%	24.4	2	6.3%	16.3	0	0.0%	0.0	0	0.0%	0.0	12,299	6.9%
15 – 19	178	39.4%	1,294.2	6	18.8%	43.6	0	0.0%	0.0	0	0.0%	0.0	13,754	7.7%
20 – 24	167	36.9%	1,375.2	7	21.9%	57.6	0	0.0%	0.0	0	0.0%	0.0	12,144	6.8%
25 – 29	65	14.4%	723.3	6	18.8%	66.8	0	0.0%	0.0	0	0.0%	0.0	8,986	5.0%
30 – 34	20	4.4%	312.5	4	12.5%	62.5	0	0.0%	0.0	0	0.0%	0.0	6,401	3.6%
35 – 44	16	3.5%	68.2	6	18.8%	25.6	0	0.0%	0.0	0	0.0%	0.0	23,461	13.2%
45 +	3	0.7%	3.8	1	3.1%	1.3	0	0.0%	0.0	0	0.0%	0.0	79,497	44.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	152	25.2%	89.7	32	50.0%	18.9	4	100.0%	2.4	1	100.0%	0.6	169,519	48.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,075	13.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,255	7.2%
15 – 19	32	21.1%	235.9	2	6.3%	14.7	1	25.0%	7.4	0	0.0%	0.0	13,567	8.0%
20 – 24	55	36.2%	440.2	11	34.4%	88.0	0	0.0%	0.0	1	100.0%	8.0	12,493	7.4%
25 – 29	31	20.4%	321.2	6	18.8%	62.2	0	0.0%	0.0	0	0.0%	0.0	9,650	5.7%
30 – 34	17	11.2%	252.0	4	12.5%	59.3	1	25.0%	14.8	0	0.0%	0.0	6,745	4.0%
35 – 44	11	7.2%	50.7	3	9.4%	13.8	0	0.0%	0.0	0	0.0%	0.0	21,685	12.8%
45 +	6	3.9%	8.6	6	18.8%	8.6	2	50.0%	2.9	0	0.0%	0.0	70,049	41.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	604	100.0%	172.5	64	100.0%	18.3	4	100.0%	1.1	1	100.0%	0.3	347,543	100.0%
Female Total	452	74.8%	253.9	32	50.0%	18.0	0	0.0%	0.0	0	0.0%	0.0	178,024	51.2%
American Indian/Alaska Native	5	1.7%	519.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	962	0.5%
Asian/Pacific Islander	7	2.4%	76.0	2	10.5%	21.7	0	0.0%	0.0	0	0.0%	0.0	9,215	5.2%
Black/African-American	13	4.5%	1,303.9	3	15.8%	300.9	0	0.0%	0.0	0	0.0%	0.0	997	0.6%
Latina/Hispanic	54	18.9%	227.0	1	5.3%	4.2	0	0.0%	0.0	0	0.0%	0.0	23,784	13.4%
White	207	72.4%	148.4	13	68.4%	9.3	0	0.0%	0.0	0	0.0%	0.0	139,466	78.3%
Other/Multi/Not Specified	166	36.7%	-	13	40.6%	-	0	0.0%	-	0	0.0%	-	3,600	2.0%
Male Total	152	25.2%	89.7	32	50.0%	18.9	4	100.0%	2.4	1	100.0%	0.6	169,519	48.8%
American Indian/Alaska Native	0	0.0%	0.0	1	4.5%	106.7	0	0.0%	0.0	0	0.0%	0.0	937	0.6%
Asian/Pacific Islander	3	3.3%	36.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,287	4.9%
Black/African-American	6	6.7%	518.6	2	9.1%	172.9	1	33.3%	86.4	0	0.0%	0.0	1,157	0.7%
Latina/Hispanic	17	18.9%	73.3	1	4.5%	4.3	0	0.0%	0.0	0	0.0%	0.0	23,199	13.7%
White	64	71.1%	48.4	18	81.8%	13.6	2	66.7%	1.5	1	100.0%	0.8	132,353	78.1%
Other/Multi/Not Specified	62	40.8%	-	10	31.3%	-	1	25.0%	-	0	0.0%	-	3,586	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Placer County, the July 1, 2010 estimate is 350,198).









Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Plumas County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Plumas County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	55	100.0%	268.4	3	100.0%	14.6	0	100.0%	0.0	0	100.0%	0.0	21,824	100.0%
Female Total	31	56.4%	280.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,047	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,050	9.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	498	4.5%
15 – 19	18	58.1%	2,549.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	706	6.4%
20 – 24	11	35.5%	1,388.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	792	7.2%
25 – 29	2	6.5%	276.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	723	6.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	397	3.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	907	8.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,974	54.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	22	40.0%	204.1	3	100.0%	27.8	0	0.0%	0.0	0	0.0%	0.0	10,777	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	966	9.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	547	5.1%
15 – 19	8	36.4%	1,183.4	1	33.3%	147.9	0	0.0%	0.0	0	0.0%	0.0	676	6.3%
20 – 24	12	54.5%	1,397.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	859	8.0%
25 – 29	2	9.1%	249.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	801	7.4%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	435	4.0%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	914	8.5%
45 +	0	0.0%	0.0	2	66.7%	35.8	0	0.0%	0.0	0	0.0%	0.0	5,579	51.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	55	100.0%	268.4	3	100.0%	14.6	0	100.0%	0.0	0	100.0%	0.0	21,824	100.0%
Female Total	31	56.4%	280.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,047	50.6%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	266	2.4%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	88	0.8%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57	0.5%
Latina/Hispanic	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	673	6.1%
White	19	79.2%	196.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,692	87.7%
Other/Multi/Not Specified	7	22.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	271	2.5%
Male Total	22	40.0%	204.1	3	100.0%	27.8	0	0.0%	0.0	0	0.0%	0.0	10,777	49.4%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	251	2.3%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	70	0.6%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	92	0.9%
Latina/Hispanic	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	710	6.6%
White	9	47.4%	95.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,412	87.3%
Other/Multi/Not Specified	3	13.6%	-	3	100.0%	-	0	0.0%	-	0	0.0%	-	242	2.2%

s Numbers suppressed for confidentiality.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Plumas County, the July 1, 2010 estimate is 20,491).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Riverside County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Riverside County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,092	100.0%	328.2	773	100.0%	35.8	116	100.0%	5.4	64	100.0%	3.0	2,239,053	100.0%
Female Total	5,316	75.0%	473.1	363	47.0%	32.3	0	0.0%	0.0	2	3.1%	0.2	1,123,582	50.2%
Ages														
0 – 9	2	0.0%	1.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	168,072	15.0%
10 – 14	20	0.4%	24.8	2	0.6%	2.5	0	0.0%	0.0	0	0.0%	0.0	80,681	7.2%
15 – 19	1,519	28.6%	1,556.4	113	31.1%	115.8	0	0.0%	0.0	0	0.0%	0.0	97,600	8.7%
20 – 24	2,302	43.3%	2,444.3	146	40.2%	155.0	0	0.0%	0.0	0	0.0%	0.0	94,180	8.4%
25 – 29	851	16.0%	1,010.7	53	14.6%	62.9	0	0.0%	0.0	1	50.0%	1.2	84,196	7.5%
30 – 34	342	6.4%	494.9	26	7.2%	37.6	0	0.0%	0.0	1	50.0%	1.4	69,103	6.2%
35 – 44	213	4.0%	147.3	17	4.7%	11.8	0	0.0%	0.0	0	0.0%	0.0	144,573	12.9%
45 +	67	1.3%	17.4	6	1.7%	1.6	0	0.0%	0.0	0	0.0%	0.0	385,177	34.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,751	24.7%	157.0	409	52.9%	36.7	116	100.0%	10.4	61	95.3%	5.5	1,115,471	49.8%
Ages														
0 – 9	1	0.1%	0.6	1	0.2%	0.6	0	0.0%	0.0	0	0.0%	0.0	175,774	15.8%
10 – 14	0	0.0%	0.0	3	0.7%	3.5	1	0.9%	1.2	0	0.0%	0.0	84,749	7.6%
15 – 19	297	17.0%	290.6	53	13.0%	51.9	3	2.6%	2.9	0	0.0%	0.0	102,203	9.2%
20 – 24	686	39.2%	692.6	135	33.1%	136.3	19	16.4%	19.2	7	11.5%	7.1	99,044	8.9%
25 – 29	402	23.0%	451.1	70	17.2%	78.6	20	17.2%	22.4	4	6.6%	4.5	89,113	8.0%
30 – 34	148	8.5%	199.4	33	8.1%	44.5	13	11.2%	17.5	4	6.6%	5.4	74,229	6.7%
35 – 44	136	7.8%	95.0	49	12.0%	34.2	27	23.3%	18.9	18	29.5%	12.6	143,086	12.8%
45 +	81	4.6%	23.3	64	15.7%	18.4	33	28.4%	9.5	28	45.9%	8.1	347,273	31.1%
Not Specified	0	0.0%	-	1	0.2%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,092	100.0%	328.2	773	100.0%	35.8	116	100.0%	5.4	64	100.0%	3.0	2,239,053	100.0%
Female Total	5,316	75.0%	473.1	363	47.0%	32.3	0	0.0%	0.0	2	3.1%	0.2	1,123,582	50.2%
American Indian/Alaska Native	13	0.3%	212.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,111	0.5%
Asian/Pacific Islander	80	1.7%	142.3	2	0.7%	3.6	0	0.0%	0.0	0	0.0%	0.0	56,209	5.0%
Black/African-American	614	13.0%	883.2	63	21.6%	90.6	0	0.0%	0.0	0	0.0%	0.0	69,516	6.2%
Latina/Hispanic	2,400	50.9%	521.2	107	36.6%	23.2	0	0.0%	0.0	2	100.0%	0.4	460,484	41.0%
White	1,606	34.1%	313.3	120	41.1%	23.4	0	0.0%	0.0	0	0.0%	0.0	512,592	45.6%
Other/Multi/Not Specified	603	11.3%	-	71	19.6%	-	0	0.0%	-	0	0.0%	-	18,670	1.7%
Male Total	1,751	24.7%	157.0	409	52.9%	36.7	116	100.0%	10.4	61	95.3%	5.5	1,115,471	49.8%
American Indian/Alaska Native	5	0.3%	85.1	3	0.9%	51.1	0	0.0%	0.0	0	0.0%	0.0	5,876	0.5%
Asian/Pacific Islander	29	1.9%	58.2	3	0.9%	6.0	1	0.9%	2.0	0	0.0%	0.0	49,854	4.5%
Black/African-American	237	15.4%	340.0	59	17.6%	84.7	3	2.7%	4.3	2	3.8%	2.9	69,698	6.2%
Latina/Hispanic	710	46.3%	148.9	108	32.1%	22.7	45	40.2%	9.4	18	34.0%	3.8	476,762	42.7%
White	553	36.0%	111.7	163	48.5%	32.9	63	56.3%	12.7	33	62.3%	6.7	494,921	44.4%
Other/Multi/Not Specified	217	12.4%	-	73	17.8%	-	4	3.4%	-	8	13.1%	-	18,360	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Riverside County, the July 1, 2010 estimate is 2,161,163).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sacramento County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sacramento County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,439	100.0%	580.6	1,889	100.0%	130.0	52	100.0%	3.6	43	100.0%	3.0	1,451,866	100.0%
Female Total	6,042	71.6%	818.3	1,025	54.3%	138.8	12	23.1%	1.6	11	25.6%	1.5	738,329	50.9%
Ages														
0 – 9	11	0.2%	10.9	2	0.2%	2.0	0	0.0%	0.0	0	0.0%	0.0	101,198	13.7%
10 – 14	76	1.3%	150.8	20	2.0%	39.7	1	8.3%	2.0	0	0.0%	0.0	50,387	6.8%
15 – 19	2,248	37.4%	4,045.6	417	40.8%	750.4	1	8.3%	1.8	2	18.2%	3.6	55,567	7.5%
20 – 24	2,292	38.1%	4,342.5	336	32.8%	636.6	3	25.0%	5.7	1	9.1%	1.9	52,781	7.1%
25 – 29	829	13.8%	1,738.7	130	12.7%	272.7	3	25.0%	6.3	2	18.2%	4.2	47,679	6.5%
30 – 34	318	5.3%	724.5	65	6.4%	148.1	0	0.0%	0.0	0	0.0%	0.0	43,893	5.9%
35 – 44	189	3.1%	194.4	47	4.6%	48.3	2	16.7%	2.1	2	18.2%	2.1	97,209	13.2%
45 +	54	0.9%	18.6	6	0.6%	2.1	2	16.7%	0.7	4	36.4%	1.4	289,615	39.2%
Not Specified	25	0.4%	-	2	0.2%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,338	27.7%	327.7	849	44.9%	119.0	40	76.9%	5.6	32	74.4%	4.5	713,537	49.1%
Ages														
0 – 9	6	0.3%	5.7	2	0.2%	1.9	0	0.0%	0.0	1	3.1%	0.9	105,297	14.8%
10 – 14	10	0.4%	19.2	1	0.1%	1.9	0	0.0%	0.0	0	0.0%	0.0	52,031	7.3%
15 – 19	599	25.7%	1,027.6	189	22.4%	324.2	1	2.5%	1.7	3	9.4%	5.1	58,290	8.2%
20 – 24	852	36.6%	1,543.1	284	33.6%	514.4	9	22.5%	16.3	8	25.0%	14.5	55,214	7.7%
25 – 29	426	18.3%	857.2	133	15.8%	267.6	4	10.0%	8.0	5	15.6%	10.1	49,694	7.0%
30 – 34	194	8.3%	446.7	78	9.2%	179.6	7	17.5%	16.1	2	6.3%	4.6	43,430	6.1%
35 – 44	162	7.0%	170.5	91	10.8%	95.8	8	20.0%	8.4	8	25.0%	8.4	94,997	13.3%
45 +	78	3.4%	30.6	66	7.8%	25.9	11	27.5%	4.3	5	15.6%	2.0	254,584	35.7%
Not Specified	11	0.5%	-	5	0.6%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,439	100.0%	580.6	1,889	100.0%	130.0	52	100.0%	3.6	43	100.0%	3.0	1,451,866	100.0%
Female Total	6,042	71.6%	818.3	1,025	54.3%	138.8	12	23.1%	1.6	11	25.6%	1.5	738,329	50.9%
American Indian/Alaska Native	32	0.9%	587.9	4	0.7%	73.5	0	0.0%	0.0	0	0.0%	0.0	5,443	0.7%
Asian/Pacific Islander	360	10.5%	357.8	30	5.0%	29.8	0	0.0%	0.0	0	0.0%	0.0	100,625	13.6%
Black/African-American	1,412	41.3%	2,025.0	374	62.9%	536.4	6	60.0%	8.6	5	50.0%	7.2	69,727	9.4%
Latina/Hispanic	782	22.9%	530.0	80	13.4%	54.2	0	0.0%	0.0	2	20.0%	1.4	147,557	20.0%
White	833	24.4%	218.0	107	18.0%	28.0	4	40.0%	1.0	3	30.0%	0.8	382,090	51.8%
Other/Multi/Not Specified	2,623	43.4%	-	430	42.0%	-	2	16.7%	-	1	9.1%	-	32,887	4.5%
Male Total	2,338	27.7%	327.7	849	44.9%	119.0	40	76.9%	5.6	32	74.4%	4.5	713,537	49.1%
American Indian/Alaska Native	5	0.4%	99.1	2	0.4%	39.6	0	0.0%	0.0	1	3.6%	19.8	5,046	0.7%
Asian/Pacific Islander	80	6.5%	83.5	15	3.1%	15.7	0	0.0%	0.0	1	3.6%	1.0	95,769	13.4%
Black/African-American	653	52.8%	983.1	312	65.3%	469.7	7	18.9%	10.5	5	17.9%	7.5	66,420	9.3%
Latina/Hispanic	240	19.4%	159.6	61	12.8%	40.6	14	37.8%	9.3	7	25.0%	4.7	150,341	21.1%
White	258	20.9%	70.7	88	18.4%	24.1	16	43.2%	4.4	14	50.0%	3.8	364,884	51.1%
Other/Multi/Not Specified	1,102	47.1%	-	371	43.7%	-	3	7.5%	-	4	12.5%	-	31,077	4.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sacramento County, the July 1, 2010 estimate is 1,453,495).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Benito County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Benito County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	177	100.0%	301.6	9	100.0%	15.3	2	100.0%	3.4	1	100.0%	1.7	64,230	100.0%
Female Total	146	82.5%	460.6	4	44.4%	12.6	0	0.0%	0.0	0	0.0%	0.0	31,696	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,871	15.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,479	7.8%
15 – 19	55	37.9%	2,081.0	2	50.0%	75.7	0	0.0%	0.0	0	0.0%	0.0	2,643	8.3%
20 – 24	49	33.8%	1,846.3	1	25.0%	37.7	0	0.0%	0.0	0	0.0%	0.0	2,654	8.4%
25 – 29	24	16.6%	975.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,460	7.8%
30 – 34	12	8.3%	630.6	1	25.0%	52.5	0	0.0%	0.0	0	0.0%	0.0	1,903	6.0%
35 – 44	5	3.4%	126.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,940	12.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,746	33.9%
Not Specified	1	0.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	31	17.5%	95.3	5	55.6%	15.4	2	100.0%	6.1	1	100.0%	3.1	32,534	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,058	15.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,633	8.1%
15 – 19	5	16.1%	177.0	1	20.0%	35.4	0	0.0%	0.0	1	100.0%	35.4	2,825	8.7%
20 – 24	13	41.9%	446.0	1	20.0%	34.3	0	0.0%	0.0	0	0.0%	0.0	2,915	9.0%
25 – 29	10	32.3%	348.3	0	0.0%	0.0	1	50.0%	34.8	0	0.0%	0.0	2,871	8.8%
30 – 34	0	0.0%	0.0	1	20.0%	46.4	0	0.0%	0.0	0	0.0%	0.0	2,156	6.6%
35 – 44	3	9.7%	74.3	2	40.0%	49.5	0	0.0%	0.0	0	0.0%	0.0	4,038	12.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	1	50.0%	10.0	0	0.0%	0.0	10,038	30.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	177	100.0%	301.6	9	100.0%	15.3	2	100.0%	3.4	1	100.0%	1.7	64,230	100.0%
Female Total	146	82.5%	460.6	4	44.4%	12.6	0	0.0%	0.0	0	0.0%	0.0	31,696	49.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	155	0.5%
Asian/Pacific Islander	1	0.7%	108.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	920	2.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	244	0.8%
Latina/Hispanic	95	65.1%	517.7	2	50.0%	10.9	0	0.0%	0.0	0	0.0%	0.0	18,352	57.9%
White	50	34.2%	433.4	2	50.0%	17.3	0	0.0%	0.0	0	0.0%	0.0	11,536	36.4%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	489	1.5%
Male Total	31	17.5%	95.3	5	55.6%	15.4	2	100.0%	6.1	1	100.0%	3.1	32,534	50.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	160	0.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	740	2.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	343	1.1%
Latina/Hispanic	20	64.5%	102.3	3	60.0%	15.3	2	100.0%	10.2	0	0.0%	0.0	19,553	60.1%
White	11	35.5%	97.5	2	40.0%	17.7	0	0.0%	0.0	1	100.0%	8.9	11,281	34.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	457	1.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Benito County, the July 1, 2010 estimate is 58,692).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Bernardino County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Bernardino County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,678	100.0%	416.3	1,138	100.0%	54.6	39	100.0%	1.9	21	100.0%	1.0	2,177,596	100.0%
Female Total	6,156	70.9%	565.1	600	52.7%	55.1	1	2.6%	0.1	3	14.3%	0.3	1,089,352	50.0%
Ages														
0 – 9	2	0.0%	1.2	2	0.3%	1.2	0	0.0%	0.0	0	0.0%	0.0	164,234	15.1%
10 – 14	63	1.0%	79.2	5	0.8%	6.3	0	0.0%	0.0	0	0.0%	0.0	79,526	7.3%
15 – 19	2,041	33.2%	2,178.9	183	30.5%	195.4	0	0.0%	0.0	0	0.0%	0.0	93,670	8.6%
20 – 24	2,479	40.3%	2,725.9	231	38.5%	254.0	1	100.0%	1.1	2	66.7%	2.2	90,941	8.3%
25 – 29	921	15.0%	1,143.1	88	14.7%	109.2	0	0.0%	0.0	0	0.0%	0.0	80,571	7.4%
30 – 34	327	5.3%	458.2	42	7.0%	58.8	0	0.0%	0.0	1	33.3%	1.4	71,374	6.6%
35 – 44	251	4.1%	172.5	37	6.2%	25.4	0	0.0%	0.0	0	0.0%	0.0	145,546	13.4%
45 +	72	1.2%	19.8	12	2.0%	3.3	0	0.0%	0.0	0	0.0%	0.0	363,490	33.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,508	28.9%	230.5	536	47.1%	49.3	38	97.4%	3.5	18	85.7%	1.7	1,088,244	50.0%
Ages														
0 – 9	0	0.0%	0.0	1	0.2%	0.6	0	0.0%	0.0	0	0.0%	0.0	171,563	15.8%
10 – 14	10	0.4%	11.9	3	0.6%	3.6	0	0.0%	0.0	0	0.0%	0.0	84,182	7.7%
15 – 19	519	20.7%	522.8	81	15.1%	81.6	3	7.9%	3.0	2	11.1%	2.0	99,280	9.1%
20 – 24	994	39.6%	1,029.9	193	36.0%	200.0	12	31.6%	12.4	8	44.4%	8.3	96,510	8.9%
25 – 29	511	20.4%	586.7	104	19.4%	119.4	8	21.1%	9.2	3	16.7%	3.4	87,097	8.0%
30 – 34	237	9.4%	301.6	59	11.0%	75.1	4	10.5%	5.1	3	16.7%	3.8	78,571	7.2%
35 – 44	182	7.3%	127.1	62	11.6%	43.3	6	15.8%	4.2	1	5.6%	0.7	143,195	13.2%
45 +	55	2.2%	16.8	33	6.2%	10.1	5	13.2%	1.5	1	5.6%	0.3	327,846	30.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,678	100.0%	416.3	1,138	100.0%	54.6	39	100.0%	1.9	21	100.0%	1.0	2,177,596	100.0%
Female Total	6,156	70.9%	565.1	600	52.7%	55.1	1	2.6%	0.1	3	14.3%	0.3	1,089,352	50.0%
American Indian/Alaska Native	10	0.6%	140.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,114	0.7%
Asian/Pacific Islander	49	2.8%	77.4	7	3.1%	11.1	0	0.0%	0.0	0	0.0%	0.0	63,297	5.8%
Black/African-American	413	23.4%	376.5	103	45.8%	93.9	1	100.0%	0.9	1	33.3%	0.9	109,693	10.1%
Latina/Hispanic	891	50.4%	178.2	65	28.9%	13.0	0	0.0%	0.0	1	33.3%	0.2	499,991	45.9%
White	404	22.9%	104.4	50	22.2%	12.9	0	0.0%	0.0	1	33.3%	0.3	386,885	35.5%
Other/Multi/Not Specified	4,389	71.3%	-	375	62.5%	-	0	0.0%	-	0	0.0%	-	22,372	2.1%
Male Total	2,508	28.9%	230.5	536	47.1%	49.3	38	97.4%	3.5	18	85.7%	1.7	1,088,244	50.0%
American Indian/Alaska Native	4	0.4%	60.0	1	0.4%	15.0	1	2.7%	15.0	0	0.0%	0.0	6,662	0.6%
Asian/Pacific Islander	15	1.5%	25.2	4	1.7%	6.7	0	0.0%	0.0	1	5.9%	1.7	59,472	5.5%
Black/African-American	332	33.8%	319.4	124	51.5%	119.3	6	16.2%	5.8	3	17.6%	2.9	103,949	9.6%
Latina/Hispanic	443	45.1%	86.4	81	33.6%	15.8	23	62.2%	4.5	9	52.9%	1.8	512,848	47.1%
White	188	19.1%	49.1	31	12.9%	8.1	7	18.9%	1.8	4	23.5%	1.0	383,262	35.2%
Other/Multi/Not Specified	1,526	60.8%	-	295	55.0%	-	1	2.6%	-	1	5.6%	-	22,051	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Bernardino County, the July 1, 2010 estimate is 2,084,514).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Diego County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Diego County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15,355	100.0%	474.0	2,025	100.0%	62.5	276	100.0%	8.5	177	100.0%	5.5	3,199,706	100.0%
Female Total	10,536	68.6%	661.5	541	26.7%	34.0	3	1.1%	0.2	3	1.7%	0.2	1,592,714	49.8%
Ages														
0 – 9	1	0.0%	0.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	218,972	13.7%
10 – 14	53	0.5%	49.4	3	0.6%	2.8	0	0.0%	0.0	0	0.0%	0.0	107,287	6.7%
15 – 19	3,024	28.8%	2,609.7	127	23.5%	109.6	0	0.0%	0.0	0	0.0%	0.0	115,876	7.3%
20 – 24	4,378	41.7%	4,196.7	219	40.5%	209.9	1	33.3%	1.0	3	100.0%	2.9	104,321	6.5%
25 – 29	1,744	16.6%	1,933.8	98	18.1%	108.7	0	0.0%	0.0	0	0.0%	0.0	90,185	5.7%
30 – 34	678	6.5%	694.7	47	8.7%	48.2	0	0.0%	0.0	0	0.0%	0.0	97,597	6.1%
35 – 44	478	4.6%	206.2	28	5.2%	12.1	2	66.7%	0.9	0	0.0%	0.0	231,817	14.6%
45 +	148	1.4%	23.6	19	3.5%	3.0	0	0.0%	0.0	0	0.0%	0.0	626,659	39.3%
Not Specified	32	0.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	4,801	31.3%	298.8	1,480	73.1%	92.1	273	98.9%	17.0	174	98.3%	10.8	1,606,992	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	227,502	14.2%
10 – 14	5	0.1%	4.5	1	0.1%	0.9	0	0.0%	0.0	0	0.0%	0.0	111,886	7.0%
15 – 19	608	12.7%	484.2	92	6.3%	73.3	4	1.5%	3.2	4	2.3%	3.2	125,571	7.8%
20 – 24	1,703	35.7%	1,334.5	382	26.0%	299.3	46	16.8%	36.0	17	9.8%	13.3	127,610	7.9%
25 – 29	1,096	23.0%	1,012.7	309	21.0%	285.5	41	15.0%	37.9	18	10.3%	16.6	108,225	6.7%
30 – 34	510	10.7%	481.1	215	14.6%	202.8	50	18.3%	47.2	21	12.1%	19.8	106,012	6.6%
35 – 44	510	10.7%	226.2	275	18.7%	122.0	73	26.7%	32.4	61	35.1%	27.1	225,425	14.0%
45 +	341	7.1%	59.3	196	13.3%	34.1	59	21.6%	10.3	53	30.5%	9.2	574,761	35.8%
Not Specified	28	0.6%	-	10	0.7%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15,355	100.0%	474.0	2,025	100.0%	62.5	276	100.0%	8.5	177	100.0%	5.5	3,199,706	100.0%
Female Total	10,536	68.6%	661.5	541	26.7%	34.0	3	1.1%	0.2	3	1.7%	0.2	1,592,714	49.8%
American Indian/Alaska Native	26	0.5%	180.3	1	0.4%	6.9	0	0.0%	0.0	0	0.0%	0.0	14,421	0.9%
Asian/Pacific Islander	489	9.7%	287.9	22	8.5%	13.0	0	0.0%	0.0	0	0.0%	0.0	169,848	10.7%
Black/African-American	858	17.1%	1,354.6	101	38.8%	159.5	0	0.0%	0.0	0	0.0%	0.0	63,338	4.0%
Latina/Hispanic	2,298	45.8%	490.4	76	29.2%	16.2	1	33.3%	0.2	3	100.0%	0.6	468,632	29.4%
White	1,346	26.8%	159.6	60	23.1%	7.1	2	66.7%	0.2	0	0.0%	0.0	843,205	52.9%
Other/Multi/Not Specified	5,519	52.4%	-	281	51.9%	-	0	0.0%	-	0	0.0%	-	33,270	2.1%
Male Total	4,801	31.3%	298.8	1,480	73.1%	92.1	273	98.9%	17.0	174	98.3%	10.8	1,606,992	50.2%
American Indian/Alaska Native	7	0.3%	48.8	2	0.2%	13.9	1	0.4%	7.0	1	0.6%	7.0	14,355	0.9%
Asian/Pacific Islander	207	8.8%	134.1	64	7.9%	41.5	12	4.5%	7.8	8	4.8%	5.2	154,360	9.6%
Black/African-American	528	22.4%	719.0	149	18.4%	202.9	36	13.6%	49.0	20	11.9%	27.2	73,431	4.6%
Latina/Hispanic	803	34.1%	169.6	246	30.4%	52.0	70	26.5%	14.8	56	33.3%	11.8	473,365	29.5%
White	810	34.4%	94.5	349	43.1%	40.7	145	54.9%	16.9	83	49.4%	9.7	856,801	53.3%
Other/Multi/Not Specified	2,446	50.9%	-	670	45.3%	-	9	3.3%	-	6	3.4%	-	34,680	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.


² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Diego County, the July 1, 2010 estimate is 3,239,223).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Francisco County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female □ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Francisco County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,600	100.0%	535.1	1,937	100.0%	225.3	366	100.0%	42.6	285	100.0%	33.2	818,163	100.0%
Female Total	2,010	43.7%	505.6	273	14.1%	68.7	6	1.6%	1.5	9	3.2%	2.3	397,558	48.6%
Ages														
0 – 9	2	0.1%	5.0	1	0.4%	2.5	0	0.0%	0.0	0	0.0%	0.0	39,718	10.0%
10 – 14	29	1.4%	236.4	4	1.5%	32.6	0	0.0%	0.0	0	0.0%	0.0	12,265	3.1%
15 – 19	530	26.4%	4,179.5	84	30.8%	662.4	1	16.7%	7.9	1	11.1%	7.9	12,681	3.2%
20 – 24	740	36.9%	4,716.7	97	35.5%	618.3	0	0.0%	0.0	0	0.0%	0.0	15,689	3.9%
25 – 29	374	18.7%	1,485.1	43	15.8%	170.7	1	16.7%	4.0	1	11.1%	4.0	25,184	6.3%
30 – 34	175	8.7%	413.7	25	9.2%	59.1	0	0.0%	0.0	2	22.2%	4.7	42,306	10.6%
35 – 44	105	5.2%	118.2	10	3.7%	11.3	0	0.0%	0.0	3	33.3%	3.4	88,844	22.3%
45 +	50	2.5%	31.1	9	3.3%	5.6	4	66.7%	2.5	2	22.2%	1.2	160,871	40.5%
Not Specified	5	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,545	55.3%	605.1	1,649	85.1%	392.1	360	98.4%	85.6	274	96.1%	65.1	420,605	51.4%
Ages														
0 – 9	2	0.1%	4.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,201	9.8%
10 – 14	4	0.2%	31.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,893	3.1%
15 – 19	169	6.7%	1,305.5	42	2.6%	324.4	1	0.3%	7.7	1	0.4%	7.7	12,945	3.1%
20 – 24	446	17.6%	2,836.4	207	12.6%	1,316.5	22	6.1%	139.9	10	3.6%	63.6	15,724	3.7%
25 – 29	471	18.5%	1,886.9	316	19.2%	1,266.0	35	9.7%	140.2	30	10.9%	120.2	24,961	5.9%
30 – 34	387	15.2%	889.4	290	17.6%	666.5	44	12.2%	101.1	29	10.6%	66.6	43,513	10.3%
35 – 44	664	26.1%	610.9	500	30.4%	460.0	146	40.6%	134.3	101	36.9%	92.9	108,694	25.8%
45 +	398	15.7%	247.7	289	17.6%	179.9	112	31.1%	69.7	103	37.6%	64.1	160,674	38.2%
Not Specified	4	0.2%	-	5	0.3%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,600	100.0%	535.1	1,937	100.0%	225.3	366	100.0%	42.6	285	100.0%	33.2	818,163	100.0%
Female Total	2,010	43.7%	505.6	273	14.1%	68.7	6	1.6%	1.5	9	3.2%	2.3	397,558	48.6%
American Indian/Alaska Native	8	0.5%	638.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,254	0.3%
Asian/Pacific Islander	292	19.5%	214.1	19	8.2%	13.9	0	0.0%	0.0	0	0.0%	0.0	136,401	34.3%
Black/African-American	588	39.2%	2,179.1	135	58.4%	500.3	3	50.0%	11.1	3	33.3%	11.1	26,984	6.8%
Latina/Hispanic	339	22.6%	654.5	30	13.0%	57.9	0	0.0%	0.0	3	33.3%	5.8	51,799	13.0%
White	272	18.1%	159.8	47	20.3%	27.6	3	50.0%	1.8	3	33.3%	1.8	170,171	42.8%
Other/Multi/Not Specified	511	25.4%	-	42	15.4%	-	0	0.0%	-	0	0.0%	-	10,949	2.8%
Male Total	2,545	55.3%	605.1	1,649	85.1%	392.1	360	98.4%	85.6	274	96.1%	65.1	420,605	51.4%
American Indian/Alaska Native	4	0.2%	249.4	4	0.3%	249.4	1	0.3%	62.3	0	0.0%	0.0	1,604	0.4%
Asian/Pacific Islander	234	11.0%	191.7	98	6.8%	80.3	20	5.8%	16.4	12	4.8%	9.8	122,095	29.0%
Black/African-American	383	17.9%	1,430.4	217	15.0%	810.5	34	9.9%	127.0	26	10.4%	97.1	26,775	6.4%
Latina/Hispanic	438	20.5%	751.6	281	19.4%	482.2	65	18.8%	111.5	53	21.3%	91.0	58,273	13.9%
White	1,075	50.4%	535.2	848	58.6%	422.2	225	65.2%	112.0	158	63.5%	78.7	200,869	47.8%
Other/Multi/Not Specified	411	16.1%	-	201	12.2%	-	15	4.2%	-	25	9.1%	-	10,989	2.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Francisco County, the July 1, 2010 estimate is 859,658).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Joaquin County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Joaquin County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,678	100.0%	526.8	709	100.0%	101.5	32	100.0%	4.6	12	100.0%	1.7	741,417	100.0%
Female Total	2,500	68.0%	670.9	371	52.3%	99.6	9	28.1%	2.4	3	25.0%	0.8	372,620	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67,107	18.0%
10 – 14	21	0.8%	64.1	6	1.6%	18.3	0	0.0%	0.0	0	0.0%	0.0	32,765	8.8%
15 – 19	928	37.3%	2,868.4	135	36.5%	417.3	1	11.1%	3.1	0	0.0%	0.0	32,353	8.7%
20 – 24	937	37.7%	3,171.6	119	32.2%	402.8	1	11.1%	3.4	1	33.3%	3.4	29,543	7.9%
25 – 29	340	13.7%	1,264.6	54	14.6%	200.9	1	11.1%	3.7	2	66.7%	7.4	26,885	7.2%
30 – 34	132	5.3%	639.1	28	7.6%	135.6	1	11.1%	4.8	0	0.0%	0.0	20,655	5.5%
35 – 44	104	4.2%	259.6	21	5.7%	52.4	4	44.4%	10.0	0	0.0%	0.0	40,061	10.8%
45 +	25	1.0%	20.3	7	1.9%	5.7	1	11.1%	0.8	0	0.0%	0.0	123,251	33.1%
Not Specified	13	0.5%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,152	31.3%	312.4	333	47.0%	90.3	23	71.9%	6.2	9	75.0%	2.4	368,797	49.7%
Ages														
0 – 9	1	0.1%	1.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	69,670	18.9%
10 – 14	10	0.9%	30.5	3	0.9%	9.1	0	0.0%	0.0	0	0.0%	0.0	32,794	8.9%
15 – 19	256	22.4%	776.2	68	20.4%	206.2	2	8.7%	6.1	0	0.0%	0.0	32,981	8.9%
20 – 24	406	35.6%	1,282.1	90	27.0%	284.2	4	17.4%	12.6	1	11.1%	3.2	31,668	8.6%
25 – 29	278	24.3%	966.7	85	25.5%	295.6	4	17.4%	13.9	2	22.2%	7.0	28,759	7.8%
30 – 34	92	8.1%	438.5	32	9.6%	152.5	2	8.7%	9.5	3	33.3%	14.3	20,982	5.7%
35 – 44	72	6.3%	174.9	41	12.3%	99.6	5	21.7%	12.1	3	33.3%	7.3	41,166	11.2%
45 +	27	2.4%	24.4	14	4.2%	12.6	6	26.1%	5.4	0	0.0%	0.0	110,777	30.0%
Not Specified	10	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,678	100.0%	526.8	709	100.0%	101.5	32	100.0%	4.6	12	100.0%	1.7	741,417	100.0%
Female Total	2,500	68.0%	670.9	371	52.3%	99.6	9	28.1%	2.4	3	25.0%	0.8	372,620	50.3%
American Indian/Alaska Native	4	0.3%	159.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,514	0.7%
Asian/Pacific Islander	156	10.2%	273.9	15	6.3%	26.3	0	0.0%	0.0	0	0.0%	0.0	56,953	15.3%
Black/African-American	400	26.1%	1,527.7	118	49.2%	450.7	5	55.6%	19.1	0	0.0%	0.0	26,184	7.0%
Latina/Hispanic	674	44.1%	515.2	68	28.3%	52.0	1	11.1%	0.8	1	33.3%	0.8	130,818	35.1%
White	296	19.3%	201.1	39	16.3%	26.5	3	33.3%	2.0	2	66.7%	1.4	147,219	39.5%
Other/Multi/Not Specified	970	38.8%	-	131	35.3%	-	0	0.0%	-	0	0.0%	-	8,932	2.4%
Male Total	1,152	31.3%	312.4	333	47.0%	90.3	23	71.9%	6.2	9	75.0%	2.4	368,797	49.7%
American Indian/Alaska Native	1	0.2%	43.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,324	0.6%
Asian/Pacific Islander	41	7.3%	78.2	9	4.6%	17.2	1	4.5%	1.9	1	12.5%	1.9	52,418	14.2%
Black/African-American	198	35.1%	789.1	101	51.5%	402.5	2	9.1%	8.0	1	12.5%	4.0	25,093	6.8%
Latina/Hispanic	239	42.4%	178.1	63	32.1%	47.0	13	59.1%	9.7	4	50.0%	3.0	134,183	36.4%
White	85	15.1%	57.9	23	11.7%	15.7	6	27.3%	4.1	2	25.0%	1.4	146,709	39.8%
Other/Multi/Not Specified	588	51.0%	-	137	41.1%	-	1	4.3%	-	1	11.1%	-	8,070	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Joaquin County, the July 1, 2010 estimate is 698,202).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Luis Obispo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Luis Obispo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	673	100.0%	244.9	31	100.0%	11.3	0	100.0%	0.0	0	100.0%	0.0	269,734	100.0%
Female Total	459	68.2%	347.6	11	35.5%	8.3	0	0.0%	0.0	0	0.0%	0.0	132,041	49.0%
Ages														
0 – 9	1	0.2%	7.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,075	10.7%
10 – 14	1	0.2%	13.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,402	5.6%
15 – 19	142	31.0%	1,405.0	3	27.3%	29.7	0	0.0%	0.0	0	0.0%	0.0	10,107	7.7%
20 – 24	208	45.4%	1,842.3	5	45.5%	44.3	0	0.0%	0.0	0	0.0%	0.0	11,290	8.6%
25 – 29	68	14.8%	844.0	2	18.2%	24.8	0	0.0%	0.0	0	0.0%	0.0	8,057	6.1%
30 – 34	23	5.0%	349.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,573	5.0%
35 – 44	12	2.6%	97.9	1	9.1%	8.2	0	0.0%	0.0	0	0.0%	0.0	12,258	9.3%
45 +	3	0.7%	4.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62,279	47.2%
Not Specified	1	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	214	31.8%	155.4	20	64.5%	14.5	0	0.0%	0.0	0	0.0%	0.0	137,693	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,684	10.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,503	5.4%
15 – 19	35	16.4%	306.7	3	15.0%	26.3	0	0.0%	0.0	0	0.0%	0.0	11,410	8.3%
20 – 24	95	44.6%	675.0	7	35.0%	49.7	0	0.0%	0.0	0	0.0%	0.0	14,074	10.2%
25 – 29	57	26.8%	563.9	4	20.0%	39.6	0	0.0%	0.0	0	0.0%	0.0	10,109	7.3%
30 – 34	15	7.0%	163.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,192	6.7%
35 – 44	9	4.2%	62.1	3	15.0%	20.7	0	0.0%	0.0	0	0.0%	0.0	14,504	10.5%
45 +	2	0.9%	3.6	3	15.0%	5.3	0	0.0%	0.0	0	0.0%	0.0	56,217	40.8%
Not Specified	1	0.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	673	100.0%	244.9	31	100.0%	11.3	0	100.0%	0.0	0	100.0%	0.0	269,734	100.0%
Female Total	459	68.2%	347.6	11	35.5%	8.3	0	0.0%	0.0	0	0.0%	0.0	132,041	49.0%
American Indian/Alaska Native	1	0.2%	137.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	727	0.6%
Asian/Pacific Islander	4	0.9%	99.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,015	3.0%
Black/African-American	14	3.1%	1,293.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,082	0.8%
Latina/Hispanic	128	28.1%	470.4	4	36.4%	14.7	0	0.0%	0.0	0	0.0%	0.0	27,211	20.6%
White	308	67.7%	319.2	7	63.6%	7.3	0	0.0%	0.0	0	0.0%	0.0	96,500	73.1%
Other/Multi/Not Specified	4	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	2,506	1.9%
Male Total	214	31.8%	155.4	20	64.5%	14.5	0	0.0%	0.0	0	0.0%	0.0	137,693	51.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	890	0.6%
Asian/Pacific Islander	3	1.4%	72.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,118	3.0%
Black/African-American	6	2.8%	156.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,837	2.8%
Latina/Hispanic	54	25.6%	174.6	4	20.0%	12.9	0	0.0%	0.0	0	0.0%	0.0	30,924	22.5%
White	148	70.1%	155.1	16	80.0%	16.8	0	0.0%	0.0	0	0.0%	0.0	95,405	69.3%
Other/Multi/Not Specified	3	1.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	2,519	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Luis Obispo County, the July 1, 2010 estimate is 274,820).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Mateo County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

San Mateo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,967	100.0%	259.9	211	100.0%	27.9	23	100.0%	3.0	10	100.0%	1.3	736,667	100.0%
Female Total	1,337	68.0%	361.2	57	27.0%	15.4	0	0.0%	0.0	0	0.0%	0.0	370,178	50.3%
Ages														
0 – 9	7	0.5%	15.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45,997	12.4%
10 – 14	9	0.7%	43.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,748	5.6%
15 – 19	403	30.3%	1,872.7	12	21.1%	55.8	0	0.0%	0.0	0	0.0%	0.0	21,520	5.8%
20 – 24	485	36.4%	2,362.7	22	38.6%	107.2	0	0.0%	0.0	0	0.0%	0.0	20,527	5.5%
25 – 29	236	17.7%	1,198.5	7	12.3%	35.5	0	0.0%	0.0	0	0.0%	0.0	19,692	5.3%
30 – 34	85	6.4%	381.2	8	14.0%	35.9	0	0.0%	0.0	0	0.0%	0.0	22,296	6.0%
35 – 44	69	5.2%	118.1	6	10.5%	10.3	0	0.0%	0.0	0	0.0%	0.0	58,419	15.8%
45 +	38	2.9%	23.6	2	3.5%	1.2	0	0.0%	0.0	0	0.0%	0.0	160,979	43.5%
Not Specified	5	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	616	31.3%	168.1	153	72.5%	41.7	23	100.0%	6.3	10	100.0%	2.7	366,489	49.7%
Ages														
0 – 9	2	0.3%	4.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	47,739	13.0%
10 – 14	4	0.7%	18.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,862	6.0%
15 – 19	90	14.7%	400.2	19	12.5%	84.5	0	0.0%	0.0	0	0.0%	0.0	22,491	6.1%
20 – 24	184	30.1%	821.2	29	19.1%	129.4	4	17.4%	17.9	1	10.0%	4.5	22,405	6.1%
25 – 29	116	19.0%	523.9	34	22.4%	153.6	2	8.7%	9.0	4	40.0%	18.1	22,141	6.0%
30 – 34	77	12.6%	310.9	16	10.5%	64.6	6	26.1%	24.2	1	10.0%	4.0	24,766	6.8%
35 – 44	77	12.6%	124.9	27	17.8%	43.8	7	30.4%	11.4	3	30.0%	4.9	61,672	16.8%
45 +	61	10.0%	42.5	27	17.8%	18.8	4	17.4%	2.8	1	10.0%	0.7	143,413	39.1%
Not Specified	5	0.8%	-	1	0.7%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,967	100.0%	259.9	211	100.0%	27.9	23	100.0%	3.0	10	100.0%	1.3	736,667	100.0%
Female Total	1,337	68.0%	361.2	57	27.0%	15.4	0	0.0%	0.0	0	0.0%	0.0	370,178	50.3%
American Indian/Alaska Native	3	0.3%	299.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,002	0.3%
Asian/Pacific Islander	210	20.3%	214.6	9	17.3%	9.2	0	0.0%	0.0	0	0.0%	0.0	97,841	26.4%
Black/African-American	129	12.4%	965.0	17	32.7%	127.2	0	0.0%	0.0	0	0.0%	0.0	13,368	3.6%
Latina/Hispanic	522	50.3%	567.6	10	19.2%	10.9	0	0.0%	0.0	0	0.0%	0.0	91,967	24.8%
White	173	16.7%	110.1	16	30.8%	10.2	0	0.0%	0.0	0	0.0%	0.0	157,099	42.4%
Other/Multi/Not Specified	300	22.4%	-	5	8.8%	-	0	0.0%	-	0	0.0%	-	8,901	2.4%
Male Total	616	31.3%	168.1	153	72.5%	41.7	23	100.0%	6.3	10	100.0%	2.7	366,489	49.7%
American Indian/Alaska Native	3	0.7%	358.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	836	0.2%
Asian/Pacific Islander	85	18.4%	94.8	35	24.1%	39.0	6	28.6%	6.7	0	0.0%	0.0	89,703	24.5%
Black/African-American	73	15.8%	541.5	25	17.2%	185.5	1	4.8%	7.4	1	10.0%	7.4	13,480	3.7%
Latina/Hispanic	196	42.5%	203.2	47	32.4%	48.7	7	33.3%	7.3	5	50.0%	5.2	96,453	26.3%
White	104	22.6%	66.3	38	26.2%	24.2	7	33.3%	4.5	4	40.0%	2.5	156,893	42.8%
Other/Multi/Not Specified	155	25.2%	-	8	5.2%	-	2	8.7%	-	0	0.0%	-	9,124	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Mateo County, the July 1, 2010 estimate is 756,892).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Barbara County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Barbara County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,424	100.0%	326.2	66	100.0%	15.1	4	100.0%	0.9	1	100.0%	0.2	434,497	100.0%
Female Total	1,034	72.6%	478.4	22	33.3%	10.2	0	0.0%	0.0	0	0.0%	0.0	216,149	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,831	13.3%
10 – 14	7	0.7%	50.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,979	6.5%
15 – 19	314	30.4%	1,886.9	6	27.3%	36.1	0	0.0%	0.0	0	0.0%	0.0	16,641	7.7%
20 – 24	439	42.5%	2,578.0	9	40.9%	52.9	0	0.0%	0.0	0	0.0%	0.0	17,029	7.9%
25 – 29	146	14.1%	1,188.7	5	22.7%	40.7	0	0.0%	0.0	0	0.0%	0.0	12,282	5.7%
30 – 34	71	6.9%	528.7	2	9.1%	14.9	0	0.0%	0.0	0	0.0%	0.0	13,430	6.2%
35 – 44	40	3.9%	142.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,106	13.0%
45 +	17	1.6%	19.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	85,851	39.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	385	27.0%	176.3	44	66.7%	20.2	4	100.0%	1.8	1	100.0%	0.5	218,348	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,778	13.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,530	6.7%
15 – 19	78	20.3%	453.2	5	11.4%	29.1	1	25.0%	5.8	0	0.0%	0.0	17,210	7.9%
20 – 24	137	35.6%	778.3	15	34.1%	85.2	2	50.0%	11.4	0	0.0%	0.0	17,603	8.1%
25 – 29	93	24.2%	742.0	4	9.1%	31.9	0	0.0%	0.0	1	100.0%	8.0	12,533	5.7%
30 – 34	39	10.1%	271.9	7	15.9%	48.8	0	0.0%	0.0	0	0.0%	0.0	14,343	6.6%
35 – 44	25	6.5%	79.6	8	18.2%	25.5	0	0.0%	0.0	0	0.0%	0.0	31,421	14.4%
45 +	13	3.4%	16.1	5	11.4%	6.2	1	25.0%	1.2	0	0.0%	0.0	80,930	37.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,424	100.0%	326.2	66	100.0%	15.1	4	100.0%	0.9	1	100.0%	0.2	434,497	100.0%
Female Total	1,034	72.6%	478.4	22	33.3%	10.2	0	0.0%	0.0	0	0.0%	0.0	216,149	49.7%
American Indian/Alaska Native	6	0.7%	440.2	1	5.9%	73.4	0	0.0%	0.0	0	0.0%	0.0	1,363	0.6%
Asian/Pacific Islander	28	3.3%	273.0	1	5.9%	9.8	0	0.0%	0.0	0	0.0%	0.0	10,255	4.7%
Black/African-American	34	4.0%	643.6	1	5.9%	18.9	0	0.0%	0.0	0	0.0%	0.0	5,283	2.4%
Latina/Hispanic	541	63.8%	691.7	6	35.3%	7.7	0	0.0%	0.0	0	0.0%	0.0	78,214	36.2%
White	239	28.2%	203.0	8	47.1%	6.8	0	0.0%	0.0	0	0.0%	0.0	117,759	54.5%
Other/Multi/Not Specified	186	18.0%	-	5	22.7%	-	0	0.0%	-	0	0.0%	-	3,275	1.5%
Male Total	385	27.0%	176.3	44	66.7%	20.2	4	100.0%	1.8	1	100.0%	0.5	218,348	50.3%
American Indian/Alaska Native	2	0.7%	155.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,285	0.6%
Asian/Pacific Islander	6	2.0%	65.0	0	0.0%	0.0	1	25.0%	10.8	0	0.0%	0.0	9,233	4.2%
Black/African-American	18	6.0%	296.4	2	5.9%	32.9	1	25.0%	16.5	1	100.0%	16.5	6,073	2.8%
Latina/Hispanic	165	55.2%	197.6	15	44.1%	18.0	1	25.0%	1.2	0	0.0%	0.0	83,505	38.2%
White	108	36.1%	93.9	17	50.0%	14.8	1	25.0%	0.9	0	0.0%	0.0	115,056	52.7%
Other/Multi/Not Specified	86	22.3%	-	10	22.7%	-	0	0.0%	-	0	0.0%	-	3,196	1.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Barbara County, the July 1, 2010 estimate is 436,494).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Clara County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Clara County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,645	100.0%	298.5	599	100.0%	31.7	86	100.0%	4.5	27	100.0%	1.4	1,837,361	100.0%
Female Total	3,887	68.9%	428.7	251	41.9%	27.7	3	3.5%	0.3	2	7.4%	0.2	906,650	49.3%
Ages														
0 – 9	5	0.1%	4.1	1	0.4%	0.8	0	0.0%	0.0	0	0.0%	0.0	123,078	13.6%
10 – 14	28	0.7%	46.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	60,860	6.7%
15 – 19	1,063	27.7%	1,759.4	72	28.8%	119.2	1	33.3%	1.7	0	0.0%	0.0	60,417	6.7%
20 – 24	1,464	38.2%	2,686.7	80	32.0%	146.8	0	0.0%	0.0	2	100.0%	3.7	54,490	6.0%
25 – 29	661	17.2%	1,318.7	49	19.6%	97.8	1	33.3%	2.0	0	0.0%	0.0	50,125	5.5%
30 – 34	277	7.2%	561.6	22	8.8%	44.6	1	33.3%	2.0	0	0.0%	0.0	49,319	5.4%
35 – 44	241	6.3%	174.2	16	6.4%	11.6	0	0.0%	0.0	0	0.0%	0.0	138,308	15.3%
45 +	96	2.5%	25.9	10	4.0%	2.7	0	0.0%	0.0	0	0.0%	0.0	370,053	40.8%
Not Specified	52	1.3%	-	1	0.4%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,659	29.4%	178.3	344	57.4%	37.0	83	96.5%	8.9	25	92.6%	2.7	930,711	50.7%
Ages														
0 – 9	2	0.1%	1.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	127,951	13.7%
10 – 14	1	0.1%	1.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63,693	6.8%
15 – 19	219	13.4%	346.2	29	8.5%	45.8	3	3.6%	4.7	1	4.0%	1.6	63,264	6.8%
20 – 24	536	32.8%	930.2	86	25.1%	149.2	9	10.8%	15.6	2	8.0%	3.5	57,622	6.2%
25 – 29	334	20.4%	643.2	67	19.6%	129.0	21	25.3%	40.4	2	8.0%	3.9	51,929	5.6%
30 – 34	216	13.2%	404.0	47	13.7%	87.9	13	15.7%	24.3	5	20.0%	9.4	53,468	5.7%
35 – 44	201	12.3%	128.8	66	19.3%	42.3	16	19.3%	10.2	10	40.0%	6.4	156,114	16.8%
45 +	127	7.8%	35.6	47	13.7%	13.2	21	25.3%	5.9	5	20.0%	1.4	356,670	38.3%
Not Specified	23	1.4%	-	2	0.6%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,645	100.0%	298.5	599	100.0%	31.7	86	100.0%	4.5	27	100.0%	1.4	1,837,361	100.0%
Female Total	3,887	68.9%	428.7	251	41.9%	27.7	3	3.5%	0.3	2	7.4%	0.2	906,650	49.3%
American Indian/Alaska Native	5	0.7%	118.8	1	1.8%	23.8	0	0.0%	0.0	0	0.0%	0.0	4,207	0.5%
Asian/Pacific Islander	98	14.1%	38.0	6	10.7%	2.3	0	0.0%	0.0	0	0.0%	0.0	257,874	28.4%
Black/African-American	60	8.6%	263.2	10	17.9%	43.9	1	33.3%	4.4	0	0.0%	0.0	22,800	2.5%
Latina/Hispanic	428	61.6%	185.6	27	48.2%	11.7	1	33.3%	0.4	1	100.0%	0.4	230,657	25.4%
White	104	15.0%	28.2	12	21.4%	3.3	1	33.3%	0.3	0	0.0%	0.0	368,747	40.7%
Other/Multi/Not Specified	3,192	82.1%	-	195	77.7%	-	0	0.0%	-	1	50.0%	-	22,365	2.5%
Male Total	1,659	29.4%	178.3	344	57.4%	37.0	83	96.5%	8.9	25	92.6%	2.7	930,711	50.7%
American Indian/Alaska Native	2	0.7%	46.4	1	1.6%	23.2	0	0.0%	0.0	0	0.0%	0.0	4,310	0.5%
Asian/Pacific Islander	44	15.1%	17.0	4	6.6%	1.5	4	4.9%	1.5	1	4.3%	0.4	258,775	27.8%
Black/African-American	43	14.8%	177.0	11	18.0%	45.3	5	6.2%	20.6	1	4.3%	4.1	24,292	2.6%
Latina/Hispanic	146	50.2%	59.7	23	37.7%	9.4	34	42.0%	13.9	16	69.6%	6.5	244,598	26.3%
White	56	19.2%	14.9	22	36.1%	5.9	38	46.9%	10.1	5	21.7%	1.3	376,006	40.4%
Other/Multi/Not Specified	1,368	82.5%	-	283	82.3%	-	2	2.4%	-	2	8.0%	-	22,730	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Clara County, the July 1, 2010 estimate is 1,890,909).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Cruz County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Cruz County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	762	100.0%	280.1	47	100.0%	17.3	8	100.0%	2.9	5	100.0%	1.8	268,016	100.0%
Female Total	555	72.8%	413.9	16	34.0%	11.9	0	0.0%	0.0	1	20.0%	0.7	134,077	50.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,430	12.3%
10 – 14	7	1.3%	101.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,909	5.2%
15 – 19	170	30.6%	1,986.7	6	37.5%	70.1	0	0.0%	0.0	0	0.0%	0.0	8,557	6.4%
20 – 24	229	41.3%	2,168.4	6	37.5%	56.8	0	0.0%	0.0	0	0.0%	0.0	10,561	7.9%
25 – 29	84	15.1%	772.9	2	12.5%	18.4	0	0.0%	0.0	0	0.0%	0.0	10,868	8.1%
30 – 34	34	6.1%	347.5	1	6.3%	10.2	0	0.0%	0.0	1	100.0%	10.2	9,784	7.3%
35 – 44	30	5.4%	164.7	1	6.3%	5.5	0	0.0%	0.0	0	0.0%	0.0	18,219	13.6%
45 +	1	0.2%	1.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	52,749	39.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	206	27.0%	153.8	29	61.7%	21.7	8	100.0%	6.0	4	80.0%	3.0	133,939	50.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,284	12.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,587	5.7%
15 – 19	38	18.4%	419.5	3	10.3%	33.1	1	12.5%	11.0	1	25.0%	11.0	9,059	6.8%
20 – 24	75	36.4%	750.3	10	34.5%	100.0	1	12.5%	10.0	1	25.0%	10.0	9,996	7.5%
25 – 29	48	23.3%	484.9	5	17.2%	50.5	0	0.0%	0.0	0	0.0%	0.0	9,898	7.4%
30 – 34	16	7.8%	150.2	5	17.2%	46.9	2	25.0%	18.8	0	0.0%	0.0	10,650	8.0%
35 – 44	20	9.7%	97.1	2	6.9%	9.7	3	37.5%	14.6	1	25.0%	4.9	20,602	15.4%
45 +	9	4.4%	18.4	4	13.8%	8.2	1	12.5%	2.0	1	25.0%	2.0	48,863	36.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	762	100.0%	280.1	47	100.0%	17.3	8	100.0%	2.9	5	100.0%	1.8	268,016	100.0%
Female Total	555	72.8%	413.9	16	34.0%	11.9	0	0.0%	0.0	1	20.0%	0.7	134,077	50.0%
American Indian/Alaska Native	3	0.7%	419.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	716	0.5%
Asian/Pacific Islander	19	4.7%	259.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,326	5.5%
Black/African-American	7	1.7%	573.3	1	6.7%	81.9	0	0.0%	0.0	0	0.0%	0.0	1,221	0.9%
Latina/Hispanic	248	60.9%	539.8	7	46.7%	15.2	0	0.0%	0.0	0	0.0%	0.0	45,947	34.3%
White	130	31.9%	170.4	7	46.7%	9.2	0	0.0%	0.0	1	100.0%	1.3	76,285	56.9%
Other/Multi/Not Specified	148	26.7%	-	1	6.3%	-	0	0.0%	-	0	0.0%	-	2,582	1.9%
Male Total	206	27.0%	153.8	29	61.7%	21.7	8	100.0%	6.0	4	80.0%	3.0	133,939	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	812	0.6%
Asian/Pacific Islander	5	3.5%	76.5	1	3.4%	15.3	0	0.0%	0.0	0	0.0%	0.0	6,533	4.9%
Black/African-American	4	2.8%	267.7	0	0.0%	0.0	1	12.5%	66.9	1	25.0%	66.9	1,494	1.1%
Latina/Hispanic	78	54.9%	158.4	16	55.2%	32.5	2	25.0%	4.1	0	0.0%	0.0	49,231	36.8%
White	55	38.7%	75.1	12	41.4%	16.4	5	62.5%	6.8	3	75.0%	4.1	73,261	54.7%
Other/Multi/Not Specified	64	31.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	2,608	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Cruz County, the July 1, 2010 estimate is 272,092).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Shasta County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female — Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Shasta County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	415	100.0%	224.1	36	100.0%	19.4	1	100.0%	0.5	0	100.0%	0.0	191,722	100.0%
Female Total	300	72.3%	308.1	19	52.8%	19.5	0	0.0%	0.0	0	0.0%	0.0	97,364	50.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,827	11.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,704	5.9%
15 – 19	117	39.1%	1,694.9	5	26.3%	72.4	0	0.0%	0.0	0	0.0%	0.0	6,903	7.1%
20 – 24	117	39.1%	1,586.9	6	31.6%	81.4	0	0.0%	0.0	0	0.0%	0.0	7,373	7.6%
25 – 29	40	13.4%	582.2	5	26.3%	72.8	0	0.0%	0.0	0	0.0%	0.0	6,870	7.1%
30 – 34	18	6.0%	398.7	2	10.5%	44.3	0	0.0%	0.0	0	0.0%	0.0	4,515	4.6%
35 – 44	6	2.0%	59.7	1	5.3%	9.9	0	0.0%	0.0	0	0.0%	0.0	10,054	10.3%
45 +	1	0.3%	2.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45,118	46.3%
Not Specified	1	0.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	113	27.2%	119.8	17	47.2%	18.0	1	100.0%	1.1	0	0.0%	0.0	94,358	49.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,674	12.4%
10 – 14	1	0.9%	16.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,209	6.6%
15 – 19	31	27.4%	427.4	1	5.9%	13.8	0	0.0%	0.0	0	0.0%	0.0	7,254	7.7%
20 – 24	46	40.7%	590.5	6	35.3%	77.0	1	100.0%	12.8	0	0.0%	0.0	7,790	8.3%
25 – 29	10	8.8%	140.9	2	11.8%	28.2	0	0.0%	0.0	0	0.0%	0.0	7,095	7.5%
30 – 34	16	14.2%	341.7	1	5.9%	21.4	0	0.0%	0.0	0	0.0%	0.0	4,683	5.0%
35 – 44	8	7.1%	82.5	5	29.4%	51.6	0	0.0%	0.0	0	0.0%	0.0	9,693	10.3%
45 +	1	0.9%	2.5	2	11.8%	5.0	0	0.0%	0.0	0	0.0%	0.0	39,960	42.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	415	100.0%	224.1	36	100.0%	19.4	1	100.0%	0.5	0	100.0%	0.0	191,722	100.0%
Female Total	300	72.3%	308.1	19	52.8%	19.5	0	0.0%	0.0	0	0.0%	0.0	97,364	50.8%
American Indian/Alaska Native	5	3.0%	197.9	1	9.1%	39.6	0	0.0%	0.0	0	0.0%	0.0	2,526	2.6%
Asian/Pacific Islander	5	3.0%	162.8	1	9.1%	32.6	0	0.0%	0.0	0	0.0%	0.0	3,072	3.2%
Black/African-American	5	3.0%	802.6	2	18.2%	321.0	0	0.0%	0.0	0	0.0%	0.0	623	0.6%
Latina/Hispanic	15	8.9%	261.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,730	5.9%
White	138	82.1%	166.8	7	63.6%	8.5	0	0.0%	0.0	0	0.0%	0.0	82,726	85.0%
Other/Multi/Not Specified	132	44.0%	-	8	42.1%	-	0	0.0%	-	0	0.0%	-	2,687	2.8%
Male Total	113	27.2%	119.8	17	47.2%	18.0	1	100.0%	1.1	0	0.0%	0.0	94,358	49.2%
American Indian/Alaska Native	2	2.8%	84.4	1	8.3%	42.2	0	0.0%	0.0	0	0.0%	0.0	2,370	2.5%
Asian/Pacific Islander	1	1.4%	35.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,846	3.0%
Black/African-American	7	9.7%	877.2	2	16.7%	250.6	0	0.0%	0.0	0	0.0%	0.0	798	0.8%
Latina/Hispanic	9	12.5%	153.1	1	8.3%	17.0	0	0.0%	0.0	0	0.0%	0.0	5,878	6.2%
White	53	73.6%	66.4	8	66.7%	10.0	0	0.0%	0.0	0	0.0%	0.0	79,815	84.6%
Other/Multi/Not Specified	41	36.3%	-	5	29.4%	-	1	100.0%	-	0	0.0%	-	2,651	2.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Shasta County, the July 1, 2010 estimate is 185,170).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sierra County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sierra County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3	100.0%	90.8	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	3,628	100.0%
Female Total	3	100.0%	166.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,802	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	118	6.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	70	3.9%
15 – 19	1	33.3%	877.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	114	6.3%
20 – 24	1	33.3%	877.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	114	6.3%
25 – 29	1	33.3%	714.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	140	7.8%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	52	2.9%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	157	8.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,037	57.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,826	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	129	7.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	77	4.2%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	120	6.6%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	178	9.7%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	132	7.2%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	54	3.0%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	155	8.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	981	53.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3	100.0%	90.8	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	3,628	100.0%
Female Total	3	100.0%	166.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,802	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34	1.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4	0.2%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	119	6.6%
White	3	100.0%	186.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,612	89.5%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	27	1.5%
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,826	50.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.1%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	132	7.2%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,620	88.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	41	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sierra County, the July 1, 2010 estimate is 3,304).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Siskiyou County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Siskiyou County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	73	100.0%	158.3	6	100.0%	13.0	0	100.0%	0.0	0	100.0%	0.0	47,109	100.0%
Female Total	53	72.6%	220.6	3	50.0%	12.5	0	0.0%	0.0	0	0.0%	0.0	24,020	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,666	11.1%
10 – 14	1	1.9%	81.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,234	5.1%
15 – 19	18	34.6%	1,201.6	1	33.3%	66.8	0	0.0%	0.0	0	0.0%	0.0	1,498	6.2%
20 – 24	22	42.3%	1,245.8	2	66.7%	113.3	0	0.0%	0.0	0	0.0%	0.0	1,766	7.4%
25 – 29	6	11.5%	356.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,681	7.0%
30 – 34	1	1.9%	117.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	852	3.5%
35 – 44	4	7.7%	203.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,964	8.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,359	51.5%
Not Specified	1	1.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	20	27.4%	86.6	3	50.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	23,089	49.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,555	11.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,328	5.8%
15 – 19	7	35.0%	453.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,545	6.7%
20 – 24	6	30.0%	330.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,816	7.9%
25 – 29	3	15.0%	163.3	1	33.3%	54.4	0	0.0%	0.0	0	0.0%	0.0	1,837	8.0%
30 – 34	1	5.0%	97.3	1	33.3%	97.3	0	0.0%	0.0	0	0.0%	0.0	1,028	4.5%
35 – 44	3	15.0%	149.2	1	33.3%	49.7	0	0.0%	0.0	0	0.0%	0.0	2,011	8.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,969	47.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	73	100.0%	158.3	6	100.0%	13.0	0	100.0%	0.0	0	100.0%	0.0	47,109	100.0%
Female Total	53	72.6%	220.6	3	50.0%	12.5	0	0.0%	0.0	0	0.0%	0.0	24,020	51.0%
American Indian/Alaska Native	5	10.2%	517.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	967	4.0%
Asian/Pacific Islander	1	2.0%	261.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	383	1.6%
Black/African-American	2	4.1%	711.7	1	33.3%	355.9	0	0.0%	0.0	0	0.0%	0.0	281	1.2%
Latina/Hispanic	5	10.2%	241.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,067	8.6%
White	36	73.5%	184.6	2	66.7%	10.3	0	0.0%	0.0	0	0.0%	0.0	19,500	81.2%
Other/Multi/Not Specified	4	7.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	822	3.4%
Male Total	20	27.4%	86.6	3	50.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	23,089	49.0%
American Indian/Alaska Native	2	10.5%	224.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	893	3.9%
Asian/Pacific Islander	1	5.3%	323.6	1	33.3%	323.6	0	0.0%	0.0	0	0.0%	0.0	309	1.3%
Black/African-American	4	21.1%	1,173.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	341	1.5%
Latina/Hispanic	2	10.5%	89.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,247	9.7%
White	10	52.6%	54.1	2	66.7%	10.8	0	0.0%	0.0	0	0.0%	0.0	18,489	80.1%
Other/Multi/Not Specified	1	5.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	810	3.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Siskiyou County, the July 1, 2010 estimate is 46,101).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Solano County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Solano County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,071	100.0%	482.4	436	100.0%	101.6	5	100.0%	1.2	8	100.0%	1.9	441,061	100.0%
Female Total	1,504	72.6%	687.0	250	57.3%	114.2	0	0.0%	0.0	2	25.0%	0.9	218,910	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,103	13.3%
10 – 14	21	1.4%	142.4	4	1.6%	27.1	0	0.0%	0.0	0	0.0%	0.0	14,749	6.7%
15 – 19	594	39.5%	3,640.4	109	43.6%	668.0	0	0.0%	0.0	1	50.0%	6.1	16,317	7.5%
20 – 24	586	39.0%	3,550.4	71	28.4%	430.2	0	0.0%	0.0	1	50.0%	6.1	16,505	7.5%
25 – 29	165	11.0%	1,104.8	33	13.2%	221.0	0	0.0%	0.0	0	0.0%	0.0	14,935	6.8%
30 – 34	75	5.0%	595.6	14	5.6%	111.2	0	0.0%	0.0	0	0.0%	0.0	12,593	5.8%
35 – 44	48	3.2%	173.1	13	5.2%	46.9	0	0.0%	0.0	0	0.0%	0.0	27,730	12.7%
45 +	15	1.0%	17.2	6	2.4%	6.9	0	0.0%	0.0	0	0.0%	0.0	86,978	39.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	567	27.4%	255.2	186	42.7%	83.7	5	100.0%	2.3	6	75.0%	2.7	222,151	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,287	13.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,884	6.7%
15 – 19	129	22.8%	767.8	51	27.4%	303.6	1	20.0%	6.0	0	0.0%	0.0	16,801	7.6%
20 – 24	217	38.3%	1,243.5	48	25.8%	275.1	1	20.0%	5.7	1	16.7%	5.7	17,451	7.9%
25 – 29	101	17.8%	615.6	31	16.7%	188.9	2	40.0%	12.2	1	16.7%	6.1	16,407	7.4%
30 – 34	47	8.3%	314.5	17	9.1%	113.8	0	0.0%	0.0	1	16.7%	6.7	14,944	6.7%
35 – 44	39	6.9%	128.9	23	12.4%	76.0	1	20.0%	3.3	2	33.3%	6.6	30,250	13.6%
45 +	34	6.0%	41.9	16	8.6%	19.7	0	0.0%	0.0	1	16.7%	1.2	81,127	36.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,071	100.0%	482.4	436	100.0%	101.6	5	100.0%	1.2	8	100.0%	1.9	441,061	100.0%
Female Total	1,504	72.6%	687.0	250	57.3%	114.2	0	0.0%	0.0	2	25.0%	0.9	218,910	49.6%
American Indian/Alaska Native	8	1.2%	549.5	2	1.8%	137.4	0	0.0%	0.0	0	0.0%	0.0	1,456	0.7%
Asian/Pacific Islander	82	12.5%	217.8	6	5.5%	15.9	0	0.0%	0.0	0	0.0%	0.0	37,642	17.2%
Black/African-American	259	39.4%	1,022.7	68	61.8%	268.5	0	0.0%	0.0	1	50.0%	3.9	25,326	11.6%
Latina/Hispanic	112	17.0%	247.1	9	8.2%	19.9	0	0.0%	0.0	0	0.0%	0.0	45,324	20.7%
White	196	29.8%	198.7	25	22.7%	25.3	0	0.0%	0.0	1	50.0%	1.0	98,653	45.1%
Other/Multi/Not Specified	847	56.3%	-	140	56.0%	-	0	0.0%	-	0	0.0%	-	10,509	4.8%
Male Total	567	27.4%	255.2	186	42.7%	83.7	5	100.0%	2.3	6	75.0%	2.7	222,151	50.4%
American Indian/Alaska Native	1	0.4%	63.6	1	1.2%	63.6	0	0.0%	0.0	0	0.0%	0.0	1,573	0.7%
Asian/Pacific Islander	27	10.7%	80.3	3	3.6%	8.9	1	25.0%	3.0	0	0.0%	0.0	33,618	15.1%
Black/African-American	127	50.2%	489.2	53	63.1%	204.1	1	25.0%	3.9	3	50.0%	11.6	25,963	11.7%
Latina/Hispanic	47	18.6%	92.3	11	13.1%	21.6	2	50.0%	3.9	2	33.3%	3.9	50,904	22.9%
White	51	20.2%	51.1	16	19.0%	16.0	0	0.0%	0.0	1	16.7%	1.0	99,859	45.0%
Other/Multi/Not Specified	314	55.4%	-	102	54.8%	-	1	20.0%	-	0	0.0%	-	10,234	4.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Solano County, the July 1, 2010 estimate is 429,334).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sonoma County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sonoma County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,180	100.0%	238.5	97	100.0%	19.6	12	100.0%	2.4	2	100.0%	0.4	495,412	100.0%
Female Total	831	70.4%	332.2	40	41.2%	16.0	0	0.0%	0.0	0	0.0%	0.0	250,187	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,688	13.1%
10 – 14	8	1.0%	49.6	1	2.5%	6.2	0	0.0%	0.0	0	0.0%	0.0	16,133	6.4%
15 – 19	240	28.9%	1,400.7	7	17.5%	40.9	0	0.0%	0.0	0	0.0%	0.0	17,134	6.8%
20 – 24	342	41.2%	1,917.9	14	35.0%	78.5	0	0.0%	0.0	0	0.0%	0.0	17,832	7.1%
25 – 29	133	16.0%	761.1	7	17.5%	40.1	0	0.0%	0.0	0	0.0%	0.0	17,474	7.0%
30 – 34	58	7.0%	414.5	4	10.0%	28.6	0	0.0%	0.0	0	0.0%	0.0	13,994	5.6%
35 – 44	39	4.7%	148.2	2	5.0%	7.6	0	0.0%	0.0	0	0.0%	0.0	26,318	10.5%
45 +	11	1.3%	10.1	5	12.5%	4.6	0	0.0%	0.0	0	0.0%	0.0	108,614	43.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	348	29.5%	141.9	57	58.8%	23.2	12	100.0%	4.9	2	100.0%	0.8	245,225	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33,782	13.8%
10 – 14	2	0.6%	12.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,329	6.7%
15 – 19	45	12.9%	257.3	2	3.5%	11.4	0	0.0%	0.0	0	0.0%	0.0	17,490	7.1%
20 – 24	140	40.2%	746.5	8	14.0%	42.7	0	0.0%	0.0	0	0.0%	0.0	18,753	7.6%
25 – 29	71	20.4%	372.2	14	24.6%	73.4	3	25.0%	15.7	0	0.0%	0.0	19,078	7.8%
30 – 34	37	10.6%	239.4	9	15.8%	58.2	1	8.3%	6.5	1	50.0%	6.5	15,456	6.3%
35 – 44	33	9.5%	117.4	9	15.8%	32.0	3	25.0%	10.7	0	0.0%	0.0	28,115	11.5%
45 +	20	5.7%	20.8	15	26.3%	15.6	5	41.7%	5.2	1	50.0%	1.0	96,222	39.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,180	100.0%	238.5	97	100.0%	19.6	12	100.0%	2.4	2	100.0%	0.4	495,412	100.0%
Female Total	831	70.4%	332.2	40	41.2%	16.0	0	0.0%	0.0	0	0.0%	0.0	250,187	50.5%
American Indian/Alaska Native	3	0.8%	118.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,534	1.0%
Asian/Pacific Islander	16	4.5%	123.4	1	5.6%	7.7	0	0.0%	0.0	0	0.0%	0.0	12,964	5.2%
Black/African-American	11	3.1%	314.7	6	33.3%	171.7	0	0.0%	0.0	0	0.0%	0.0	3,495	1.4%
Latina/Hispanic	163	45.7%	281.6	2	11.1%	3.5	0	0.0%	0.0	0	0.0%	0.0	57,881	23.1%
White	164	45.9%	97.9	9	50.0%	5.4	0	0.0%	0.0	0	0.0%	0.0	167,532	67.0%
Other/Multi/Not Specified	474	57.0%	-	22	55.0%	-	0	0.0%	-	0	0.0%	-	5,781	2.3%
Male Total	348	29.5%	141.9	57	58.8%	23.2	12	100.0%	4.9	2	100.0%	0.8	245,225	49.5%
American Indian/Alaska Native	1	0.6%	41.3	0	0.0%	0.0	1	8.3%	41.3	0	0.0%	0.0	2,419	1.0%
Asian/Pacific Islander	3	1.7%	26.4	0	0.0%	0.0	1	8.3%	8.8	0	0.0%	0.0	11,361	4.6%
Black/African-American	7	4.0%	159.0	3	9.7%	68.2	0	0.0%	0.0	0	0.0%	0.0	4,402	1.8%
Latina/Hispanic	77	43.5%	123.5	11	35.5%	17.6	1	8.3%	1.6	1	50.0%	1.6	62,360	25.4%
White	89	50.3%	55.9	17	54.8%	10.7	9	75.0%	5.7	1	50.0%	0.6	159,191	64.9%
Other/Multi/Not Specified	171	49.1%	-	26	45.6%	-	0	0.0%	-	0	0.0%	-	5,492	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sonoma County, the July 1, 2010 estimate is 494,675).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Stanislaus County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Stanislaus County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,866	100.0%	351.2	167	100.0%	31.4	25	100.0%	4.7	11	100.0%	2.1	559,708	100.0%
Female Total	1,387	74.3%	486.7	79	47.3%	27.7	1	4.0%	0.4	2	18.2%	0.7	284,962	50.9%
Ages														
0 – 9	2	0.1%	4.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	47,627	16.7%
10 – 14	18	1.3%	74.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24,129	8.5%
15 – 19	420	30.4%	1,727.2	16	20.3%	65.8	0	0.0%	0.0	1	50.0%	4.1	24,317	8.5%
20 – 24	537	38.9%	2,367.6	25	31.6%	110.2	0	0.0%	0.0	0	0.0%	0.0	22,681	8.0%
25 – 29	229	16.6%	1,122.5	23	29.1%	112.7	0	0.0%	0.0	1	50.0%	4.9	20,401	7.2%
30 – 34	93	6.7%	570.9	7	8.9%	43.0	0	0.0%	0.0	0	0.0%	0.0	16,291	5.7%
35 – 44	69	5.0%	211.9	7	8.9%	21.5	0	0.0%	0.0	0	0.0%	0.0	32,566	11.4%
45 +	13	0.9%	13.4	1	1.3%	1.0	1	100.0%	1.0	0	0.0%	0.0	96,950	34.0%
Not Specified	6	0.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	469	25.1%	170.7	87	52.1%	31.7	24	96.0%	8.7	9	81.8%	3.3	274,746	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49,750	18.1%
10 – 14	5	1.1%	20.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24,646	9.0%
15 – 19	126	27.1%	526.8	8	9.2%	33.4	1	4.2%	4.2	0	0.0%	0.0	23,920	8.7%
20 – 24	157	33.8%	697.9	29	33.3%	128.9	5	20.8%	22.2	2	22.2%	8.9	22,497	8.2%
25 – 29	96	20.6%	459.0	16	18.4%	76.5	6	25.0%	28.7	1	11.1%	4.8	20,916	7.6%
30 – 34	43	9.2%	260.4	9	10.3%	54.5	1	4.2%	6.1	1	11.1%	6.1	16,516	6.0%
35 – 44	25	5.4%	78.1	13	14.9%	40.6	4	16.7%	12.5	2	22.2%	6.3	31,999	11.6%
45 +	13	2.8%	15.4	12	13.8%	14.2	7	29.2%	8.3	3	33.3%	3.6	84,502	30.8%
Not Specified	4	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,866	100.0%	351.2	167	100.0%	31.4	25	100.0%	4.7	11	100.0%	2.1	559,708	100.0%
Female Total	1,387	74.3%	486.7	79	47.3%	27.7	1	4.0%	0.4	2	18.2%	0.7	284,962	50.9%
American Indian/Alaska Native	3	0.4%	124.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,419	0.8%
Asian/Pacific Islander	21	3.0%	141.0	1	3.6%	6.7	0	0.0%	0.0	1	50.0%	6.7	14,897	5.2%
Black/African-American	53	7.6%	770.6	13	46.4%	189.0	0	0.0%	0.0	1	50.0%	14.5	6,878	2.4%
Latina/Hispanic	451	64.8%	381.7	9	32.1%	7.6	0	0.0%	0.0	0	0.0%	0.0	118,145	41.5%
White	168	24.1%	122.2	5	17.9%	3.6	1	100.0%	0.7	0	0.0%	0.0	137,424	48.2%
Other/Multi/Not Specified	691	49.8%	-	51	64.6%	-	0	0.0%	-	0	0.0%	-	5,199	1.8%
Male Total	469	25.1%	170.7	87	52.1%	31.7	24	96.0%	8.7	9	81.8%	3.3	274,746	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,234	0.8%
Asian/Pacific Islander	9	3.8%	63.6	2	6.7%	14.1	0	0.0%	0.0	0	0.0%	0.0	14,162	5.2%
Black/African-American	27	11.4%	378.7	5	16.7%	70.1	1	4.3%	14.0	0	0.0%	0.0	7,129	2.6%
Latina/Hispanic	144	60.8%	123.9	17	56.7%	14.6	12	52.2%	10.3	5	55.6%	4.3	116,197	42.3%
White	57	24.1%	43.9	6	20.0%	4.6	10	43.5%	7.7	4	44.4%	3.1	129,847	47.3%
Other/Multi/Not Specified	232	49.5%	-	57	65.5%	-	1	4.2%	-	0	0.0%	-	5,177	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Stanislaus County, the July 1, 2010 estimate is 531,364).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sutter County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Sutter County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	238	100.0%	242.8	30	100.0%	30.6	2	100.0%	2.0	0	100.0%	0.0	102,326	100.0%
Female Total	177	74.4%	341.7	18	60.0%	34.7	2	100.0%	3.9	0	0.0%	0.0	51,801	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,487	16.4%
10 – 14	1	0.6%	24.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,161	8.0%
15 – 19	57	32.2%	1,387.5	4	22.2%	97.4	0	0.0%	0.0	0	0.0%	0.0	4,108	7.9%
20 – 24	67	37.9%	1,771.5	11	61.1%	290.9	0	0.0%	0.0	0	0.0%	0.0	3,782	7.3%
25 – 29	35	19.8%	989.0	0	0.0%	0.0	2	100.0%	56.5	0	0.0%	0.0	3,539	6.8%
30 – 34	10	5.6%	384.0	2	11.1%	76.8	0	0.0%	0.0	0	0.0%	0.0	2,604	5.0%
35 – 44	6	3.4%	102.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,875	11.3%
45 +	1	0.6%	5.2	1	5.6%	5.2	0	0.0%	0.0	0	0.0%	0.0	19,245	37.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	61	25.6%	120.7	12	40.0%	23.8	0	0.0%	0.0	0	0.0%	0.0	50,525	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,780	17.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,109	8.1%
15 – 19	17	27.9%	408.2	2	16.7%	48.0	0	0.0%	0.0	0	0.0%	0.0	4,165	8.2%
20 – 24	29	47.5%	715.2	3	25.0%	74.0	0	0.0%	0.0	0	0.0%	0.0	4,055	8.0%
25 – 29	9	14.8%	251.0	3	25.0%	83.7	0	0.0%	0.0	0	0.0%	0.0	3,586	7.1%
30 – 34	5	8.2%	176.9	2	16.7%	70.7	0	0.0%	0.0	0	0.0%	0.0	2,827	5.6%
35 – 44	1	1.6%	16.8	1	8.3%	16.8	0	0.0%	0.0	0	0.0%	0.0	5,953	11.8%
45 +	0	0.0%	0.0	1	8.3%	5.9	0	0.0%	0.0	0	0.0%	0.0	17,050	33.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	238	100.0%	242.8	30	100.0%	30.6	2	100.0%	2.0	0	100.0%	0.0	102,326	100.0%
Female Total	177	74.4%	341.7	18	60.0%	34.7	2	100.0%	3.9	0	0.0%	0.0	51,801	50.6%
American Indian/Alaska Native	3	1.8%	550.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	545	1.1%
Asian/Pacific Islander	1	0.6%	15.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,610	12.8%
Black/African-American	6	3.5%	777.2	0	0.0%	0.0	2	100.0%	259.1	0	0.0%	0.0	772	1.5%
Latina/Hispanic	76	44.4%	478.6	9	52.9%	56.7	0	0.0%	0.0	0	0.0%	0.0	15,880	30.7%
White	85	49.7%	313.1	8	47.1%	29.5	0	0.0%	0.0	0	0.0%	0.0	27,148	52.4%
Other/Multi/Not Specified	6	3.4%	-	1	5.6%	-	0	0.0%	-	0	0.0%	-	846	1.6%
Male Total	61	25.6%	120.7	12	40.0%	23.8	0	0.0%	0.0	0	0.0%	0.0	50,525	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	479	0.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,599	13.1%
Black/African-American	8	13.3%	987.7	2	16.7%	246.9	0	0.0%	0.0	0	0.0%	0.0	810	1.6%
Latina/Hispanic	30	50.0%	189.8	4	33.3%	25.3	0	0.0%	0.0	0	0.0%	0.0	15,803	31.3%
White	22	36.7%	84.7	6	50.0%	23.1	0	0.0%	0.0	0	0.0%	0.0	25,969	51.4%
Other/Multi/Not Specified	1	1.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	865	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sutter County, the July 1, 2010 estimate is 98,013).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tehama County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Tehama County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	167	100.0%	263.1	3	100.0%	4.7	0	100.0%	0.0	0	100.0%	0.0	65,593	100.0%
Female Total	125	74.9%	378.4	2	66.7%	6.1	0	0.0%	0.0	0	0.0%	0.0	33,036	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,068	12.3%
10 – 14	1	0.8%	51.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,956	5.9%
15 – 19	42	33.6%	1,705.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,462	7.5%
20 – 24	49	39.2%	1,861.0	1	50.0%	38.0	0	0.0%	0.0	0	0.0%	0.0	2,633	8.0%
25 – 29	20	16.0%	797.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,509	7.6%
30 – 34	7	5.6%	416.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,680	5.1%
35 – 44	5	4.0%	140.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,553	10.8%
45 +	1	0.8%	7.1	1	50.0%	7.1	0	0.0%	0.0	0	0.0%	0.0	14,175	42.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	42	25.1%	129.0	1	33.3%	3.1	0	0.0%	0.0	0	0.0%	0.0	32,557	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,232	13.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,967	6.0%
15 – 19	6	14.3%	233.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,572	7.9%
20 – 24	16	38.1%	552.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,894	8.9%
25 – 29	12	28.6%	420.6	1	100.0%	35.1	0	0.0%	0.0	0	0.0%	0.0	2,853	8.8%
30 – 34	6	14.3%	316.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,897	5.8%
35 – 44	2	4.8%	58.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,451	10.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,691	39.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	167	100.0%	263.1	3	100.0%	4.7	0	100.0%	0.0	0	100.0%	0.0	65,593	100.0%
Female Total	125	74.9%	378.4	2	66.7%	6.1	0	0.0%	0.0	0	0.0%	0.0	33,036	50.4%
American Indian/Alaska Native	3	3.3%	500.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	599	1.8%
Asian/Pacific Islander	2	2.2%	704.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	284	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	129	0.4%
Latina/Hispanic	24	26.4%	358.5	1	50.0%	14.9	0	0.0%	0.0	0	0.0%	0.0	6,694	20.3%
White	62	68.1%	252.9	1	50.0%	4.1	0	0.0%	0.0	0	0.0%	0.0	24,517	74.2%
Other/Multi/Not Specified	34	27.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	813	2.5%
Male Total	42	25.1%	129.0	1	33.3%	3.1	0	0.0%	0.0	0	0.0%	0.0	32,557	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	546	1.7%
Asian/Pacific Islander	1	3.4%	392.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	255	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	204	0.6%
Latina/Hispanic	7	24.1%	98.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,084	21.8%
White	21	72.4%	88.8	1	100.0%	4.2	0	0.0%	0.0	0	0.0%	0.0	23,659	72.7%
Other/Multi/Not Specified	13	31.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	809	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tehama County, the July 1, 2010 estimate is 63,475).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Trinity County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Trinity County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	16	100.0%	115.0	1	100.0%	7.2	0	100.0%	0.0	0	100.0%	0.0	15,172	100.0%
Female Total	11	68.8%	147.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,481	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	660	8.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	392	5.2%
15 – 19	4	36.4%	782.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	511	6.8%
20 – 24	3	27.3%	565.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	531	7.1%
25 – 29	4	36.4%	833.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	480	6.4%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	183	2.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	637	8.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,087	54.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	5	31.3%	65.0	1	100.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	7,691	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	715	9.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	406	5.3%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	543	7.1%
20 – 24	5	100.0%	851.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	587	7.6%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	528	6.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	227	3.0%
35 – 44	0	0.0%	0.0	1	100.0%	142.7	0	0.0%	0.0	0	0.0%	0.0	701	9.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,984	51.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	16	100.0%	115.0	1	100.0%	7.2	0	100.0%	0.0	0	100.0%	0.0	15,172	100.0%
Female Total	11	68.8%	147.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,481	49.3%
American Indian/Alaska Native	1	16.7%	332.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	301	4.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7	0.1%
Latina/Hispanic	1	16.7%	331.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	302	4.0%
White	4	66.7%	61.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,525	87.2%
Other/Multi/Not Specified	5	45.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	287	3.8%
Male Total	5	31.3%	65.0	1	100.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	7,691	50.7%
American Indian/Alaska Native	1	20.0%	279.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	358	4.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	36	0.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.7%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	300	3.9%
White	4	80.0%	60.4	1	100.0%	15.1	0	0.0%	0.0	0	0.0%	0.0	6,626	86.2%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	316	4.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Trinity County, the July 1, 2010 estimate is 13,918).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tulare County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Tulare County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,582	100.0%	351.0	90	100.0%	20.0	13	100.0%	2.9	5	100.0%	1.1	466,893	100.0%
Female Total	1,179	74.5%	507.0	44	48.9%	18.9	2	15.4%	0.9	0	0.0%	0.0	232,550	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,161	17.7%
10 – 14	6	0.5%	34.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,277	7.4%
15 – 19	361	30.6%	1,806.8	7	15.9%	35.0	0	0.0%	0.0	0	0.0%	0.0	19,980	8.6%
20 – 24	445	37.7%	2,278.8	13	29.5%	66.6	1	50.0%	5.1	0	0.0%	0.0	19,528	8.4%
25 – 29	208	17.6%	1,111.0	8	18.2%	42.7	0	0.0%	0.0	0	0.0%	0.0	18,722	8.1%
30 – 34	77	6.5%	497.7	6	13.6%	38.8	0	0.0%	0.0	0	0.0%	0.0	15,472	6.7%
35 – 44	61	5.2%	219.9	8	18.2%	28.8	1	50.0%	3.6	0	0.0%	0.0	27,743	11.9%
45 +	21	1.8%	28.9	2	4.5%	2.8	0	0.0%	0.0	0	0.0%	0.0	72,667	31.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	403	25.5%	172.0	46	51.1%	19.6	11	84.6%	4.7	5	100.0%	2.1	234,343	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	42,628	18.2%
10 – 14	1	0.2%	5.6	1	2.2%	5.6	0	0.0%	0.0	0	0.0%	0.0	17,811	7.6%
15 – 19	110	27.3%	528.0	9	19.6%	43.2	0	0.0%	0.0	1	20.0%	4.8	20,832	8.9%
20 – 24	148	36.7%	693.5	9	19.6%	42.2	2	18.2%	9.4	3	60.0%	14.1	21,340	9.1%
25 – 29	76	18.9%	355.8	6	13.0%	28.1	3	27.3%	14.0	0	0.0%	0.0	21,360	9.1%
30 – 34	40	9.9%	237.0	8	17.4%	47.4	1	9.1%	5.9	1	20.0%	5.9	16,879	7.2%
35 – 44	22	5.5%	79.5	9	19.6%	32.5	2	18.2%	7.2	0	0.0%	0.0	27,663	11.8%
45 +	6	1.5%	9.1	4	8.7%	6.1	3	27.3%	4.6	0	0.0%	0.0	65,830	28.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,582	100.0%	351.0	90	100.0%	20.0	13	100.0%	2.9	5	100.0%	1.1	466,893	100.0%
Female Total	1,179	74.5%	507.0	44	48.9%	18.9	2	15.4%	0.9	0	0.0%	0.0	232,550	49.8%
American Indian/Alaska Native	5	0.5%	222.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,251	1.0%
Asian/Pacific Islander	16	1.7%	187.1	1	2.7%	11.7	0	0.0%	0.0	0	0.0%	0.0	8,552	3.7%
Black/African-American	31	3.3%	1,337.9	3	8.1%	129.5	0	0.0%	0.0	0	0.0%	0.0	2,317	1.0%
Latina/Hispanic	717	75.9%	550.2	20	54.1%	15.3	2	100.0%	1.5	0	0.0%	0.0	130,324	56.0%
White	176	18.6%	203.6	13	35.1%	15.0	0	0.0%	0.0	0	0.0%	0.0	86,444	37.2%
Other/Multi/Not Specified	234	19.8%	-	7	15.9%	-	0	0.0%	-	0	0.0%	-	2,662	1.1%
Male Total	403	25.5%	172.0	46	51.1%	19.6	11	84.6%	4.7	5	100.0%	2.1	234,343	50.2%
American Indian/Alaska Native	2	0.6%	101.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,975	0.8%
Asian/Pacific Islander	2	0.6%	24.8	1	2.9%	12.4	0	0.0%	0.0	0	0.0%	0.0	8,080	3.4%
Black/African-American	24	7.6%	906.7	8	22.9%	302.2	0	0.0%	0.0	0	0.0%	0.0	2,647	1.1%
Latina/Hispanic	239	76.1%	173.2	18	51.4%	13.0	8	72.7%	5.8	3	60.0%	2.2	138,019	58.9%
White	47	15.0%	58.0	8	22.9%	9.9	3	27.3%	3.7	2	40.0%	2.5	81,076	34.6%
Other/Multi/Not Specified	89	22.1%	-	11	23.9%	-	0	0.0%	-	0	0.0%	-	2,546	1.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tulare County, the July 1, 2010 estimate is 450,749).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tuolumne County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Tuolumne County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	104	100.0%	186.1	3	100.0%	5.4	0	100.0%	0.0	0	100.0%	0.0	58,721	100.0%
Female Total	74	71.2%	265.2	2	66.7%	7.2	0	0.0%	0.0	0	0.0%	0.0	27,904	47.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,366	8.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,278	4.6%
15 – 19	39	52.7%	2,463.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,583	5.7%
20 – 24	24	32.4%	1,340.8	1	50.0%	55.9	0	0.0%	0.0	0	0.0%	0.0	1,790	6.4%
25 – 29	3	4.1%	205.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,462	5.2%
30 – 34	6	8.1%	641.0	1	50.0%	106.8	0	0.0%	0.0	0	0.0%	0.0	936	3.4%
35 – 44	1	1.4%	39.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,543	9.1%
45 +	1	1.4%	6.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,946	57.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	30	28.8%	97.3	1	33.3%	3.2	0	0.0%	0.0	0	0.0%	0.0	30,817	52.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,689	8.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,384	4.5%
15 – 19	9	30.0%	475.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,893	6.1%
20 – 24	15	50.0%	566.7	1	100.0%	37.8	0	0.0%	0.0	0	0.0%	0.0	2,647	8.6%
25 – 29	1	3.3%	41.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,385	7.7%
30 – 34	5	16.7%	331.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,508	4.9%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,111	10.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,200	49.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	104	100.0%	186.1	3	100.0%	5.4	0	100.0%	0.0	0	100.0%	0.0	58,721	100.0%
Female Total	74	71.2%	265.2	2	66.7%	7.2	0	0.0%	0.0	0	0.0%	0.0	27,904	47.5%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	425	1.5%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	259	0.9%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	93	0.3%
Latina/Hispanic	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,421	8.7%
White	51	92.7%	212.5	1	100.0%	4.2	0	0.0%	0.0	0	0.0%	0.0	24,003	86.0%
Other/Multi/Not Specified	s	s	-	1	50.0%	-	0	0.0%	-	0	0.0%	-	703	2.5%
Male Total	30	28.8%	97.3	1	33.3%	3.2	0	0.0%	0.0	0	0.0%	0.0	30,817	52.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	525	1.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	261	0.8%
Black/African-American	2	9.1%	187.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,069	3.5%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,825	12.4%
White	20	90.9%	81.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	24,460	79.4%
Other/Multi/Not Specified	8	26.7%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	677	2.2%

s Numbers suppressed for confidentiality.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tuolumne County, the July 1, 2010 estimate is 55,896).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Ventura County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Ventura County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,279	100.0%	268.6	170	100.0%	20.0	15	100.0%	1.8	12	100.0%	1.4	855,876	100.0%
Female Total	1,682	73.8%	395.0	82	48.2%	19.3	0	0.0%	0.0	2	16.7%	0.5	425,850	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58,945	13.8%
10 – 14	4	0.2%	14.4	2	2.4%	7.2	0	0.0%	0.0	0	0.0%	0.0	27,813	6.5%
15 – 19	398	23.7%	1,266.4	23	28.0%	73.2	0	0.0%	0.0	0	0.0%	0.0	31,428	7.4%
20 – 24	732	43.5%	2,341.1	30	36.6%	95.9	0	0.0%	0.0	2	100.0%	6.4	31,268	7.3%
25 – 29	306	18.2%	1,039.3	9	11.0%	30.6	0	0.0%	0.0	0	0.0%	0.0	29,443	6.9%
30 – 34	121	7.2%	496.7	5	6.1%	20.5	0	0.0%	0.0	0	0.0%	0.0	24,362	5.7%
35 – 44	97	5.8%	186.8	8	9.8%	15.4	0	0.0%	0.0	0	0.0%	0.0	51,915	12.2%
45 +	24	1.4%	14.1	5	6.1%	2.9	0	0.0%	0.0	0	0.0%	0.0	170,676	40.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	597	26.2%	138.8	88	51.8%	20.5	15	100.0%	3.5	10	83.3%	2.3	430,026	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	61,312	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,102	6.8%
15 – 19	86	14.4%	260.5	9	10.2%	27.3	0	0.0%	0.0	3	30.0%	9.1	33,011	7.7%
20 – 24	257	43.0%	784.7	26	29.5%	79.4	3	20.0%	9.2	2	20.0%	6.1	32,753	7.6%
25 – 29	136	22.8%	418.5	17	19.3%	52.3	3	20.0%	9.2	0	0.0%	0.0	32,499	7.6%
30 – 34	58	9.7%	201.8	9	10.2%	31.3	2	13.3%	7.0	1	10.0%	3.5	28,747	6.7%
35 – 44	42	7.0%	75.1	15	17.0%	26.8	6	40.0%	10.7	3	30.0%	5.4	55,908	13.0%
45 +	18	3.0%	11.5	12	13.6%	7.7	1	6.7%	0.6	1	10.0%	0.6	156,694	36.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,279	100.0%	268.6	170	100.0%	20.0	15	100.0%	1.8	12	100.0%	1.4	855,876	100.0%
Female Total	1,682	73.8%	395.0	82	48.2%	19.3	0	0.0%	0.0	2	16.7%	0.5	425,850	49.8%
American Indian/Alaska Native	6	0.4%	309.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,937	0.5%
Asian/Pacific Islander	47	3.5%	179.9	2	3.1%	7.7	0	0.0%	0.0	0	0.0%	0.0	26,131	6.1%
Black/African-American	57	4.2%	870.4	14	21.9%	213.8	0	0.0%	0.0	1	50.0%	15.3	6,549	1.5%
Latina/Hispanic	865	64.2%	559.4	29	45.3%	18.8	0	0.0%	0.0	1	50.0%	0.6	154,626	36.3%
White	372	27.6%	163.0	19	29.7%	8.3	0	0.0%	0.0	0	0.0%	0.0	228,263	53.6%
Other/Multi/Not Specified	335	19.9%	-	18	22.0%	-	0	0.0%	-	0	0.0%	-	8,344	2.0%
Male Total	597	26.2%	138.8	88	51.8%	20.5	15	100.0%	3.5	10	83.3%	2.3	430,026	50.2%
American Indian/Alaska Native	1	0.2%	49.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,017	0.5%
Asian/Pacific Islander	13	2.9%	56.0	6	8.6%	25.8	0	0.0%	0.0	1	10.0%	4.3	23,217	5.4%
Black/African-American	37	8.2%	516.7	11	15.7%	153.6	1	7.1%	14.0	0	0.0%	0.0	7,161	1.7%
Latina/Hispanic	258	57.5%	157.5	30	42.9%	18.3	3	21.4%	1.8	6	60.0%	3.7	163,853	38.1%
White	140	31.2%	62.0	23	32.9%	10.2	10	71.4%	4.4	3	30.0%	1.3	225,642	52.5%
Other/Multi/Not Specified	148	24.8%	-	18	20.5%	-	1	6.7%	-	0	0.0%	-	8,136	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Ventura County, the July 1, 2010 estimate is 848,331).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Yolo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female --- Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Yolo County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	580	100.0%	284.5	54	100.0%	26.5	2	100.0%	1.0	0	100.0%	0.0	206,100	100.0%
Female Total	422	72.8%	404.4	27	50.0%	25.9	0	0.0%	0.0	0	0.0%	0.0	104,360	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,934	12.4%
10 – 14	2	0.5%	31.4	1	3.7%	15.7	0	0.0%	0.0	0	0.0%	0.0	6,369	6.1%
15 – 19	117	27.8%	1,169.3	5	18.5%	50.0	0	0.0%	0.0	0	0.0%	0.0	10,006	9.6%
20 – 24	192	45.6%	1,631.1	12	44.4%	101.9	0	0.0%	0.0	0	0.0%	0.0	11,771	11.3%
25 – 29	68	16.2%	933.6	8	29.6%	109.8	0	0.0%	0.0	0	0.0%	0.0	7,284	7.0%
30 – 34	16	3.8%	223.7	1	3.7%	14.0	0	0.0%	0.0	0	0.0%	0.0	7,153	6.9%
35 – 44	22	5.2%	164.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,397	12.8%
45 +	4	1.0%	11.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	35,446	34.0%
Not Specified	1	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	157	27.1%	154.3	27	50.0%	26.5	2	100.0%	2.0	0	0.0%	0.0	101,740	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,052	13.8%
10 – 14	1	0.6%	14.8	1	3.7%	14.8	0	0.0%	0.0	0	0.0%	0.0	6,740	6.6%
15 – 19	26	16.6%	265.6	5	18.5%	51.1	0	0.0%	0.0	0	0.0%	0.0	9,790	9.6%
20 – 24	69	43.9%	587.4	10	37.0%	85.1	1	50.0%	8.5	0	0.0%	0.0	11,747	11.5%
25 – 29	32	20.4%	444.1	4	14.8%	55.5	1	50.0%	13.9	0	0.0%	0.0	7,206	7.1%
30 – 34	13	8.3%	187.6	3	11.1%	43.3	0	0.0%	0.0	0	0.0%	0.0	6,928	6.8%
35 – 44	12	7.6%	87.9	3	11.1%	22.0	0	0.0%	0.0	0	0.0%	0.0	13,651	13.4%
45 +	4	2.5%	12.6	1	3.7%	3.2	0	0.0%	0.0	0	0.0%	0.0	31,626	31.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	580	100.0%	284.5	54	100.0%	26.5	2	100.0%	1.0	0	100.0%	0.0	206,100	100.0%
Female Total	422	72.8%	404.4	27	50.0%	25.9	0	0.0%	0.0	0	0.0%	0.0	104,360	50.6%
American Indian/Alaska Native	4	1.7%	488.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	819	0.8%
Asian/Pacific Islander	30	12.4%	249.9	1	5.3%	8.3	0	0.0%	0.0	0	0.0%	0.0	12,004	11.5%
Black/African-American	23	9.5%	957.9	4	21.1%	166.6	0	0.0%	0.0	0	0.0%	0.0	2,401	2.3%
Latina/Hispanic	106	43.8%	346.9	8	42.1%	26.2	0	0.0%	0.0	0	0.0%	0.0	30,559	29.3%
White	79	32.6%	141.9	6	31.6%	10.8	0	0.0%	0.0	0	0.0%	0.0	55,670	53.3%
Other/Multi/Not Specified	180	42.7%	-	8	29.6%	-	0	0.0%	-	0	0.0%	-	2,907	2.8%
Male Total	157	27.1%	154.3	27	50.0%	26.5	2	100.0%	2.0	0	0.0%	0.0	101,740	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	634	0.6%
Asian/Pacific Islander	8	9.9%	72.8	1	5.3%	9.1	1	100.0%	9.1	0	0.0%	0.0	10,996	10.8%
Black/African-American	14	17.3%	534.6	2	10.5%	76.4	0	0.0%	0.0	0	0.0%	0.0	2,619	2.6%
Latina/Hispanic	28	34.6%	86.9	9	47.4%	27.9	0	0.0%	0.0	0	0.0%	0.0	32,231	31.7%
White	31	38.3%	59.1	7	36.8%	13.4	0	0.0%	0.0	0	0.0%	0.0	52,431	51.5%
Other/Multi/Not Specified	76	48.4%	-	8	29.6%	-	1	50.0%	-	0	0.0%	-	2,829	2.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Yolo County, the July 1, 2010 estimate is 203,893).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Yuba County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2010), Race/Ethnicity (2010), and Year



■ Female ■ Male

— Female - - - Male

* Race data may be missing for a substantial number of cases. See the 'Data Limitations' page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Yuba County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2010

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	197	100.0%	267.0	14	100.0%	19.0	1	100.0%	1.4	1	100.0%	1.4	80,411	100.0%
Female Total	145	73.6%	363.7	9	64.3%	22.6	0	0.0%	0.0	0	0.0%	0.0	39,871	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,465	16.2%
10 – 14	4	2.8%	135.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,949	7.4%
15 – 19	54	37.2%	1,584.0	3	33.3%	88.0	0	0.0%	0.0	0	0.0%	0.0	3,409	8.6%
20 – 24	59	40.7%	1,801.5	3	33.3%	91.6	0	0.0%	0.0	0	0.0%	0.0	3,275	8.2%
25 – 29	12	8.3%	410.7	2	22.2%	68.4	0	0.0%	0.0	0	0.0%	0.0	2,922	7.3%
30 – 34	11	7.6%	402.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,732	6.9%
35 – 44	5	3.4%	101.1	1	11.1%	20.2	0	0.0%	0.0	0	0.0%	0.0	4,944	12.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,175	33.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	51	25.9%	125.8	5	35.7%	12.3	1	100.0%	2.5	1	100.0%	2.5	40,540	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,683	16.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,092	7.6%
15 – 19	8	15.7%	218.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,662	9.0%
20 – 24	20	39.2%	542.6	3	60.0%	81.4	0	0.0%	0.0	0	0.0%	0.0	3,686	9.1%
25 – 29	14	27.5%	421.3	1	20.0%	30.1	0	0.0%	0.0	1	100.0%	30.1	3,323	8.2%
30 – 34	3	5.9%	97.0	0	0.0%	0.0	1	100.0%	32.3	0	0.0%	0.0	3,094	7.6%
35 – 44	5	9.8%	99.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,033	12.4%
45 +	1	2.0%	8.4	1	20.0%	8.4	0	0.0%	0.0	0	0.0%	0.0	11,967	29.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	197	100.0%	267.0	14	100.0%	19.0	1	100.0%	1.4	1	100.0%	1.4	80,411	100.0%
Female Total	145	73.6%	363.7	9	64.3%	22.6	0	0.0%	0.0	0	0.0%	0.0	39,871	49.6%
American Indian/Alaska Native	1	1.1%	112.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	891	2.2%
Asian/Pacific Islander	11	11.8%	399.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,755	6.9%
Black/African-American	7	7.5%	739.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	947	2.4%
Latina/Hispanic	37	39.8%	371.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,968	25.0%
White	37	39.8%	155.3	3	100.0%	12.6	0	0.0%	0.0	0	0.0%	0.0	23,832	59.8%
Other/Multi/Not Specified	52	35.9%	-	6	66.7%	-	0	0.0%	-	0	0.0%	-	1,478	3.7%
Male Total	51	25.9%	125.8	5	35.7%	12.3	1	100.0%	2.5	1	100.0%	2.5	40,540	50.4%
American Indian/Alaska Native	1	2.3%	103.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	963	2.4%
Asian/Pacific Islander	3	7.0%	112.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,665	6.6%
Black/African-American	12	27.9%	1,035.4	1	25.0%	86.3	0	0.0%	0.0	0	0.0%	0.0	1,159	2.9%
Latina/Hispanic	11	25.6%	100.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,905	26.9%
White	16	37.2%	68.5	3	75.0%	12.8	1	100.0%	4.3	1	100.0%	4.3	23,367	57.6%
Other/Multi/Not Specified	8	15.7%	-	1	20.0%	-	0	0.0%	-	0	0.0%	-	1,481	3.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Yuba County, the July 1, 2010 estimate is 73,777).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

